

References (1996)

- Aberham C; Weber S; Phares W
Spontaneous mutations in the human immunodeficiency virus type 1 gag gene that affect viral replication in the presence of cyclosporins.
J Virol 70: 3536-44 (1996)
- Adleman LM; Wofsy D
Blind T-cell homeostasis in CD4-deficient mice.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 334-40 (1996)
- Agy MB; Sherbert CH; Katze MG
Development of an in vitro mRNA degradation assay utilizing extracts from HIV-1- and SIV-infected cells.
Virology 217: 158-66 (1996)
- Agy MB; Sherbert CH; Katze MG
Development of an in vitro mRNA degradation assay utilizing extracts from HIV-1- and SIV-infected cells.
Virology 217: 158-66 (1996)
- Aiken C; Krause L; Chen YL; Trono D
Mutational analysis of HIV-1 Nef: identification of two mutants that are temperature-sensitive for CD4 downregulation.
Virology 217: 293-300 (1996)
- Akari H; Mori K; Terao K; Otani I; Fukasawa M; Mukai R; Yoshikawa Y
In vitro immortalization of Old World monkey T lymphocytes with Herpesvirus saimiri: its susceptibility to infection with simian immunodeficiency viruses.
Virology 218: 382-8 (1996)
- Akashi A; Ono S; Kuwano K; Arai S
Proteins of 30 and 36 kilodaltons, membrane constituents of the *Staphylococcus aureus* L form, induce production of tumor necrosis factor alpha and activate the human immunodeficiency virus type 1 long terminal repeat.
Infect Immun 64: 3267-72 (1996)
- Akridge RE; Reed SG
Interleukin-12 decreases human immunodeficiency virus type 1 replication in human macrophage cultures reconstituted with autologous peripheral blood mononuclear cells.
J Infect Dis 173: 559-64 (1996)
- Albini A; Benelli R; Presta M; Rusnati M; Ziche M; Rubartelli A; Paglialunga G; Bussolino F; Noonan D
HIV-tat protein is a heparin-binding angiogenic growth factor.
Oncogene 12: 289-97 (1996)
- Aldrovandi GM; Zack JA
Replication and pathogenicity of human immunodeficiency virus type 1 accessory gene mutants in SCID-hu mice.
J Virol 70: 1505-11 (1996)
- Alin K; Goff SP
Mutational analysis of interactions between the Gag precursor proteins of murine leukemia viruses.
Virology 216: 418-24 (1996)
- Althaus IW; Franks KM; Langley KB; Kezdy FJ; Peterson T; Buxser SE; Decker DE; Dolak LA; Ulrich RG; Reusser F
The amphiphilic properties of novenamines determine their activity as inhibitors of HIV-1 RNase H.
Experientia 52: 329-35 (1996)
- Altman JD; Moss PAH; Goulder PJR; Barouch DH; McHeyzer-Williams MG; Bell JI; McMichael AJ; Davis MM
Phenotypic analysis of antigen-specific T lymphocytes.
Science 274: 94-6 (1996)
- Altman JD; Moss PAH; Goulder PJR; Barouch DH; McHeyzer-Williams MG; Bell JI; McMichael AJ; Davis MM
Phenotypic analysis of antigen-specific T lymphocytes.
Science 274: 94-6 (1996)
- Amakawa R; Hakem A; Kundig TM; Matsuyama T; Simard JJ; Timms E; Wakeham A; Mittruecker HW; Griesser H; Takimoto H; Schmits R; Shahinian A; Ohashi P; Penninger JM; Mak TW
Impaired negative selection of T cells in Hodgkin's disease antigen CD30-deficient mice.
Cell 84: 551-62 (1996)
- Anderson MJ; Porter DC; Fultz PN; Morrow CD
Poliovirus replicons that express the gag or the envelope surface protein of simian immunodeficiency virus SIV(smm) PBj14.
Virology 219: 140-9 (1996)
- Andres JM
Neonatal hepatobiliary disorders.
Clin Perinatol 23: 321-52 (1996)
- Andres JM
Neonatal hepatobiliary disorders.
Clin Perinatol 23: 321-52 (1996)
- Ankel H; Capobianchi MR; Frezza F; Castilletti C; Dianzani F
Interferon induction by HIV-1-infected cells: a possible role of sulfatides or related glycolipids.
Virology 221: 113-9 (1996)
- Ansari-Lari MA; Gibbs RA
Expression of human immunodeficiency virus type 1 reverse transcriptase in trans during virion release and after infection.
J Virol 70: 3870-5 (1996)

References (1996)

- Arase N; Arase H; Ohki K; Nishino Y; Ikuta K; Onoe K
Mitogenic effect of HIV-infected human T cell lines on mouse B cells mediated by surface immunoglobulin.
Clin Exp Immunol 103: 24-9 (1996)
- Arion D; Borkow G; Gu Z; Wainberg MA; Parniak MA
The K65R mutation confers increased DNA polymerase processivity to HIV-1 reverse transcriptase.
J Biol Chem 271: 19860-4 (1996)
- Arion D; Borkow G; Gu Z; Wainberg MA; Parniak MA
The K65R mutation confers increased DNA polymerase processivity to HIV-1 reverse transcriptase.
J Biol Chem 271: 19860-4 (1996)
- Arion D; Harada R; Li X; Wainberg MA; Parniak MA
HIV-1 reverse transcriptase shows no specificity for the binding of primer tRNA(Lys3).
Biochem Biophys Res Commun 225: 839-43 (1996)
- Arion D; Harada R; Li X; Wainberg MA; Parniak MA
HIV-1 reverse transcriptase shows no specificity for the binding of primer tRNA(Lys3).
Biochem Biophys Res Commun 225: 839-43 (1996)
- Artenstein AW; Hegerich PA; Beyrer C; Rungruengthanakit K; Michael NL; Natpratan C
Sequences and phylogenetic analysis of the nef gene from Thai subjects harboring subtype E HIV-1.
AIDS Res Hum Retroviruses 12: 557-60 (1996)
- Arts EJ; Ghosh M; Jacques PS; Ehresmann B; Le Grice SF
Restoration of tRNA3Lys-primed(-)-strand DNA synthesis to an HIV-1 reverse transcriptase mutant with extended tRNAs. Implications for retroviral replication.
J Biol Chem 271: 9054-61 (1996)
- Arts EJ; Marois JP; Gu Z; Le Grice SF; Wainberg MA
Effects of 3'-deoxynucleoside 5'-triphosphate concentrations on chain termination by nucleoside analogs during human immunodeficiency virus type 1 reverse transcription of minus-strand strong-stop DNA.
J Virol 70: 712-20 (1996)
- Artzi HB; Shemesh J; Zeelon E; Amit B; Kleiman L; Gorecki M; Panet A
Ribonuclease H activity during initiation of reverse transcription using tRNA(lys)/RNA primer/template of human immunodeficiency virus.
Arch Biochem Biophys 325: 209-16 (1996)
- Aruoma OI; Spencer JP; Rossi R; Aeschbach R; Khan A; Mahmood N; Munoz A; Murcia A; Butler J; Halliwell B
An evaluation of the antioxidant and antiviral action of extracts of rosemary and Provencal herbs.
Food Chem Toxicol 34: 449-56 (1996)
- Arya SK; Gallo RC
Human immunodeficiency virus (HIV) type 2-mediated inhibition of HIV type 1: a new approach to gene therapy of HIV-infection.
Proc Natl Acad Sci U S A 93: 4486-91 (1996)
- Arya SK; Gallo RC
Human immunodeficiency virus (HIV) type 2-mediated inhibition of HIV type 1: a new approach to gene therapy of HIV-infection.
Proc Natl Acad Sci U S A 93: 4486-91 (1996)
- Asante-Appiah E; Chan WW
Synergistic binding of inhibitors to the protease from HIV type 1.
Biochem J 315 (Pt 1): 113-7 (1996)
- Asch S; Knowles L; Rai A; Jones BE; Pogoda J; Barnes PF
Relationship of isoniazid resistance to human immunodeficiency virus infection in patients with tuberculosis [see comments]
Am J Respir Crit Care Med 153: 1708-10 (1996)
- Askari FK; McDonnell WM
Antisense-oligonucleotide therapy.
N Engl J Med 334: 316-8 (1996)
- Atkins MC; Carlin EM; Emery VC; Griffiths PD; Boag F
Fluctuations of HIV load in semen of HIV positive patients with newly acquired sexually transmitted diseases.
BMJ 313: 341-2 (1996)
- Avivi I; Blumenfeld I; Blumenfeld Z
[Therapeutic potential of ozone—possible side-effects]
Harefuah 130: 327-30 (1996)
- Ayyavoo V; Ugen KE; Fernandes LS; Goedert JJ; Rubinstein A; Williams WV; Weiner DB
Analysis of genetic heterogeneity, antigenicity, and biological characteristics of HIV-1 in a maternal transmitter and nontransmitter patient pair.
DNA Cell Biol 15: 571-80 (1996)
- Back NK; Nijhuis M; Keulen W; Boucher CA; Oude Essink BO; van Kuilenburg AB; van Gennip AH; Berkout B
Reduced replication of 3TC-resistant HIV-1 variants in primary cells due to a processivity defect of the reverse transcriptase enzyme.
EMBO J 15: 4040-9 (1996)
- Back NK; Nijhuis M; Keulen W; Boucher CA; Oude Essink BO; van Kuilenburg AB; van Gennip AH; Berkout B
Reduced replication of 3TC-resistant HIV-1 variants in primary cells due to a processivity defect of the reverse transcriptase enzyme.
EMBO J 15: 4040-9 (1996)

References (1996)

Badley AD; McElhinny JA; Leibson PJ; Lynch DH; Alderson MR; Paya CV
Upregulation of Fas ligand expression by human immunodeficiency virus in human macrophages mediates apoptosis of uninfected T lymphocytes.
J Virol 70: 199-206 (1996)

Bagetta G; Corasaniti MT; Aloe L; Berliocchi L; Costa N; Finazzi-Agro A; Nistico G
Intracerebral injection of human immunodeficiency virus type 1 coat protein gp120 differentially affects the expression of nerve growth factor and nitric oxide synthase in the hippocampus of rat.
Proc Natl Acad Sci U S A 93: 928-33 (1996)

Bahner I; Kearns K; Hao QL; Smogorzewska EM; Kohn DB
Transduction of human CD34+ hematopoietic progenitor cells by a retroviral vector expressing an RRE decoy inhibits human immunodeficiency virus type 1 replication in myelomonocytic cells produced in long-term culture.
J Virol 70: 4352-60 (1996)

Bailly C; Colson P; Houssier C; Hamy F
The binding mode of drugs to the TAR RNA of HIV-1 studied by electric linear dichroism.
Nucleic Acids Res 24: 1460-4 (1996)

Bakhanashvili M; Avidan O; Hizi A
Mutational studies of human immunodeficiency virus type 1 reverse transcriptase: the involvement of residues 183 and 184 in the fidelity of DNA synthesis.
FEBS Lett 391: 257-62 (1996)

Balachandran R; Singh MK; Gupta P
An additional mechanism of growth restriction in T cell line H9 of human immunodeficiency virus type 1 isolates from asymptomatic homosexual men.
J Gen Virol 77 (Pt 5): 1083-8 (1996)

Balakrishnan M; Zastrow D; Jonsson CB
Catalytic activities of the human T-cell leukemia virus type II integrase.
Virology 219: 77-86 (1996)

Balzarini J; Aquaro S; Perno CF; Witvrouw M; Holy A; De Clercq E
Activity of the (R)-enantiomers of 9-(2-phosphonylmethoxypropyl)-adenine and 9-(2-phosphonylmethoxypropyl)-2,6-diaminopurine against human immunodeficiency virus in different human cell systems.
Biochem Biophys Res Commun 219: 337-41 (1996)

Balzarini J; Pelemans H; Aquaro S; Perno CF; Witvrouw M; Schols D; De Clercq E; Karlsson A
Highly favorable antiviral activity and resistance profile of the novel thiocarboxanilide pentenyloxy ether derivatives UC-781 and UC-82 as inhibitors of human immunodeficiency virus type 1 replication.
Mol Pharmacol 50: 394-401 (1996)

Balzarini J; Pelemans H; Perez-Perez MJ; San-Felix A; Camarasa MJ; De Clercq E; Karlsson A
Marked inhibitory activity of non-nucleoside reverse transcriptase inhibitors against human immunodeficiency virus type 1 when combined with (-)2',3'-dideoxy-3'-thiacytidine.
Mol Pharmacol 49: 882-90 (1996)

Balzarini J; Wedgwood O; Kruining J; Pelemans H; Heijtink R; De Clercq E; McGuigan C
Anti-HIV and anti-HBV activity and resistance profile of 2',3'-dideoxy-3'-thiacytidine (3TC) and its arylphosphoramidate derivative CF 1109.
Biochem Biophys Res Commun 225: 363-9 (1996)

Balzarini J; Wedgwood O; Kruining J; Pelemans H; Heijtink R; De Clercq E; McGuigan C
Anti-HIV and anti-HBV activity and resistance profile of 2',3'-dideoxy-3'-thiacytidine (3TC) and its arylphosphoramidate derivative CF 1109.
Biochem Biophys Res Commun 225: 363-9 (1996)

Barnes PF; el-Hajj H; Preston-Martin S; Cave MD; Jones BE; Otaya M; Pogoda J; Eisenach KD
Transmission of tuberculosis among the urban homeless.
JAMA 275: 305-7 (1996)

Barnum D; Greene J; Smellie A; Sprague P
Identification of common functional configurations among molecules.
J Chem Inf Comput Sci 36: 563-71 (1996)

Barratt-Boyes SM; Henderson RA; Finn OJ
Chimpanzee dendritic cells with potent immunostimulatory function can be propagated from peripheral blood.
Immunology 87: 528-34 (1996)

Barre-Sinoussi F
HIV as the cause of AIDS.
Lancet 348: 31-5 (1996)

Barrie KA; Perez EE; Lamers SL; Farmerie WG; Dunn BM; Sleasman JW; Goodenow MM
Natural variation in HIV-1 protease, Gag p7 and p6, and protease cleavage sites within gag/pol polyproteins: amino acid substitutions in the absence of protease inhibitors in mothers and children infected by human immunodeficiency virus type 1.
Virology 219: 407-16 (1996)

References (1996)

- Barsov EV; Huber WE; Marcotrigiano J; Clark PK; Clark AD; Arnold E; Hughes SH
Inhibition of human immunodeficiency virus type 1 integrase by the Fab fragment of a specific monoclonal antibody suggests that different multimerization states are required for different enzymatic functions.
J Virol 70: 4484-94 (1996)
- Barton CH; Biggs TE; Mee TR; Mann DA
The human immunodeficiency virus type 1 regulatory protein Tat inhibits interferon-induced iNos activity in a murine macrophage cell line.
J Gen Virol 77 (Pt 8): 1643-7 (1996)
- Bartz SR; Rogel ME; Emerman M
Human immunodeficiency virus type 1 cell cycle control: Vpr is cytostatic and mediates G2 accumulation by a mechanism which differs from DNA damage checkpoint control.
J Virol 70: 2324-31 (1996)
- Battiste JL; Mao H; Rao NS; Tan R; Muhandiram DR; Kay LE; Frankel AD; Williamson JR
Alpha helix-RNA major groove recognition in an HIV-1 rev peptide-RRE RNA complex.
Science 273: 1547-51 (1996)
- Battiste JL; Mao H; Rao NS; Tan R; Muhandiram DR; Kay LE; Frankel AD; Williamson JR
Alpha helix-RNA major groove recognition in an HIV-1 rev peptide-RRE RNA complex.
Science 273: 1547-51 (1996)
- Baumler CB; Bohler T; Herr I; Benner A; Krammer PH; Debatin KM
Activation of the CD95 (APO-1/Fas) system in T cells from human immunodeficiency virus type-1-infected children.
Blood 88: 1741-6 (1996)
- Baumler CB; Bohler T; Herr I; Benner A; Krammer PH; Debatin KM
Activation of the CD95 (APO-1/Fas) system in T cells from human immunodeficiency virus type-1-infected children.
Blood 88: 1741-6 (1996)
- Beale J
Reconsidering an attenuated vaccine for AIDS.
Lancet 347: 344-5 (1996)
- Beard WA; Minnick DT; Wade CL; Prasad R; Won RL; Kumar A; Kunkel TA; Wilson SH
Role of the "helix clamp" in HIV-1 reverse transcriptase catalytic cycling as revealed by alanine-scanning mutagenesis.
J Biol Chem 271: 12213-20 (1996)
- Beatty JA; Willett BJ; Gault EA; Jarrett O
A longitudinal study of feline immunodeficiency virus-specific cytotoxic T lymphocytes in experimentally infected cats, using antigen-specific induction.
J Virol 70: 6199-206 (1996)
- Beauparlant P; Kwon H; Clarke M; Lin R; Sonenberg N; Wainberg M; Hiscott J
Transdominant mutants of I kappa B alpha block Tat-tumor necrosis factor synergistic activation of human immunodeficiency virus type 1 gene expression and virus multiplication.
J Virol 70: 5777-85 (1996)
- Beer B; Scherer J; zur Megede J; Norley S; Baier M; Kurth R
Lack of dichotomy between virus load of peripheral blood and lymph nodes during long-term simian immunodeficiency virus infection of African green monkeys.
Virology 219: 367-75 (1996)
- Beer B; Scherer J; zur Megede J; Norley S; Baier M; Kurth R
Lack of dichotomy between virus load of peripheral blood and lymph nodes during long-term simian immunodeficiency virus infection of African green monkeys.
Virology 219: 367-75 (1996)
- Beissinger M; Paulus C; Bayer P; Wolf H; Rosch P; Wagner R
Sequence-specific resonance assignments of the 1H-NMR spectra and structural characterization in solution of the HIV-1 transframe protein p6.
Eur J Biochem 237: 383-92 (1996)
- Belzhelarskaia SN; Sutugina LP; Tolkacheva TV; Rubtsov PM; Skriabin KG
[Expression of the HIV-1 CD4 receptor gene in insect cells using a baculoviral system]
Mol Biol (Mosk) 30: 524-8 (1996)
- Belzhelarskaia SN; Sutugina LP; Tolkacheva TV; Rubtsov PM; Skriabin KG
[Expression of the HIV-1 CD4 receptor gene in insect cells using a baculoviral system]
Mol Biol (Mosk) 30: 524-8 (1996)
- Ben-Artzi H; Shemesh J; Zeelon E; Amit B; Kleiman L; Gorecki M; Panet A
Molecular analysis of the second template switch during reverse transcription of the HIV RNA template.
Biochemistry 35: 10549-57 (1996)
- Ben-Artzi H; Shemesh J; Zeelon E; Amit B; Kleiman L; Gorecki M; Panet A
Molecular analysis of the second template switch during reverse transcription of the HIV RNA template.
Biochemistry 35: 10549-57 (1996)

References (1996)

- Benjamin D; Sharma V; Kubin M; Klein JL; Sartori A; Holliday J; Trinchieri G
IL-12 expression in AIDS-related lymphoma B cell lines.
J Immunol 156: 1626-37 (1996)
- Benveniste O; Vaslin B; Le Grand R; Cheret A; Matheux F; Theodoro F; Cranage MP; Dormont D
Comparative interleukin (IL-2)/interferon IFN-gamma and IL-4/IL-10 responses during acute infection of macaques inoculated with attenuated nef-truncated or pathogenic SIC-mac251 virus.
Proc Natl Acad Sci U S A 93: 3658-63 (1996)
- Berkhout B; van Wamel JL
Identification of a novel splice acceptor in the HIV-1 genome: independent expression of the cytoplasmic tail of the envelope protein.
Arch Virol 141: 839-55 (1996)
- Berman PW; Murthy KK; Wrin T; Vennari JC; Cobb EK; Eastman DJ; Champe M; Nakamura GR; Davison D; Powell MF; Bussiere J; Francis DP; Matthews T; Gregory TJ; Obijeski JF
Protection of MN-rgp120-immunized chimpanzees from heterologous infection with a primary isolate of human immunodeficiency virus type 1.
J Infect Dis 173: 52-9 (1996)
- Berson JF; Long D; Doranz BJ; Rucker J; Jirik FR; Doms RW
A seven-transmembrane domain receptor involved in fusion and entry of T-cell-tropic human immunodeficiency virus type 1 strains.
J Virol 70: 6288-95 (1996)
- Berthold E; Maldarelli F
cis-acting elements in human immunodeficiency virus type 1 RNAs direct viral transcripts to distinct intranuclear locations.
J Virol 70: 4667-82 (1996)
- Berube P; Barbeau B; Cantin R; Sekaly RP; Tremblay M
Repression of human immunodeficiency virus type 1 long terminal repeat-driven gene expression by binding of the virus to its primary cellular receptor, the CD4 molecule.
J Virol 70: 4009-16 (1996)
- Bessudo A; Cherepakhin V; Johnson TA; Rassenti LZ; Feigal E; Kipps TJ
Favored use of immunoglobulin V(H)4 Genes in AIDS-associated B-cell lymphoma.
Blood 88: 252-60 (1996)
- Bevec D; Jaksche H; Oft M; Wohl T; Himmelsbach M; Pacher A; Schebesta M; Koettitz K; Dobrovnik M; Csonga R; Lottspeich F; Hauber J
Inhibition of HIV-1 replication in lymphocytes by mutants of the Rev cofactor eIF-5A.
Science 271: 1858-60 (1996)
- Biasolo MA; Radaelli A; Del Pup L; Franchin E; De Giulio Morghen C; Palu G
A new antisense tRNA construct for the genetic treatment of human immunodeficiency virus type 1 infection.
J Virol 70: 2154-61 (1996)
- Bibollet-Ruche F; Galat-Luong A; Cuny G; Sarni-Manchado P; Galat G; Durand JP; Pourrut X; Veas F
Simian immunodeficiency virus infection in a patas monkey (Erythrocebus patas): evidence for cross-species transmission from African green monkeys (Cercopithecus aethiops sabaeus) in the wild.
J Gen Virol 77 (Pt 4): 773-81 (1996)
- Bibollet-Ruche F; Galat-Luong A; Cuny G; Sarni-Manchado P; Galat G; Durand JP; Pourrut X; Veas F
Simian immunodeficiency virus infection in a patas monkey (Erythrocebus patas): evidence for cross-species transmission from African green monkeys (Cercopithecus aethiops sabaeus) in the wild.
J Gen Virol 77 (Pt 4): 773-81 (1996)
- Bigoni B; Dolcetti R; de Lellis L; Carbone A; Boiocchi M; Cassai E; Di Luca D
Human herpesvirus 8 is present in the lymphoid system of healthy persons and can reactivate in the course of AIDS.
J Infect Dis 173: 542-9 (1996)
- Bilello JA; Drusano GL
Relevance of plasma protein binding to antiviral activity and clinical efficacy of inhibitors of human immunodeficiency virus protease [letter]
J Infect Dis 173: 1524-6 (1996)
- Bishop JS; Guy-Caffey JK; Ojwang JO; Smith SR; Hogan ME; Coosum PA; Rando RF; Chaudhary N
Intramolecular G-quartet motifs confer nuclease resistance to a potent anti-HIV oligonucleotide.
J Biol Chem 271: 5698-703 (1996)
- Biswas DK; Tius MA; Zhuo J; Pardee AB
Canventol inhibits HIV-1 replication by Tat-induced Tar-independent mechanism.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 120-7 (1996)
- Blair WS; Fridell RA; Cullen BR
Synergistic enhancement of both initiation and elongation by acidic transcription activation domains.
EMBO J 15: 1658-65 (1996)

References (1996)

- Blanco J; Marie I; Callebaut C; Jacotot E; Krust B; Hovanessian AG
Specific binding of adenosine deaminase but not HIV-1 trans-activator protein Tat to human CD26.
Exp Cell Res 225: 102-11 (1996)
- Blau J; Xiao H; McCracken S; O'Hare P; Greenblatt J; Bentley D
Three functional classes of transcriptional activation domain.
Mol Cell Biol 16: 2044-55 (1996)
- Boerlin P; Boerlin-Petzold F; Goudet J; Durussel C; Pagani JL; Chave JP; Bille J
Typing *Candida albicans* oral isolates from human immunodeficiency virus-infected patients by multilocus enzyme electrophoresis and DNA fingerprinting.
J Clin Microbiol 34: 1235-48 (1996)
- Boerlin P; Boerlin-Petzold F; Goudet J; Durussel C; Pagani JL; Chave JP; Bille J
Typing *Candida albicans* oral isolates from human immunodeficiency virus-infected patients by multilocus enzyme electrophoresis and DNA fingerprinting.
J Clin Microbiol 34: 1235-48 (1996)
- Bolmstedt A; Sjolander S; Hansen JE; Akerblom L; Hemming A; Hu SL; Morein B; Olofsson S
Influence of N-linked glycans in V4-V5 region of human immunodeficiency virus type 1 glycoprotein gp160 on induction of a virus-neutralizing humoral response.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 213-20 (1996)
- Boni J
PCR detection of HIV.
Methods Mol Biol 50: 93-107 (1996)
- Boni J
PCR detection of HIV.
Methods Mol Biol 50: 93-107 (1996)
- Boni J; Pyra H; Schupbach J
Sensitive detection and quantification of particle-associated reverse transcriptase in plasma of HIV-1-infected individuals by the product-enhanced reverse transcriptase (PERT) assay.
J Med Virol 49: 23-8 (1996)
- Boni J; Pyra H; Schupbach J
Sensitive detection and quantification of particle-associated reverse transcriptase in plasma of HIV-1-infected individuals by the product-enhanced reverse transcriptase (PERT) assay.
J Med Virol 49: 23-8 (1996)
- Borman AM; Paulous S; Clavel F
Resistance of human immunodeficiency virus type 1 to protease inhibitors: selection of resistance mutations in the presence and absence of the drug.
J Gen Virol 77 (Pt 3): 419-26 (1996)
- Boudet F; Lecoeur H; Gougeon ML
Apoptosis associated with ex vivo down-regulation of Bcl-2 and up-regulation of Fas in potential cytotoxic CD8+ T lymphocytes during HIV infection.
J Immunol 156: 2282-93 (1996)
- Bouhamdan M; Benichou S; Rey F; Navarro JM; Agostini I; Spire B; Camonis J; Slupphaug G; Vigne R; Benarous R; Sire J
Human immunodeficiency virus type 1 Vpr protein binds to the uracil DNA glycosylase DNA repair enzyme.
J Virol 70: 697-704 (1996)
- Bour S; Schubert U; Peden K; Strebel K
The envelope glycoprotein of human immunodeficiency virus type 2 enhances viral particle release: a Vpu-like factor?
J Virol 70: 820-9 (1996)
- Bourdais J; Biondi R; Sarfati S; Guerreiro C; Lascu I; Janin J; Veron M
Cellular phosphorylation of anti-HIV nucleosides. Role of nucleoside diphosphate kinase.
J Biol Chem 271: 7887-90 (1996)
- Bouziane M; Cherny DI; Mouscadet JF; Auclair C
Alternate strand DNA triple helix-mediated inhibition of HIV-1 U5 long terminal repeat integration in vitro.
J Biol Chem 271: 10359-64 (1996)
- Boyer PL; Hughes SH
Nucleoside-analogue resistance involves the p66 subunit of HIV-1 RT.
Nat Struct Biol 3: 579-80 (1996)
- Braaten D; Franke EK; Luban J
Cyclophilin A is required for an early step in the life cycle of human immunodeficiency virus type 1 before the initiation of reverse transcription.
J Virol 70: 3551-60 (1996)
- Braaten D; Franke EK; Luban J
Cyclophilin A is required for the replication of group M human immunodeficiency virus type 1 (HIV-1) and simian immunodeficiency virus SIV(CPZ)GAB but not group O HIV-1 or other primate immunodeficiency viruses.
J Virol 70: 4220-7 (1996)

Braaten D; Franke EK; Luban J

Cyclophilin A is required for the replication of group M human immunodeficiency virus type 1 (HIV-1) and simian immunodeficiency virus SIV(CPZ)GAB but not group O HIV-1 or other primate immunodeficiency viruses.

J Virol 70: 4220-7 (1996)

Brady RL; Barclay AN

The structure of CD4.

Curr Top Microbiol Immunol 205: 1-18 (1996)

Branda RF; Moore AL; Hong R; McCormack JJ; Zon G; Cunningham-Rundles C

B-cell proliferation and differentiation in common variable immunodeficiency patients produced by an antisense oligomer to the rev gene of HIV-1.

Clin Immunol Immunopathol 79: 115-21 (1996)

Branda RF; Moore AL; Lafayette AR; Mathews L; Hong R; Zon G; Brown T; McCormack JJ

Amplification of antibody production by phosphorothioate oligodeoxynucleotides.

J Lab Clin Med 128: 329-38 (1996)

Branda RF; Moore AL; Lafayette AR; Mathews L; Hong R; Zon G; Brown T; McCormack JJ

Amplification of antibody production by phosphorothioate oligodeoxynucleotides.

J Lab Clin Med 128: 329-38 (1996)

Brander C; Corradin G; Hasler T; Pichler WJ

Peptide immunization in humans: a combined CD8+/CD4+ T cell-targeted vaccine restimulates the memory CD4 T cell response but fails to induce cytotoxic T lymphocytes (CTL).

Clin Exp Immunol 105: 18-25 (1996)

Bremer JW; Lew JF; Cooper E; Hillyer GV; Pitt J; Handelsman E; Brambilla D; Moye J; Hoff R

Diagnosis of infection with human immunodeficiency virus type 1 by a DNA polymerase chain reaction assay among infants enrolled in the Women and Infants' Transmission Study [see comments]

J Pediatr 129: 198-207 (1996)

Brenneman DE; Gozes I

A femtomolar-acting neuroprotective peptide [see comments]

J Clin Invest 97: 2299-307 (1996)

Briant L; Coudronniere N; Robert-Hebmann V; Benkirane M; Devaux C

Binding of HIV-1 virions or gp120-anti-gp120 immune complexes to HIV-1-infected quiescent peripheral blood mononuclear cells reveals latent infection.

J Immunol 156: 3994-4004 (1996)

Bridger GJ; Skerlj RT; Padmanabhan S; Martellucci SA; Henson GW; Abrams MJ; Joao HC; Witvrouw M; De Vreese K; Pauwels R; De Clercq E

Synthesis and structure-activity relationships of phenylenebis(methylene)-linked bis-tetraazamacrocycles that inhibit human immunodeficiency virus replication. 2. Effect of heteroaromatic linkers on the activity of bicyclams.

J Med Chem 39: 109-19 (1996)

Bridges EG; Dutschman GE; Gullen EA; Cheng YC

Favorable interaction of beta-L(-) nucleoside analogues with clinically approved anti-HIV nucleoside analogues for the treatment of human immunodeficiency virus.

Biochem Pharmacol 51: 731-6 (1996)

Brogi A; Presentini R; Solazzo D; Piomboni P; Costantino Ceccarini E

Interaction of human immunodeficiency virus type 1 envelope glycoprotein gp120 with a galactoglycerolipid associated with human sperm.

AIDS Res Hum Retroviruses 12: 483-9 (1996)

Broussset P; Schlaifer D; Roda D; Massip P; Marchou B; Delsol G

Characterization of Epstein-Barr virus-infected cells in benign lymphadenopathy of patients seropositive for human immunodeficiency virus.

Hum Pathol 27: 263-8 (1996)

Brown SA; Imbalzano AN; Kingston RE

Activator-dependent regulation of transcriptional pausing on nucleosomal templates.

Genes Dev 10: 1479-90 (1996)

Broyde S

Setting the stage for predicting RNA thermodynamic properties and their structural components.

Biophys J 70: 1571-2 (1996)

Brunham RC; Kimani J; Bwayo J; Maitha G; Maclean I; Yang C;

Shen C; Roman S; Nagelkerke NJ; Cheang M; Plummer FA

The epidemiology of Chlamydia trachomatis within a sexually transmitted diseases core group.

J Infect Dis 173: 950-6 (1996)

Bujia J; Wilmes E; Kastenbauer E; Gurtler L

Influence of chemical allograft preservation procedures on the human immunodeficiency virus.

Laryngoscope 106: 645-7 (1996)

Bukrinskaya AG; Ghorpade A; Heinzinger NK; Smithgall TE; Lewis RE; Stevenson M

Phosphorylation-dependent human immunodeficiency virus type 1 infection and nuclear targeting of viral DNA.

Proc Natl Acad Sci U S A 93: 367-71 (1996)

References (1996)

- Calarota S; Jansson M; Levi M; Brolden K; Libonatti O; Wigzell H; Wahren B
Immunodominant glycoprotein 41 epitope identified by seroreactivity in HIV type 1-infected individuals.
AIDS Res Hum Retroviruses 12: 705-13 (1996)
- Calarota S; Jansson M; Levi M; Brolden K; Libonatti O; Wigzell H; Wahren B
Immunodominant glycoprotein 41 epitope identified by seroreactivity in HIV type 1-infected individuals.
AIDS Res Hum Retroviruses 12: 705-13 (1996)
- Caliendo AM; Savara A; An D; DeVore K; Kaplan JC; D'Aquila RT
Effects of zidovudine-selected human immunodeficiency virus type 1 reverse transcriptase amino acid substitutions on processive DNA synthesis and viral replication.
J Virol 70: 2146-53 (1996)
- Callebaut C; Jacotot E; Guichard G; Krust B; Rey-Cuillé M; Cointe D; Benkirane N; Blanco J; Muller S; Briand J; Hovanessian AG
Inhibition of HIV infection by pseudopeptides blocking viral envelope glycoprotein-mediated membrane fusion and cell death.
Virology 218: 181-92 (1996)
- Callebaut C; Jacotot E; Guichard G; Krust B; Rey-Cuillé M; Cointe D; Benkirane N; Blanco J; Muller S; Briand J; Hovanessian AG
Inhibition of HIV infection by pseudopeptides blocking viral envelope glycoprotein-mediated membrane fusion and cell death.
Virology 218: 181-92 (1996)
- Camaur D; Trono D
Characterization of human immunodeficiency virus type 1 Vif particle incorporation.
J Virol 70: 6106-11 (1996)
- Cameron PU; Lowe MG; Sotzik F; Coughlan AF; Crowe SM; Shortman K
The interaction of macrophage and non-macrophage tropic isolates of HIV-1 with thymic and tonsillar dendritic cells in vitro.
J Exp Med 183: 1851-6 (1996)
- Campbell LH; Borg KT; Arrigo SJ
Differential effects of intronic and exonic locations of the human immunodeficiency virus type 1 Rev-responsive element.
Virology 219: 423-31 (1996)
- Campiani G; Nacci V; Fiorini I; De Filippis MP; Garofalo A; Greco G; Novellino E; Altamura S; Di Renzo L
Pyrrolobenzothiazepinones and pyrrolobenzoxazepinones: novel and specific non-nucleoside HIV-1 reverse transcriptase inhibitors with antiviral activity.
J Med Chem 39: 2672-80 (1996)
- Cannon PM; Byles ED; Kingsman SM; Kingsman AJ
Conserved sequences in the carboxyl terminus of integrase that are essential for human immunodeficiency virus type 1 replication.
J Virol 70: 651-7 (1996)
- Canque B; Rosenzweig M; Gey A; Tartour E; Fridman WH; Gluckman JC
Macrophage inflammatory protein-1alpha is induced by human immunodeficiency virus infection of monocyte-derived macrophages.
Blood 87: 2011-9 (1996)
- Cao J; Park IW; Cooper A; Sodroski J
Molecular determinants of acute single-cell lysis by human immunodeficiency virus type 1.
J Virol 70: 1340-54 (1996)
- Caputo A; Grossi MP; Bozzini R; Rossi C; Betti M; Marconi PC; Barbanti-Brodano G; Balboni PG
Inhibition of HIV-1 replication and reactivation from latency by tat transdominant negative mutants in the cysteine rich region.
Gene Ther 3: 235-45 (1996)
- Cara A; Cereseto A; Lori F; Reitz MS Jr
HIV-1 protein expression from synthetic circles of DNA mimicking the extrachromosomal forms of viral DNA.
J Biol Chem 271: 5393-7 (1996)
- Carbone A; Dolcetti R; Gloghini A; Maestro R; Vaccher E; di Luca D; Tirelli U; Boiocchi M
Immunophenotypic and molecular analyses of acquired immune deficiency syndrome-related and Epstein-Barr virus-associated lymphomas: a comparative study.
Hum Pathol 27: 133-46 (1996)
- Carr JK; Salminen MO; Koch C; Gotte D; Artenstein AW; Hegerich PA; St Louis D; Burke DS; McCutchan FE
Full-length sequence and mosaic structure of a human immunodeficiency virus type 1 isolate from Thailand.
J Virol 70: 5935-43 (1996)
- Carrillo A; Ratner L
Cooperative effects of the human immunodeficiency virus type 1 envelope variable loops V1 and V3 in mediating infectivity for T cells.
J Virol 70: 1310-6 (1996)

Carrillo A; Ratner L

Human immunodeficiency virus type 1 tropism for T-lymphoid cell lines: role of the V3 loop and C4 envelope determinants.

J Virol 70: 1301-9 (1996)

Cartledge JD; Midgley J; Gazzard BG

Relative growth measurement of Candida species in a single concentration of fluconazole predicts the clinical response to fluconazole in HIV infected patients with oral candidosis.

J Antimicrob Chemother 37: 275-83 (1996)

Catasti P; Bradbury EM; Gupta G

Structure and polymorphism of HIV-1 third variable loops.
J Biol Chem 271: 8236-42 (1996)

Caumont AB; Jamieson GA; Pichuantes S; Nguyen AT; Litvak S;
Dupont C

Expression of functional HIV-1 integrase in the yeast *Saccharomyces cerevisiae* leads to the emergence of a lethal phenotype: potential use for inhibitor screening.

Curr Genet 29: 503-10 (1996)

Cayota A; Vuillier F; Gonzalez G; Dighiero G

In vitro antioxidant treatment recovers proliferative responses of anergic CD4+ lymphocytes from human immunodeficiency virus-infected individuals.

Blood 87: 4746-53 (1996)

Chakrabarti BK; Maitra RK; Ma XZ; Kestler HW

A candidate live inactivatable attenuated vaccine for AIDS.
Proc Natl Acad Sci U S A 93: 9810-5 (1996)

Chakrabarti BK; Maitra RK; Ma XZ; Kestler HW

A candidate live inactivatable attenuated vaccine for AIDS.
Proc Natl Acad Sci U S A 93: 9810-5 (1996)

Chakrabarti BK; Maitra RK; Ma XZ; Kestler HW

A candidate live inactivatable attenuated vaccine for AIDS.
Proc Natl Acad Sci U S A 93: 9810-5 (1996)

Chakrabarti BK; Maitra RK; Ma XZ; Kestler HW

A candidate live inactivatable attenuated vaccine for AIDS.
Proc Natl Acad Sci U S A 93: 9810-5 (1996)

Chen BK; Gandhi RT; Baltimore D

CD4 down-modulation during infection of human T cells with human immunodeficiency virus type 1 involves independent activities of vpu, env, and nef.

J Virol 70: 6044-53 (1996)

Chen H; McBroom DG; Zhu YQ; Gold L; North TW

Inhibitory RNA ligand to reverse transcriptase from feline immunodeficiency virus.

Biochemistry 35: 6923-30 (1996)

Chen P; Cheng PT; Alam M; Beyer BD; Bisacchi GS; Dejneka T;
Evans AJ; Greytok JA; Hermsmeier MA; Humphreys WG;
Jacobs GA; Kocy O; Lin PF; Lis KA; Marella MA; Ryono
DE; Sheaffer AK; Spergel SH; Sun CQ; Tino JA; Vite G;
Colonna RJ; Zahler R; Barrish JC

Aminodiol HIV protease inhibitors. Synthesis and structure-activity relationships of P1/P1' compounds: correlation between lipophilicity and cytotoxicity.
J Med Chem 39: 1991-2007 (1996)

Chen X; Bastow K; Goz B; Kucera LS; Morris-Natschke SL; Ishaq
KS

Synthesis and evaluation of novel thymidine analogs as anti-tumor and antiviral agents.
J Med Chem 39: 3412-7 (1996)

Chen Y; Marion PL

Amino acids essential for RNase H activity of hepadnaviruses are also required for efficient elongation of minus-strand viral DNA.

J Virol 70: 6151-6 (1996)

Chen Z; Telfier P; Gettie A; Reed P; Zhang L; Ho DD; Marx PA

Genetic characterization of new West African simian immunodeficiency virus SIVsm: geographic clustering of household-derived SIV strains with human immunodeficiency virus type 2 subtypes and genetically diverse viruses from a single feral sooty mangabey troop.

J Virol 70: 3617-27 (1996)

Chen Z; Telfier P; Gettie A; Reed P; Zhang L; Ho DD; Marx PA

Genetic characterization of new West African simian immunodeficiency virus SIVsm: geographic clustering of household-derived SIV strains with human immunodeficiency virus type 2 subtypes and genetically diverse viruses from a single feral sooty mangabey troop.

J Virol 70: 3617-27 (1996)

Chen ZW; Shen L; Regan JD; Kou Z; Ghim SH; Letvin NL

The T cell receptor gene usage by simian immunodeficiency virus gag-specific cytotoxic T lymphocytes in rhesus monkeys.

J Immunol 156: 1469-75 (1996)

Chen ZW; Shen L; Regan JD; Kou Z; Ghim SH; Letvin NL

The T cell receptor gene usage by simian immunodeficiency virus gag-specific cytotoxic T lymphocytes in rhesus monkeys.

J Immunol 156: 1469-75 (1996)

Cherrington JM; Miner R; Hitchcock MJ; Lalezari JP; Drew WL

Susceptibility of human cytomegalovirus to cidofovir is unchanged after limited in vivo exposure to various regimens of drug.

J Infect Dis 173: 987-92 (1996)

References (1996)

- Chiang CS; Powell HC; Gold LH; Samimi A; Campbell IL
Macrophage/microglial-mediated primary demyelination and motor disease induced by the central nervous system production of interleukin-3 in transgenic mice.
J Clin Invest 97: 1512-24 (1996)
- Chimirri A; Grasso S; Molica C; Monforte AM; Monforte P; Zapalpa M; Scopelliti R
Anti-HIV agents. IV. Synthesis and in vitro anti-HIV activity of novel 1-(2,6-difluorophenyl)-1H,3H-thiazolo[3,4-a]benzimidazoles.
J Virol 70: 3536-44 (1996)
- Chirmule N; Pahwa S
Envelope glycoproteins of human immunodeficiency virus type 1: profound influences on immune functions.
Microbiol Rev 60: 386-406 (1996)
- Chirmule N; Pahwa S
Envelope glycoproteins of human immunodeficiency virus type 1: profound influences on immune functions.
Microbiol Rev 60: 386-406 (1996)
- Choi YS; Yoshida T; Mimura T; Kaneko Y; Nakashima H; Yamamoto N; Uryu T
Synthesis of sulfated octadecyl ribo-oligosaccharides with potent anti-AIDS virus activity by ring-opening polymerization of a 1,4-anhydroribose derivative.
Carbohydr Res 282: 113-23 (1996)
- Choi YS; Yoshida T; Mimura T; Kaneko Y; Nakashima H; Yamamoto N; Uryu T
Synthesis of sulfated octadecyl ribo-oligosaccharides with potent anti-AIDS virus activity by ring-opening polymerization of a 1,4-anhydroribose derivative.
Carbohydr Res 282: 113-23 (1996)
- Chou KC
Prediction of human immunodeficiency virus protease cleavage sites in proteins.
Anal Biochem 233: 1-14 (1996)
- Chou KC
Prediction of human immunodeficiency virus protease cleavage sites in proteins.
Anal Biochem 233: 1-14 (1996)
- Chou KC; Tomasselli AG; Reardon IM; Heinrikson RL
Predicting human immunodeficiency virus protease cleavage sites in proteins by a discriminant function method.
Proteins 24: 51-72 (1996)
- Choudhury S; el-Farrash MA; Kuroda MJ; Harada S
Retention of HIV-1 inside infected MOLT-4 cells in association with adhesion-induced cytoskeleton reorganization.
AIDS 10: 363-8 (1996)
- Chougnet C; Wynn TA; Clerici M; Landay AL; Kessler HA; Rusnak J; Melcher GP; Sher A; Shearer GM
Molecular analysis of decreased interleukin-12 production in persons infected with human immunodeficiency virus.
J Infect Dis 174: 46-53 (1996)
- Chuck S; Grant RM; Katongole-Mbidde E; Conant M; Ganem D
Frequent presence of a novel herpesvirus genome in lesions of human immunodeficiency virus-negative Kaposi's sarcoma.
J Infect Dis 173: 248-51 (1996)
- Churchill MJ; Moore JL; Rosenberg M; Brighty DW
The rev-responsive element negatively regulates human immunodeficiency virus type 1 env mRNA expression in primate cells.
J Virol 70: 5786-90 (1996)
- Ciernik IF; Berzofsky JA; Carbone DP
Induction of cytotoxic T lymphocytes and antitumor immunity with DNA vaccines expressing single T cell epitopes.
J Immunol 156: 2369-75 (1996)
- Civil A; Bakker A; Rensink I; Doerre S; Aarden LA; Verweij CL
Nuclear appearance of a factor that binds the CD28 response element within the interleukin-2 enhancer correlates with interleukin-2 production.
J Biol Chem 271: 8321-7 (1996)
- Cleland A; Watson HG; Robertson P; Ludlam CA; Brown AJ
Evolution of zidovudine resistance-associated genotypes in human immunodeficiency virus type 1-infected patients.
J Acquir Immune Defic Syndr Hum Retrovir 12: 6-18 (1996)
- Clements JE; Zink MC
Molecular biology and pathogenesis of animal lentivirus infections.
Clin Microbiol Rev 9: 100-17 (1996)
- Clerici M; Balotta C; Salvaggio A; Riva C; Trabattoni D; Papagno L; Berlusconi A; Rusconi S; Villa ML; Moroni M; Galli M
Human immunodeficiency virus (HIV) phenotype and interleukin-2/ interleukin-10 ratio are associated markers of protection and progression in HIV infection.
Blood 88: 574-9 (1996)
- Cleveland RP; Liu YC
CD4 Expression by erythroid precursor cells in human bone marrow.
Blood 87: 2275-82 (1996)
- Clever JL; Wong ML; Parslow TG
Requirements for kissing-loop-mediated dimerization of human immunodeficiency virus RNA.
J Virol 70: 5902-8 (1996)

- Clish CB; Peyton DH; Barklis E
Spectroscopic study of an HIV-1 capsid protein major homology region peptide analog.
FEBS Lett 378: 43-7 (1996)
- Codazzi F; Racchetti G; Grohovaz F; Meldolesi J
Transduction signals induced in rat brain cortex astrocytes by the HIV-1 gp120 glycoprotein.
FEBS Lett 384: 135-7 (1996)
- Cohen BA
Prognosis and response to therapy of cytomegalovirus encephalitis and meningoencephalitis in AIDS.
Neurology 46: 444-50 (1996)
- Cohen J
AIDS research. Receptor mutations help slow disease progression [news; comment]
Science 273: 1797-8 (1996)
- Cohen J
Likely HIV cofactor found [news; comment]
Science 272: 809-10 (1996)
- Cohen J
New role for HIV: a vehicle for moving genes into cells [news; comment]
Science 272: 195 (1996)
- Cohen J
AIDS research. Receptor mutations help slow disease progression [news; comment]
Science 273: 1797-8 (1996)
- Cohen OJ; Pantaleo G; Holodniy M; Fox CH; Orenstein JM; Schnittman S; Niu M; Graziosi C; Pavlakis GN; Lalezari J; Bartlett JA; Steigbigel RT; Cohn J; Novak R; McMahon D; Bilello J; Fauci AS
Antiretroviral monotherapy in early stage human immunodeficiency virus disease has no detectable effect on virus load in peripheral blood and lymph nodes.
J Infect Dis 173: 849-56 (1996)
- Coia G; Hudson PJ; Lilley GG
Construction of recombinant extended single-chain antibody peptide conjugates for use in the diagnosis of HIV-1 and HIV-2.
J Immunol Methods 192: 13-23 (1996)
- Colgan J; Yuan HE; Franke EK; Luban J
Binding of the human immunodeficiency virus type 1 Gag polyprotein to cyclophilin A is mediated by the central region of capsid and requires Gag dimerization.
J Virol 70: 4299-310 (1996)
- Collette Y; Chang HL; Cerdan C; Chambost H; Algarte M; Mawas C; Imbert J; Burny A; Olive D
Specific Th1 cytokine down-regulation associated with primary clinically derived human immunodeficiency virus type 1 Nef gene-induced expression.
J Immunol 156: 360-70 (1996)
- Collette Y; Dutartre H; Beniziane A; Romas-Morales; Benarous R; Harris M; Olive D
Physical and functional interaction of Nef with Lck. HIV-1 Nef-induced T-cell signaling defects.
J Biol Chem 271: 6333-41 (1996)
- Collette Y; Mawas C; Olive D
Evidence for intact CD28 signaling in T cell hyporesponsiveness induced by the HIV-1 nef gene.
Eur J Immunol 26: 1788-93 (1996)
- Collette Y; Mawas C; Olive D
Evidence for intact CD28 signaling in T cell hyporesponsiveness induced by the HIV-1 nef gene.
Eur J Immunol 26: 1788-93 (1996)
- Colotto A; Martin I; Ruysschaert JM; Sen A; Hui SW; Epand RM
Structural study of the interaction between the SIV fusion peptide and model membranes.
Biochemistry 35: 980-9 (1996)
- Colson P; Lebrun L; Drancourt M; Boue F; Raoult D; Nordmann P
Multiple recurrent bacillary angiomatosis due to *Bartonella quintana* in an HIV-infected patient [letter]
Eur J Clin Microbiol Infect Dis 15: 178-80 (1996)
- Colson P; Lebrun L; Drancourt M; Boue F; Raoult D; Nordmann P
Multiple recurrent bacillary angiomatosis due to *Bartonella quintana* in an HIV-infected patient [letter]
Eur J Clin Microbiol Infect Dis 15: 178-80 (1996)
- Conant K; Ma M; Nath A; Major EO
Extracellular human immunodeficiency virus type 1 Tat protein is associated with an increase in both NF-kappa B binding and protein kinase C activity in primary human astrocytes.
J Virol 70: 1384-9 (1996)
- Condos R; McClune A; Rom WN; Schluger NW
Peripheral-blood-based PCR assay to identify patients with active pulmonary tuberculosis.
Lancet 347: 1082-5 (1996)
- Cooper JT; Stroka DM; Brostjan C; Palmetshofer A; Bach FH; Ferran C
A20 blocks endothelial cell activation through a NF-kappaB-dependent mechanism.
J Biol Chem 271: 18068-73 (1996)

References (1996)

- Corbeil J; Tremblay M; Richman DD
HIV-induced apoptosis requires the CD4 receptor cytoplasmic tail and is accelerated by interaction of CD4 with p56lck.
J Exp Med 183: 39-48 (1996)
- Corbellino M; Poirel L; Bestetti G; Pizzuto M; Aubin JT; Capra M;
Bifulco C; Berti E; Agut H; Rizzardini G; Galli M; Parravicini C
Restricted tissue distribution of extralesional Kaposi's sarcoma-associated herpesvirus-like DNA sequences in AIDS patients with Kaposi's sarcoma.
AIDS Res Hum Retroviruses 12: 651-7 (1996)
- Corbellino M; Poirel L; Bestetti G; Pizzuto M; Aubin JT; Capra M;
Bifulco C; Berti E; Agut H; Rizzardini G; Galli M; Parravicini C
Restricted tissue distribution of extralesional Kaposi's sarcoma-associated herpesvirus-like DNA sequences in AIDS patients with Kaposi's sarcoma.
AIDS Res Hum Retroviruses 12: 651-7 (1996)
- Cotropia J; Ugen KE; Kliks S; Broliden K; Broliden PA; Hoxie JA; Srikanth V; Williams WV; Weiner DB
A human monoclonal antibody to HIV-1 gp41 with neutralizing activity against diverse laboratory isolates.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 221-32 (1996)
- Cotton GJ; Howie SE; Heslop I; Ross JA; Harrison DJ; Ramage R
Design and synthesis of a highly immunogenic, discontinuous epitope of HIV-1 gp120 which binds to CD4+ve transfected cells.
Mol Immunol 33: 171-8 (1996)
- Cottrez F; Capron A; Groux H
Selective CD4+ T cell deletion after specific activation in HIV-infected individuals; protection by anti-CD28 monoclonal antibodies.
Clin Exp Immunol 105: 31-8 (1996)
- Couldwell DL; Dore GJ; Harkness JL; Marriott DJ; Cooper DA; Edwards R; Li Y; Kaldor JM
Nosocomial outbreak of tuberculosis in an outpatient HIV treatment room.
AIDS 10: 521-5 (1996)
- Couldwell DL; Dore GJ; Harkness JL; Marriott DJ; Cooper DA; Edwards R; Li Y; Kaldor JM
Nosocomial outbreak of tuberculosis in an outpatient HIV treatment room.
AIDS 10: 521-5 (1996)
- Cullen BR
Virology. New trick from an old foe [news; comment]
Nature 379: 208-9 (1996)
- Cunningham AL; Dwyer DE; Mills J; Montagnier L
Structure and function of HIV.
Med J Aust 164: 161-5 (1996)
- Cushman M; Golebiewski WM; Graham L; Turpin JA; Rice WG; Fliakas-Boltz V; Buckheit RW Jr
Synthesis and biological evaluation of certain alkenyldiarylmethanes as anti-HIV-1 agents which act as non-nucleoside reverse transcriptase inhibitors.
J Med Chem 39: 3217-27 (1996)
- Dada MA; Boshoff CH; Comley MA; Turley H; Schneider JW; Chetty R; Gatter KC
Thymidine phosphorylase expression in Kaposi sarcoma.
J Clin Pathol 49: 400-2 (1996)
- Danel K; Larsen E; Pedersen EB; Vestergaard BF; Nielsen C
Synthesis and potent anti-HIV-1 activity of novel 6-benzyluracil analogues of 1-[(2-hydroxyethoxy)methyl]-6-(phenylthio)thymine.
J Med Chem 39: 2427-31 (1996)
- Danner SA
Zidovudine: anno 1995.
Adv Exp Med Biol 394: 225-43 (1996)
- Danner SA
Zidovudine: anno 1995.
Adv Exp Med Biol 394: 225-43 (1996)
- De Bernardis F; Chiani P; Ciccozzi M; Pellegrini G; Ceddia T; D'Offizi G; Quinti I; Sullivan PA; Cassone A
Elevated aspartic proteinase secretion and experimental pathogenicity of *Candida albicans* isolates from oral cavities of subjects infected with human immunodeficiency virus.
Infect Immun 64: 466-71 (1996)
- De Francesco MA; Caruso A; Dima F; Cantalamessa A; Canaris AD; Folghera S; Fiorentini S; Flamminio G; Licenziati S; Peroni L; Gao J; Garotta G; Turano A
IFN-gamma restores HIV- and non-HIV-specific cell mediated immune response in vitro and its activity is neutralized by antibodies from patients with AIDS.
Scand J Immunol 43: 94-100 (1996)
- De Luca P; Majello B; Lania L
Sp3 represses transcription when tethered to promoter DNA or targeted to promoter proximal RNA.
J Biol Chem 271: 8533-6 (1996)
- DeMartino GN; Proske RJ; Moomaw CR; Strong AA; Song X; Hisamatsu H; Tanaka K; Slaughter CA
Identification, purification, and characterization of a PA700-dependent activator of the proteasome.
J Biol Chem 271: 3112-8 (1996)

References (1996)

Dean M; Carrington M; Winkler C; Huttley GA; Smith MW; Allikmets R; Goedert JJ; Buchbinder SP; Vittinghoff E; Gomperts E; Donfield S; Vlahov D; Kaslow R; Saah A; Rinaldo C; Detels R; O'Brien SJ

Genetic restriction of HIV-1 infection and progression to AIDS by a deletion allele of the CKR5 structural gene. Hemophilia Growth and Development Study, Multicenter AIDS Cohort Study, Multicenter Hemophilia Cohort Study, San Francisco City Cohort, ALIVE Study [see comments] *Science* 273: 1856-62 (1996)

Dean M; Carrington M; Winkler C; Huttley GA; Smith MW; Allikmets R; Goedert JJ; Buchbinder SP; Vittinghoff E; Gomperts E; Donfield S; Vlahov D; Kaslow R; Saah A; Rinaldo C; Detels R; O'Brien SJ

Genetic restriction of HIV-1 infection and progression to AIDS by a deletion allele of the CKR5 structural gene. Hemophilia Growth and Development Study, Multicenter AIDS Cohort Study, Multicenter Hemophilia Cohort Study, San Francisco City Cohort, ALIVE Study [see comments] *Science* 273: 1856-62 (1996)

Debyser Z; De Clercq E

Chemical crosslinking of the subunits of HIV-1 reverse transcriptase.

Protein Sci 5: 278-86 (1996)

Debyser Z; De Clercq E

Chemical crosslinking of the subunits of HIV-1 reverse transcriptase.

Protein Sci 5: 278-86 (1996)

Deckert PM; Ballmaier M; Lang S; Deicher H; Schedel I

CD4-imitating human antibodies in HIV infection and anti-idiotypic vaccination.

J Immunol 156: 826-33 (1996)

Delahunty MD; Rhee I; Freed EO; Bonifacino JS

Mutational analysis of the fusion peptide of the human immunodeficiency virus type 1: identification of critical glycine residues.

Virology 218: 94-102 (1996)

Delahunty MD; Rhee I; Freed EO; Bonifacino JS

Mutational analysis of the fusion peptide of the human immunodeficiency virus type 1: identification of critical glycine residues.

Virology 218: 94-102 (1996)

Demarchi F; d'Adda di Fagagna F; Falaschi A; Giacca M

Activation of transcription factor NF-kappaB by the Tat protein of human immunodeficiency virus type 1.

J Virol 70: 4427-37 (1996)

Denesuk AI; Matthews S; Zav'yalov VP; Korpela T
Conservative hydrophobic interdomain contacts of IFN-gamma remain in P17 matrix protein of HIV-1.
APMIS 104: 141-6 (1996)

Deng H; Liu R; Ellmeier W; Choe S; Unutmaz D; Burkhardt M; Di Marzio P; Marmon S; Sutton RE; Hill CM; Davis CB; Peiper SC; Schall TJ; Littman DR; Landau NR
Identification of a major co-receptor for primary isolates of HIV-1 [see comments]
Nature 381: 661-6 (1996)

Denner J; Persin C; Vogel T; Haustein D; Norley S; Kurth R
The immunosuppressive peptide of HIV-1 inhibits T and B lymphocyte stimulation.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 442-50 (1996)

Deprez B; Sauzet JP; Boutillon C; Martinon F; Tartar A; Sergheraert C; Guillet JG; Gomard E; Gras-Masse H
Comparative efficiency of simple lipopeptide constructs for in vivo induction of virus-specific CTL.
Vaccine 14: 375-82 (1996)

Deprez B; Sauzet JP; Boutillon C; Martinon F; Tartar A; Sergheraert C; Guillet JG; Gomard E; Gras-Masse H
Comparative efficiency of simple lipopeptide constructs for in vivo induction of virus-specific CTL.
Vaccine 14: 375-82 (1996)

Desai NC; Bhatt JJ; Shah BR; Undavia NK; Trivedi PB; Narayanan V

Synthesis of substituted quinazolone derivatives as potential anti-HIV agents (Part III).
Farmaco 51: 361-6 (1996)

Desai NC; Bhatt JJ; Shah BR; Undavia NK; Trivedi PB; Narayanan V

Synthesis of substituted quinazolone derivatives as potential anti-HIV agents (Part III).
Farmaco 51: 361-6 (1996)

Di Somma MM; Majolini MB; Burastero SE; Telford JL; Baldari CT

Cyclosporin A sensitivity of the HIV-1 long terminal repeat identifies distinct p56lck-dependent pathways activated by CD4 triggering.

Eur J Immunol 26: 2181-8 (1996)

Di Somma MM; Majolini MB; Burastero SE; Telford JL; Baldari CT

Cyclosporin A sensitivity of the HIV-1 long terminal repeat identifies distinct p56lck-dependent pathways activated by CD4 triggering.

Eur J Immunol 26: 2181-8 (1996)

References (1996)

- Di Stefano M; Gray F; Leitner T; Chiodi F
Analysis of ENV V3 sequences from HIV-1-infected brain indicates restrained virus expression throughout the disease.
J Med Virol 49: 41-8 (1996)
- Di Stefano M; Gray F; Leitner T; Chiodi F
Analysis of ENV V3 sequences from HIV-1-infected brain indicates restrained virus expression throughout the disease.
J Med Virol 49: 41-8 (1996)
- Di Stefano M; Wilt S; Gray F; Dubois-Dalcq M; Chiodi F
HIV type 1 V3 sequences and the development of dementia during AIDS.
AIDS Res Hum Retroviruses 12: 471-6 (1996)
- Diaz JJ; Dodon MD; Schaefer-Uthurralt N; Simonin D; Kindbeiter K; Gazzolo L; Madjar JJ
Post-transcriptional transactivation of human retroviral envelope glycoprotein expression by herpes simplex virus Us11 protein [see comments]
Nature 379: 273-7 (1996)
- Diaz L; DeStefano JJ
Strand transfer is enhanced by mismatched nucleotides at the 3' primer terminus: a possible link between HIV reverse transcriptase fidelity and recombination.
Nucleic Acids Res 24: 3086-92 (1996)
- Diaz L; DeStefano JJ
Strand transfer is enhanced by mismatched nucleotides at the 3' primer terminus: a possible link between HIV reverse transcriptase fidelity and recombination.
Nucleic Acids Res 24: 3086-92 (1996)
- Dickover RE; Garratty EM; Herman SA; Sim MS; Plaeger S; Boyer PJ; Keller M; Deveikis A; Stiehm ER; Bryson YJ
Identification of levels of maternal HIV-1 RNA associated with risk of perinatal transmission. Effect of maternal zidovudine treatment on viral load [see comments]
JAMA 275: 599-605 (1996)
- Dittmar MT; Wagener S; Fultz P; Kurth R; Cichutek K
An in vitro assay for acute pathogenicity of immunodeficiency viruses.
Dev Biol Stand 86: 167-73 (1996)
- Dittmer U; Spring M; Petry H; Nisslein T; Rieckmann P; Luke W; Stahl-Hennig C; Hunsmann G; Bodemer W
Cell-mediated immune response of macaques immunized with low doses of simian immunodeficiency virus (SIV).
J Biotechnol 44: 105-10 (1996)
- Dittmer U; Spring M; Petry H; Nisslein T; Rieckmann P; Luke W; Stahl-Hennig C; Hunsmann G; Bodemer W
Cell-mediated immune response of macaques immunized with low doses of simian immunodeficiency virus (SIV).
J Biotechnol 44: 105-10 (1996)
- Dittmer U; Spring M; Petry H; Nisslein T; Rieckmann P; Luke W; Stahl-Hennig C; Hunsmann G; Bodemer W
Cell-mediated immune response of macaques immunized with low doses of simian immunodeficiency virus (SIV).
J Biotechnol 44: 105-10 (1996)
- Dolzhanskiy A; Basch RS; Karpatkin S
Development of human megakaryocytes: I. Hematopoietic progenitors (CD34+ bone marrow cells) are enriched with megakaryocytes expressing CD4.
Blood 87: 1353-60 (1996)
- Doornenbal P; Seerp Baarsma G; Quint WG; Kijlstra A; Rothbarth PH; Niesters HG
Diagnostic assays in cytomegalovirus retinitis: detection of herpesvirus by simultaneous application of the polymerase chain reaction and local antibody analysis on ocular fluid [see comments]
Br J Ophthalmol 80: 235-40 (1996)
- Doranz BJ; Rucker J; Yi Y; Smyth RJ; Samson M; Peiper SC; Parmentier M; Collman RG; Doms RW
A dual-tropic primary HIV-1 isolate that uses fusin and the beta-chemokine receptors CKR-5, CKR-3, and CKR-2b as fusion cofactors.
Cell 85: 1149-58 (1996)
- Dorfman T; Gottlinger HG
The human immunodeficiency virus type 1 capsid p2 domain confers sensitivity to the cyclophilin-binding drug SDZ NIM 811.
J Virol 70: 5751-7 (1996)
- Dorfman T; Gottlinger HG
The human immunodeficiency virus type 1 capsid p2 domain confers sensitivity to the cyclophilin-binding drug SDZ NIM 811.
J Virol 70: 5751-7 (1996)
- Doyon L; Croteau G; Thibeault D; Poulin F; Pilote L; Lamarre D
Second locus involved in human immunodeficiency virus type 1 resistance to protease inhibitors.
J Virol 70: 3763-9 (1996)

Dragic T; Litwin V; Allaway GP; Martin SR; Huang Y; Nagashima KA; Cayanan C; Maddon PJ; Koup RA; Moore JP; Paxton WA
HIV-1 entry into CD4+ cells is mediated by the chemokine receptor CC-CKR-5 [see comments]
Nature 381: 667-73 (1996)

Drobniewski F; Tayler E; Ignatenko N; Paul J; Connolly M; Nye P; Lyagoshina T; Besse C
Tuberculosis in Siberia: 1. An epidemiological and microbiological assessment.
Tuber Lung Dis 77: 199-206 (1996)

Drobniewski F; Tayler E; Ignatenko N; Paul J; Connolly M; Nye P; Lyagoshina T; Besse C
Tuberculosis in Siberia: 1. An epidemiological and microbiological assessment.
Tuber Lung Dis 77: 199-206 (1996)

Drosopoulos WC; Prasad VR
Increased polymerase fidelity of E89G, a nucleoside analog-resistant variant of human immunodeficiency virus type 1 reverse transcriptase.
J Virol 70: 4834-8 (1996)

Du Z; Ilyinskii PO; Saserville VG; Newstein M; Lackner AA; Desrosiers RC
Requirements for lymphocyte activation by unusual strains of simian immunodeficiency virus.
J Virol 70: 4157-61 (1996)

Duarte EA; Eberl G; Corradin G
Specific tolerization of active cytolytic T lymphocyte responses in vivo with soluble peptides.
Cell Immunol 169: 16-23 (1996)

Dubois V; Lafon ME; Ragnaud JM; Pellegrin JL; Damasio F; Baudouin C; Michaud V; Fleury HJ
Detection of JC virus DNA in the peripheral blood leukocytes of HIV-infected patients.
AIDS 10: 353-8 (1996)

Duenas M; Malmborg AC; Casalvila R; Ohlin M; Borrebaeck CA
Selection of phage displayed antibodies based on kinetic constants.
Mol Immunol 33: 279-85 (1996)

Dvorakova H; Masojidkova M; Holy A; Balzarini J; Andrei G; Snoeck R; De Clercq E
Synthesis of 2'-aminomethyl derivatives of N-(2-(phosphonomethoxy)ethyl) nucleotide analogues as potential antiviral agents.
J Med Chem 39: 3263-8 (1996)

Ebenbichler CF; Stoiber H; Schneider R; Patsch JR; Dierich MP
The human immunodeficiency virus type 1 transmembrane gp41 protein is a calcium-binding protein and interacts with the putative second-receptor molecules in a calcium-dependent manner.
J Virol 70: 1723-8 (1996)

Eclache V; Magnac C; Pritsch O; Delecluse HJ; Davi F; Raphael M; Dighiero G
Complete nucleotide sequence of Ig V genes in three cases of Burkitt lymphoma associated with AIDS.
Leuk Lymphoma 20: 281-90 (1996)

Ehret A; Westendorp MO; Herr I; Debatin KM; Heeney JL; Frank R; Krammer PH
Resistance of chimpanzee T cells to human immunodeficiency virus type 1 Tat-enhanced oxidative stress and apoptosis.
J Virol 70: 6502-7 (1996)

Ehrhard B; Misselwitz R; Welfle K; Hausdorf G; Glaser RW; Schneider-Mergener J; Welfle H
Chemical modification of recombinant HIV-1 capsid protein p24 leads to the release of a hidden epitope prior to changes of the overall folding of the protein.
Biochemistry 35: 9097-105 (1996)

Ehrlich LS; Fong S; Scarlata S; Zybarth G; Carter C
Partitioning of HIV-1 Gag and Gag-related proteins to membranes.
Biochemistry 35: 3933-43 (1996)

Eich E; Pertz H; Kaloga M; Schulz J; Fesen MR; Mazumder A; Pommier Y
(-)-Arctigenin as a lead structure for inhibitors of human immunodeficiency virus type-1 integrase.
J Med Chem 39: 86-95 (1996)

Ekstrand DH; Awad RJ; Kallander CF; Gronowitz JS
A sensitive assay for the quantification of reverse transcriptase activity based on the use of carrier-bound template and non-radioactive-product detection, with special reference to human-immunodeficiency-virus isolation.
Biotechnol Appl Biochem 23 (Pt 2): 95-105 (1996)

Emiliani S; Van Lint C; Fischle W; Paras P Jr; Ott M; Brady J; Verdin E
A point mutation in the HIV-1 Tat responsive element is associated with postintegration latency.
Proc Natl Acad Sci U S A 93: 6377-81 (1996)

Emini EA; Schleif WA; Deutsch P; Condra JH
In vivo selection of HIV-1 variants with reduced susceptibility to the protease inhibitor L-735,524 and related compounds.
Adv Exp Med Biol 394: 327-31 (1996)

References (1996)

- Emini EA; Schleif WA; Deutsch P; Condra JH
In vivo selection of HIV-1 variants with reduced susceptibility to the protease inhibitor L-735,524 and related compounds.
Adv Exp Med Biol 394: 327-31 (1996)
- Erickson JW; Burt SK
Structural mechanisms of HIV drug resistance.
Annu Rev Pharmacol Toxicol 36: 545-71 (1996)
- Escude C; Giovannangeli C; Sun JS; Lloyd DH; Chen JK; Gryaznov SM; Garestier T; Helene C
Stable triple helices formed by oligonucleotide N3'→P5' phosphoramidates inhibit transcription elongation.
Proc Natl Acad Sci U S A 93: 4365-9 (1996)
- Essayag SM; Baily GG; Denning DW; Burnie JP
Karyotyping of fluconazole-resistant yeasts with phenotype reported as *Candida krusei* or *Candida inconspicua*.
Int J Syst Bacteriol 46: 35-40 (1996)
- Estable MC; Bell B; Merzouki A; Montaner JS; O'Shaughnessy MV; Sadowski IJ
Human immunodeficiency virus type 1 long terminal repeat variants from 42 patients representing all stages of infection display a wide range of sequence polymorphism and transcription activity.
J Virol 70: 4053-62 (1996)
- Estaquier J; Tanaka M; Suda T; Nagata S; Golstein P; Ameisen JC
Fas-mediated apoptosis of CD4+ and CD8+ T cells from human immunodeficiency virus-infected persons: differential in vitro preventive effect of cytokines and protease antagonists.
Blood 87: 4959-66 (1996)
- Ettmayer P; Billich A; Hecht P; Rosenwirth B; Gstach H
Paracyclophanes: a novel class of water-soluble inhibitors of HIV proteinase.
J Med Chem 39: 3291-9 (1996)
- Evers M; Poujade C; Soler F; Ribeill Y; James C; Lelievre Y; Gueguen JC; Reisdorf D; Morize I; Pauwels R; De Clercq E; Henin Y; Bousseau A; Mayaux JF; Le Pecq JB; Dereu N
Betulinic acid derivatives: a new class of human immunodeficiency virus type 1 specific inhibitors with a new mode of action.
J Med Chem 39: 1056-68 (1996)
- Faiman GA; Levy R; Anglister J; Horovitz A
Contribution of arginine residues in the RP135 peptide derived from the V3 loop of gp120 to its interaction with the Fv fragment of the 0.5beta HIV-1 neutralizing antibody.
J Biol Chem 271: 13829-33 (1996)
- Fan N; Rank KB; Poppe SM; Tarpley WG; Sharma SK
Characterization of the p68/p58 heterodimer of human immunodeficiency virus type 2 reverse transcriptase.
Biochemistry 35: 1911-7 (1996)
- Fan N; Rank KB; Slade DE; Poppe SM; Evans DB; Kopta LA; Olmsted RA; Thomas RC; Tarpley WG; Sharma SK
A drug resistance mutation in the inhibitor binding pocket of human immunodeficiency virus type 1 reverse transcriptase impairs DNA synthesis and RNA degradation.
Biochemistry 35: 9737-45 (1996)
- Fang G; Weiser B; Visosky AA; Townsend L; Burger H
Molecular cloning of full-length HIV-1 genomes directly from plasma viral RNA.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 352-7 (1996)
- Fantuzzi L; Gessani S; Borghi P; Varano B; Conti L; Puddu P; Belardelli F
Induction of interleukin-12 (IL-12) by recombinant glycoprotein gp120 of human immunodeficiency virus type 1 in human monocytes/macrophages: requirement of gamma interferon for IL-12 secretion.
J Virol 70: 4121-4 (1996)
- Farnet CM; Wang B; Lipford JR; Bushman FD
Differential inhibition of HIV-1 preintegration complexes and purified integrase protein by small molecules.
Proc Natl Acad Sci U S A 93: 9742-7 (1996)
- Farnet CM; Wang B; Lipford JR; Bushman FD
Differential inhibition of HIV-1 preintegration complexes and purified integrase protein by small molecules.
Proc Natl Acad Sci U S A 93: 9742-7 (1996)
- Fassler A; Bold G; Capraro HG; Cozens R; Mestan J; Poncioni B; Rosel J; Tintelnot-Blomley M; Lang M
Aza-peptide analogs as potent human immunodeficiency virus type-1 protease inhibitors with oral bioavailability.
J Med Chem 39: 3203-16 (1996)
- Fauci AS
Resistance to HIV-1 infection: it's in the genes.
Nat Med 2: 966-7 (1996)
- Fauci AS
Resistance to HIV-1 infection: it's in the genes.
Nat Med 2: 966-7 (1996)
- Fayolle C; Sebo P; Ladant D; Ullmann A; Leclerc C
In vivo induction of CTL responses by recombinant adenylate cyclase of *Bordetella pertussis* carrying viral CD8+ T cell epitopes.
J Immunol 156: 4697-706 (1996)

References (1996)

Federico M; Bona R; D'Aloja P; Baiocchi M; Pugliese K; Nappi F; Chelucci C; Mavilio F; Verani P
Anti-HIV viral interference induced by retroviral vectors expressing a nonproducer HIV-1 variant.
Acta Haematol 95: 199-203 (1996)

Fedoroff OYu; Salazar M; Reid BR
Structural variation among retroviral primer-DNA junctions: solution structure of the HIV-1 (-)-strand Okazaki fragment r(gcca)d(CTGC).d(GCAGTGGC).
Biochemistry 35: 11070-80 (1996)

Fedoroff OYu; Salazar M; Reid BR
Structural variation among retroviral primer-DNA junctions: solution structure of the HIV-1 (-)-strand Okazaki fragment r(gcca)d(CTGC).d(GCAGTGGC).
Biochemistry 35: 11070-80 (1996)

Feng Y; Broder CC; Kennedy PE; Berger EA
HIV-1 entry cofactor: functional cDNA cloning of a seven-transmembrane, G protein-coupled receptor [see comments]
Science 272: 872-7 (1996)

Filippova IY; Lysogorskaya EN; Anisimova VV; Suvorov LI; Oksenoit ES; Stepanov VM
Fluorogenic peptide substrates for assay of aspartyl proteinases.
Anal Biochem 234: 113-8 (1996)

Filippova IY; Lysogorskaya EN; Anisimova VV; Suvorov LI; Oksenoit ES; Stepanov VM
Fluorogenic peptide substrates for assay of aspartyl proteinases.
Anal Biochem 234: 113-8 (1996)

Finnegan A; Roebuck KA; Nakai BE; Gu DS; Rabbi MF; Song S; Landay AL
IL-10 cooperates with TNF-alpha to activate HIV-1 from latently and acutely infected cells of monocyte/macrophage lineage.
J Immunol 156: 841-51 (1996)

Fitch WM
The variety of human virus evolution.
Mol Phylogen Evol 5: 247-58 (1996)

Flory E; Hoffmeyer A; Smola U; Rapp UR; Bruder JT
Raf-1 kinase targets GA-binding protein in transcriptional regulation of the human immunodeficiency virus type 1 promoter.
J Virol 70: 2260-8 (1996)

Folgueira L; McElhinny JA; Bren GD; MacMorran WS; Diaz-Meco MT; Moscat J; Paya CV
Protein kinase C-zeta mediates NF-kappa B activation in human immunodeficiency virus-infected monocytes.
J Virol 70: 223-31 (1996)

Fouchier RA; Meynard L; Brouwer M; Hovenkamp E; Schuitemaker H
Broader tropism and higher cytopathicity for CD4+ T cells of a syncytium-inducing compared to a non-syncytium-inducing HIV-1 isolate as a mechanism for accelerated CD4+ T cell decline in vivo.
Virology 219: 87-95 (1996)

Fowler DA; Rosenthal GJ; Sommadossi JP
Effect of recombinant human hemoglobin on human bone marrow progenitor cells: protection and reversal of 3'-azido-3'-deoxythymidine-induced toxicity.
Toxicol Lett 85: 55-62 (1996)

Frankel DH
Structure of HIV p24 capsid protein revealed [news]
Lancet 348: 184 (1996)

Franzen C; Kuppers R; Muller A; Salzberger B; Fatkenheuer G; Vetten B; Diehl V; Schrappe M
Genetic evidence for latent *Septata intestinalis* infection in human immunodeficiency virus-infected patients with intestinal microsporidiosis.
J Infect Dis 173: 1038-40 (1996)

Fraziano M; Montesano C; Lombardi VR; Sammarco I; De Pisa F; Mattei M; Valesini G; Pittoni V; Colizzi V
Epitope specificity of anti-HIV antibodies in human and murine autoimmune diseases.
AIDS Res Hum Retroviruses 12: 491-6 (1996)

Freed EO; Martin MA
Domains of the human immunodeficiency virus type 1 matrix and gp41 cytoplasmic tail required for envelope incorporation into virions.
J Virol 70: 341-51 (1996)

Freedman AR; Zhu H; Levine JD; Kalams S; Scadden DT
Generation of human T lymphocytes from bone marrow CD34+ cells in vitro.
Nat Med 2: 46-51 (1996)

Fridell RA; Bogerd HP; Cullen BR
Nuclear export of late HIV-1 mRNAs occurs via a cellular protein export pathway.
Proc Natl Acad Sci U S A 93: 4421-4 (1996)

References (1996)

- Fridell RA; Fischer U; Luhrmann R; Meyer BE; Meinkoth JL; Malim MH; Cullen BR
Amphibian transcription factor IIIA proteins contain a sequence element functionally equivalent to the nuclear export signal of human immunodeficiency virus type 1 Rev.
Proc Natl Acad Sci U S A 93: 2936-40 (1996)
- Friedland G; Dunkle LW; Cross AP
Stavudine (d4T, Zerit).
Adv Exp Med Biol 394: 271-7 (1996)
- Friedland G; Dunkle LW; Cross AP
Stavudine (d4T, Zerit).
Adv Exp Med Biol 394: 271-7 (1996)
- Frost RA; Fuhrer J; Steigbigel R; Mariuz P; Lang CH; Gelato MC
Wasting in the acquired immune deficiency syndrome is associated with multiple defects in the serum insulin-like growth factor system.
Clin Endocrinol (Oxf) 44: 501-14 (1996)
- Frost RA; Fuhrer J; Steigbigel R; Mariuz P; Lang CH; Gelato MC
Wasting in the acquired immune deficiency syndrome is associated with multiple defects in the serum insulin-like growth factor system.
Clin Endocrinol (Oxf) 44: 501-14 (1996)
- Fu GK; Markovitz DM
Purification of the pets factor. A nuclear protein that binds to the inducible TG-rich element of the human immunodeficiency virus type 2 enhancer.
J Biol Chem 271: 19599-605 (1996)
- Fuentes GM; Fay PJ; Bambara RA
Relationship between plus strand DNA synthesis removal of downstream segments of RNA by human immunodeficiency virus, murine leukemia virus and avian myeloblastoma virus reverse transcriptases.
Nucleic Acids Res 24: 1719-26 (1996)
- Fuentes GM; Rodriguez-Rodriguez L; Palaniappan C; Fay PJ; Bambara RA
Strand displacement synthesis of the long terminal repeats by HIV reverse transcriptase.
J Biol Chem 271: 1966-71 (1996)
- Fujii M; Minamino T; Nomura M; Miyamoto KI; Tanaka J; Seiki M
Selective activation of the proto-oncogene c-jun promoter by the transforming protein v-Rel.
Oncogene 12: 2193-202 (1996)
- Fujita M; Otsuka M; Sugiura Y
Metal-chelating inhibitors of a zinc finger protein HIV-EP1. Remarkable potentiation of inhibitory activity by introduction of SH groups.
J Med Chem 39: 503-7 (1996)
- Furlini G; Vignoli M; Ramazzotti E; Re MC; Visani G; La Placa A concurrent human herpesvirus-6 infection renders two human hematopoietic progenitor (TF-1 and KG-1) cell lines susceptible to human immunodeficiency virus type-1.
Blood 87: 4737-45 (1996)
- Furuishi K; Misumi S; Shoji S
A novel monoclonal antibody to N-myristoyl glycine moiety found a new N-myristoylated HIV-1 p28gag protein in HIV-1-infected cells.
Biochem Biophys Res Commun 222: 344-51 (1996)
- Gabrilovich DI; Patterson S; Timofeev AV; Harvey JJ; Knight SC
Mechanism for dendritic cell dysfunction in retroviral infection of mice.
Clin Immunol Immunopathol 80: 139-46 (1996)
- Gabrilovich DI; Patterson S; Timofeev AV; Harvey JJ; Knight SC
Mechanism for dendritic cell dysfunction in retroviral infection of mice.
Clin Immunol Immunopathol 80: 139-46 (1996)
- Gaidano G; Cechova K; Chang Y; Moore PS; Knowles DM; Dalla-Favera R
Establishment of AIDS-related lymphoma cell lines from lymphomatous effusions.
Leukemia 10: 1237-40 (1996)
- Gallay P; Stitt V; Mundy C; Oettinger M; Trono D
Role of the karyopherin pathway in human immunodeficiency virus type 1 nuclear import.
J Virol 70: 1027-32 (1996)
- Gao F; Morrison SG; Robertson DL; Thornton CL; Craig S; Karlsson G; Sodroski J; Morgado M; Galvao-Castro B; von Briesen H; Beddows S; Weber J; Sharp PM; Shaw GM; Hahn BH
Molecular cloning and analysis of functional envelope genes from human immunodeficiency virus type 1 sequence subtypes A through G. The WHO and NIAID Networks for HIV Isolation and Characterization.
J Virol 70: 1651-7 (1996)
- Garcia S; Dadaglio G; Cilote V; Chenal H; Bondurand A; Gougeon ML
Evidence for an in vivo superantigenic activity in human immunodeficiency virus-infected individuals.
Blood 88: 2151-61 (1996)

Garcia S; Dadaglio G; Cilote V; Chenal H; Bondurand A; Gougeon ML
Evidence for an in vivo superantigenic activity in human immunodeficiency virus-infected individuals.
Blood 88: 2151-61 (1996)

Garza HH Jr; Prakash O; Carr DJ
Aberrant regulation of cytokines in HIV-1 TAT72-transgenic mice.
J Immunol 156: 3631-7 (1996)

Gatignol A; Duarte M; Daviet L; Chang YN; Jeang KT
Sequential steps in Tat trans-activation of HIV-1 mediated through cellular DNA, RNA, and protein binding factors.
Gene Expr 5: 217-28 (1996)

Gatignol A; Duarte M; Daviet L; Chang YN; Jeang KT
Sequential steps in Tat trans-activation of HIV-1 mediated through cellular DNA, RNA, and protein binding factors.
Gene Expr 5: 217-28 (1996)

Gazzinelli RT; Sher A; Cheever A; Gerstberger S; Martin MA; Dickie P
Infection of human immunodeficiency virus 1 transgenic mice with Toxoplasma gondii stimulates proviral transcription in macrophages in vivo.
J Exp Med 183: 1645-55 (1996)

Gebinoga M; Oehlenschlager F
Comparison of self-sustained sequence-replication reaction systems.
Eur J Biochem 235: 256-61 (1996)

Geigenmuller U; Linial ML
Specific binding of human immunodeficiency virus type 1 (HIV-1) Gag-derived proteins to a 5' HIV-1 genomic RNA sequence.
J Virol 70: 667-71 (1996)

Geissler RG; Rossol R; Mentzel U; Ottmann OG; Klein AS; Gute P; Helm EB; Hoelzer D; Ganser A
Gamma delta-T cell-receptor-positive lymphocytes inhibit human hematopoietic progenitor cell growth in HIV type 1-infected patients.
AIDS Res Hum Retroviruses 12: 577-84 (1996)

Geissler RG; Rossol R; Mentzel U; Ottmann OG; Klein AS; Gute P; Helm EB; Hoelzer D; Ganser A
Gamma delta-T cell-receptor-positive lymphocytes inhibit human hematopoietic progenitor cell growth in HIV type 1-infected patients.
AIDS Res Hum Retroviruses 12: 577-84 (1996)

Gerard B; Peponnet C; Brunie G; Cave H; Denamur E; d'Auriol L; Monplaisir N; Simon F; Elion J; Grandchamp B
Fluorometric detection of HIV-1 genome through use of an internal control, inosine-substituted primers, and microtiter plate format.
Clin Chem 42: 696-703 (1996)

Geretti AM; Dings ME; van Els CA; van Baalen CA; Wijnholds FJ; Borleffs JC; Osterhaus AD
Human immunodeficiency virus type 1 (HIV-1)-and Epstein-Barr virus-specific cytotoxic T lymphocyte precursors exhibit different kinetics in HIV-1-infected persons.
J Infect Dis 174: 34-45 (1996)

Ghosh AK; Kincaid JF; Walters DE; Chen Y; Chaudhuri NC; Thompson WJ; Culberson C; Fitzgerald PM; Lee HY; McKee SP; Munson PM; Duong TT; Darke PL; Zugay JA; Schleif WA; Axel MG; Lin J; Huff JR
Nonpeptidal P2 ligands for HIV protease inhibitors: structure-based design, synthesis, and biological evaluation.
J Med Chem 39: 3278-90 (1996)

Ghosh M; Jacques PS; Rodgers DW; Ottman M; Darlix JL; Le Grice SF
Alterations to the primer grip of p66 HIV-1 reverse transcriptase and their consequences for template-primer utilization.
Biochemistry 35: 8553-62 (1996)

Ghosh S; Toth C; Peterlin BM; Seto E
Synergistic activation of transcription by the mutant and wild-type minimal transcriptional activation domain of VP16.
J Biol Chem 271: 9911-8 (1996)

Giacca M; Borella S; Calderazzo F; Bianchi LC; D'Agaro P; Rampanzo C; Bianchi V; Reichard P
Synergistic antiviral action of ribonucleotide reductase inhibitors and 3'-azido-3'-deoxythymidine on HIV type 1 infection in vitro.
AIDS Res Hum Retroviruses 12: 677-82 (1996)

Giacca M; Borella S; Calderazzo F; Bianchi LC; D'Agaro P; Rampanzo C; Bianchi V; Reichard P
Synergistic antiviral action of ribonucleotide reductase inhibitors and 3'-azido-3'-deoxythymidine on HIV type 1 infection in vitro.
AIDS Res Hum Retroviruses 12: 677-82 (1996)

Giavedoni LD; Yilma T
Construction and characterization of replication-competent simian immunodeficiency virus vectors that express gamma interferon.
J Virol 70: 2247-51 (1996)

Gibbs WW
New chip off the old block. Can DNA microprobes do for genetics what microprocessors did for computing? [news]
Sci Am 275: 42, 44 (1996)

References (1996)

- Giovannangeli C; Perrouault L; Escude C; Gryaznov S; Helene C
Efficient inhibition of transcription elongation in vitro by oligonucleotide phosphoramidates targeted to proviral HIV DNA.
J Mol Biol 261: 386-98 (1996)
- Giovannangeli C; Perrouault L; Escude C; Gryaznov S; Helene C
Efficient inhibition of transcription elongation in vitro by oligonucleotide phosphoramidates targeted to proviral HIV DNA.
J Mol Biol 261: 386-98 (1996)
- Giovannangeli C; Perrouault L; Escude C; Nguyen T; Helene C
Specific inhibition of in vitro transcription elongation by triplex-forming oligonucleotide-intercalator conjugates targeted to HIV proviral DNA.
Biochemistry 35: 10539-48 (1996)
- Giovannangeli C; Perrouault L; Escude C; Nguyen T; Helene C
Specific inhibition of in vitro transcription elongation by triplex-forming oligonucleotide-intercalator conjugates targeted to HIV proviral DNA.
Biochemistry 35: 10539-48 (1996)
- Gitti RK; Lee BM; Walker J; Summers MF; Yoo S; Sundquist WI
Structure of the amino-terminal core domain of the HIV-1 capsid protein.
Science 273: 231-5 (1996)
- Glaser RW; Hausdorff G
Binding kinetics of an antibody against HIV p24 core protein measured with real-time biomolecular interaction analysis suggest a slow conformational change in antigen p24.
J Immunol Methods 189: 1-14 (1996)
- Gnabre JN; Ito Y; Ma Y; Huang RC
Isolation of anti-HIV-1 lignans from *Larrea tridentata* by counter-current chromatography.
J Chromatogr A 719: 353-64 (1996)
- Goldstein G
HIV-1 Tat protein as a potential AIDS vaccine.
Nat Med 2: 960-4 (1996)
- Goldstein G
HIV-1 Tat protein as a potential AIDS vaccine.
Nat Med 2: 960-4 (1996)
- Goletti D; Kinter AL; Hardy EC; Poli G; Fauci AS
Modulation of endogenous IL-1 beta and IL-1 receptor antagonist results in opposing effects on HIV expression in chronically infected monocytic cells.
J Immunol 156: 3501-8 (1996)
- Gomez CE; Fernandez JR; Iglesias E; Lopez AE; Lobaina L; Noa E; Diaz H; Herrera A; Rojo F; Duarte CA
Complete DNA sequence of the gene encoding the external glycoprotein (gp120) from a Cuban HIV type 1 isolate.
AIDS Res Hum Retroviruses 12: 553-5 (1996)
- Gong JH; Zhang M; Modlin RL; Linsley PS; Iyer D; Lin Y; Barnes PF
Interleukin-10 downregulates *Mycobacterium tuberculosis*-induced Th1 responses and CTLA-4 expression.
Infect Immun 64: 913-8 (1996)
- Gonzalez SA; Burny A; Affranchino JL
Identification of domains in the simian immunodeficiency virus matrix protein essential for assembly and envelope glycoprotein incorporation.
J Virol 70: 6384-9 (1996)
- Gonzalez SA; Burny A; Affranchino JL
Identification of domains in the simian immunodeficiency virus matrix protein essential for assembly and envelope glycoprotein incorporation.
J Virol 70: 6384-9 (1996)
- Goobar-Larsson L; Larsson PT; Debouck C; Towler EM
HIV-1 RT enhances the activity of a tethered dimer of HIV-1 proteinase.
Biochem Biophys Res Commun 220: 203-7 (1996)
- Goossens F; De Meester I; Vanhoof G; Scharpe S
Distribution of prolyl oligopeptidase in human peripheral tissues and body fluids.
Eur J Clin Chem Clin Biochem 34: 17-22 (1996)
- Gorse GJ; Keefer MC; Belshe RB; Matthews TJ; Forrest BD; Hsieh RH; Koff WC; Hanson CV; Dolin R; Weinhold KJ; Frey SE; Ketter N; Fast PE
A dose-ranging study of a prototype synthetic HIV-1MN V3 branched peptide vaccine. The National Institute of Allergy and Infectious Diseases AIDS Vaccine Evaluation Group.
J Infect Dis 173: 330-9 (1996)
- Goudreau G; Carpenter S; Beaulieu N; Jolicoeur P
Vacuolar myelopathy in transgenic mice expressing human immunodeficiency virus type 1 proteins under the regulation of the myelin basic protein gene promoter.
Nat Med 2: 655-61 (1996)
- Goulaouic H; Chow SA
Directed integration of viral DNA mediated by fusion proteins consisting of human immunodeficiency virus type 1 integrase and *Escherichia coli* LexA protein.
J Virol 70: 37-46 (1996)

References (1996)

- Graf von Stosch A; Kinzel V; Reed J
Extension of the polarity-dependent "switch phenomenon" of the gp120 binding domain as a target for antiviral chemotherapy.
Biochemistry 35: 411-7 (1996)
- Granowitz EV; Saget BM; Angel JB; Wang MZ; Wang A; Dinarello CA; Skolnik PR
Soluble tumor necrosis factor receptors inhibit phorbol myristate acetate and cytokine-induced HIV-1 expression chronically infected U1 cells.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 430-7 (1996)
- Gras G; Legendre C; Krzysiek R; Dormont D; Galanaud P; Richard Y
CD40/CD40L interactions and cytokines regulate HIV replication in B cells in vitro.
Virology 220: 309-19 (1996)
- Graveley BR; Fleming ES; Gilmartin GM
RNA structure is a critical determinant of poly(A) site recognition by cleavage and polyadenylation specificity factor.
Mol Cell Biol 16: 4942-51 (1996)
- Graveley BR; Gilmartin GM
A common mechanism for the enhancement of mRNA 3' processing by U3 sequences in two distantly related lentiviruses.
J Virol 70: 1612-7 (1996)
- Graziani A; Galimi F; Medico E; Cottone E; Gramaglia D; Boccaccio C; Comoglio PM
The HIV-1 nef protein interferes with phosphatidylinositol 3-kinase activation 1.
J Biol Chem 271: 6590-3 (1996)
- Graziosi C; Gantt KR; Vaccarezza M; Demarest JF; Daucher M; Saag MS; Shaw GM; Quinn TC; Cohen OJ; Welbon CC; Pantaleo G; Fauci AS
Kinetics of cytokine expression during primary human immunodeficiency virus type 1 infection.
Proc Natl Acad Sci U S A 93: 4386-91 (1996)
- Grimes PE; Sevall JS; Vojdani A
Cytomegalovirus DNA identified in skin biopsy specimens of patients with vitiligo.
J Am Acad Dermatol 35: 21-6 (1996)
- Grzesiek S; Bax A; Clore GM; Gronenborn AM; Hu JS; Kaufman J; Palmer I; Stahl SJ; Wingfield PT
The solution structure of HIV-1 Nef reveals an unexpected fold and permits delineation of the binding surface for the SH3 domain of Hck tyrosine protein kinase.
Nat Struct Biol 3: 340-5 (1996)
- Grzesiek S; Stahl SJ; Wingfield PT; Bax A
The CD4 determinant for downregulation by HIV-1 Nef directly binds to Nef. Mapping of the Nef binding surface by NMR.
Biochemistry 35: 10256-61 (1996)
- Grzesiek S; Stahl SJ; Wingfield PT; Bax A
The CD4 determinant for downregulation by HIV-1 Nef directly binds to Nef. Mapping of the Nef binding surface by NMR.
Biochemistry 35: 10256-61 (1996)
- Gu Z; Li X; Quan Y; Parniak MA; Wainberg MA
Studies of neutralizing monoclonal antibody to human immunodeficiency virus type 1 reverse transcriptase: antagonistic and synergistic effects in reactions performed in the presence of nucleoside and nonnucleoside inhibitors, respectively.
J Virol 70: 2620-6 (1996)
- Guillemain C; George F; Courcoul M; Dhiver C; Brunet C; Spire B; Horschowski N; Conciatori M; Sampol J
Monoblastic leukemia in an HIV-infected patient: absence of viral expression in RNA blasts.
Am J Hematol 52: 47-52 (1996)
- Guleria I; Teitelbaum R; McAdam RA; Kalpana G; Jacobs WR Jr; Bloom BR
Auxotrophic vaccines for tuberculosis.
Nat Med 2: 334-7 (1996)
- Gulizia RJ; Levy JA; Mosier DE
The envelope gp120 gene of human immunodeficiency virus type 1 determines the rate of CD4-positive T-cell depletion in SCID mice engrafted with human peripheral blood leukocytes.
J Virol 70: 4184-7 (1996)
- Guptan RC; Thakur V; Sarin SK; Banerjee K; Khandekar P
Frequency and clinical profile of precore and surface hepatitis B mutants in Asian-Indian patients with chronic liver disease [see comments]
Am J Gastroenterol 91: 1312-7 (1996)
- Gurtler LG; Zekeng L; Tsague JM; van Brunn A; Afane Ze E; Eberle J; Kaptue L
HIV-1 subtype O: epidemiology, pathogenesis, diagnosis, and perspectives of the evolution of HIV.
Arch Virol Suppl 11: 195-202 (1996)
- Gurtler LG; Zekeng L; Tsague JM; van Brunn A; Afane Ze E; Eberle J; Kaptue L
HIV-1 subtype O: epidemiology, pathogenesis, diagnosis, and perspectives of the evolution of HIV.
Arch Virol Suppl 11: 195-202 (1996)

References (1996)

- Gussio R; Pattabiraman N; Zaharevitz DW; Kellogg GE; Topol IA; Rice WG; Schaeffer CA; Erickson JW; Burt SK
All-atom models for the non-nucleoside binding site of HIV-1 reverse transcriptase complexed with inhibitors: a 3D QSAR approach.
J Med Chem 39: 1645-50 (1996)
- Haas J; Geiss M; Bohler T
False-negative polymerase chain reaction-based diagnosis of human immunodeficiency virus (HIV) type 1 in children infected with HIV strains of African origin [letter]
J Infect Dis 174: 244-5 (1996)
- Haddrick M; Lear AL; Cann AJ; Heaphy S
Evidence that a kissing loop structure facilitates genomic RNA dimerisation in HIV-1.
J Mol Biol 259: 58-68 (1996)
- Hadgu A
The discrepancy in discrepant analysis.
Lancet 348: 592-3 (1996)
- Hadgu A
The discrepancy in discrepant analysis.
Lancet 348: 592-3 (1996)
- Hammerschmid F; Billich A; Wasserbauer E; Rosenwirth B
Interactions of HIV-1 proteins with human T-cell cyclophilin A.
Ann N Y Acad Sci 782: 456-61 (1996)
- Handley MA; Steigbigel RT; Morrison SA
A role for urokinase-type plasminogen activator in human immunodeficiency virus type 1 infection of macrophages.
J Virol 70: 4451-6 (1996)
- Hannongbua S; Lawtrakul L; Limtrakul J
Structure-activity correlation study of HIV-1 inhibitors: electronic and molecular parameters.
J Comput Aided Mol Des 10: 145-52 (1996)
- Hannongbua S; Lawtrakul L; Limtrakul J
Structure-activity correlation study of HIV-1 inhibitors: electronic and molecular parameters.
J Comput Aided Mol Des 10: 145-52 (1996)
- Hansen JE; Jansson B; Gram GJ; Clausen H; Nielsen JO; Olofsson S
Sensitivity of HIV-1 to neutralization by antibodies against O-linked carbohydrate epitopes despite deletion of O-glycosylation signals in the V3 loop.
Arch Virol 141: 291-300 (1996)
- Harada K; Martin SS; Frankel AD
Selection of RNA-binding peptides in vivo.
Nature 380: 175-9 (1996)
- Harhaj E; Blaney J; Millhouse S; Sun SC
Differential effects of I kappa B molecules on Tat-mediated transactivation of HIV-1 LTR.
Virology 216: 284-7 (1996)
- Harrer E; Harrer T; Barbosa P; Feinberg M; Johnson RP; Buchbinder S; Walker BD
Recognition of the highly conserved YMDD region in the human immunodeficiency virus type 1 reverse transcriptase by HLA-A2-restricted cytotoxic T lymphocytes from an asymptomatic long-term nonprogressor.
J Infect Dis 173: 476-9 (1996)
- Harrer T; Harrer E; Kalams SA; Barbosa P; Trocha A; Johnson RP; Elbeik T; Feinberg MB; Buchbinder SP; Walker BD
Cytotoxic T lymphocytes in asymptomatic long-term non-progressing HIV-1 infection. Breadth and specificity of the response and relation to in vivo viral quasispecies in a person with prolonged infection and low viral load.
J Immunol 156: 2616-23 (1996)
- Harrich D; Ulich C; Gaynor RB
A critical role for the TAR element in promoting efficient human immunodeficiency virus type 1 reverse transcription.
J Virol 70: 4017-27 (1996)
- Harrigan PR; Kinghorn I; Bloor S; Kemp SD; Najera I; Kohli A; Larder BA
Significance of amino acid variation at human immunodeficiency virus type 1 reverse transcriptase residue 210 for zidovudine susceptibility.
J Virol 70: 5930-4 (1996)
- Harrison TS; Levitz SM
Role of IL-12 in peripheral blood mononuclear cell responses to fungi in persons with and without HIV infection.
J Immunol 156: 4492-7 (1996)
- Havlir DV; Dube MP; Sattler FR; Forthal DN; Kemper CA; Dunne MW; Parenti DM; Lavelle JP; White AC Jr; Witt MD; Bozzette SA; McCutchan JA
Prophylaxis against disseminated *Mycobacterium avium* complex with weekly azithromycin, daily rifabutin, or both. California Collaborative Treatment Group [see comments]
N Engl J Med 335: 392-8 (1996)
- Haynes BF; Pantaleo G; Fauci AS
Toward an understanding of the correlates of protective immunity to HIV infection.
Science 271: 324-8 (1996)

References (1996)

- Heimer R; Khoshnood K; Jariwala-Freeman B; Duncan B; Harima Y
Hepatitis in used syringes: the limits of sensitivity of techniques to detect hepatitis B virus (HBV) DNA, hepatitis C virus (HCV) RNA, and antibodies to HBV core and HCV antigens.
J Infect Dis 173: 997-1000 (1996)
- Hein J; Stovlbaek J
Combined DNA and protein alignment.
Methods Enzymol 266: 402-18 (1996)
- Hein J; Stovlbaek J
Combined DNA and protein alignment.
Methods Enzymol 266: 402-18 (1996)
- Heinkelein M; Euler-Konig I; Klinker H; Ruckle-Lanz H; Jassoy C
Lysis of human immunodeficiency virus type 1 antigen-expressing cells by CD4 and CD8 T cells ex vivo.
J Infect Dis 174: 209-13 (1996)
- Helbling B; von Overbeck J; Lauterburg BH
Decreased release of glutathione into the systemic circulation of patients with HIV infection.
Eur J Clin Invest 26: 38-44 (1996)
- Henderson AJ; Connor RI; Calame KL
C/EBP activators are required for HIV-1 replication and proviral induction in monocytic cell lines.
Immunity 5: 91-101 (1996)
- Henderson AJ; Connor RI; Calame KL
C/EBP activators are required for HIV-1 replication and proviral induction in monocytic cell lines.
Immunity 5: 91-101 (1996)
- Hendry P; McCall M
Unexpected anisotropy in substrate cleavage rates by asymmetric hammerhead ribozymes.
Nucleic Acids Res 24: 2679-84 (1996)
- Herr W; Schneider J; Lohse AW; Meyer zum Buschenfelde KH; Wolfel T
Detection and quantification of blood-derived CD8+ T lymphocytes secreting tumor necrosis factor alpha in response to HLA-A2.1-binding melanoma and viral peptide antigens.
J Immunol Methods 191: 131-42 (1996)
- Hertel KJ; Herschlag D; Uhlenbeck OC
Specificity of hammerhead ribozyme cleavage.
EMBO J 15: 3751-7 (1996)
- Heusch M; Kraus G; Johnson P; Wong-Staal F
Intracellular immunization against SIVmac utilizing a hairpin ribozyme.
Virology 216: 241-4 (1996)
- Heusch M; Kraus G; Johnson P; Wong-Staal F
Intracellular immunization against SIVmac utilizing a hairpin ribozyme.
Virology 216: 241-4 (1996)
- Hill AV
HIV and HLA: confusion or complexity? [comment]
Nat Med 2: 395-6 (1996)
- Hill CM; Littman DR
Natural resistance to HIV? [news; comment]
Nature 382: 668-9 (1996)
- Hill CP; Worthy lake D; Bancroft DP; Christensen AM; Sundquist WI
Crystal structures of the trimeric human immunodeficiency virus type 1 matrix protein: implications for membrane association and assembly.
Proc Natl Acad Sci U S A 93: 3099-104 (1996)
- Himathongkham S; Luciw PA
Restriction of HIV-1 (subtype B) replication at the entry step in rhesus macaque cells.
Virology 219: 485-8 (1996)
- Hirsch VM; Fuerst TR; Sutter G; Carroll MW; Yang LC; Goldstein S; Piatak M Jr; Elkins WR; Alvord WG; Montefiori DC; Moss B; Lifson JD
Patterns of viral replication correlate with outcome in simian immunodeficiency virus (SIV)-infected macaques: effect of prior immunization with a trivalent SIV vaccine in modified vaccinia virus Ankara.
J Virol 70: 3741-52 (1996)
- Ho WZ; Kaufman D; Song L; Cutilli JR; Douglas SD
Cystamine inhibits human immunodeficiency virus-1 replication in cord blood-derived mononuclear phagocytes and lymphocytes.
Blood 88: 928-33 (1996)
- Hodge DR; Robinson L; Watson D; Lautenberger J; Zhang XK; Venanzoni M; Seth A
Interaction of ETS-1 and ERGB/FLI-1 proteins with DNA is modulated by spacing between multiple binding sites as well as phosphorylation.
Oncogene 12: 11-8 (1996)
- Hoegl L; Ollert M; Kortting HC
The role of *Candida albicans* secreted aspartic proteinase in the development of candidoses.
J Mol Med 74: 135-42 (1996)

References (1996)

- Hoegl L; Ollert M; Korting HC
The role of Candida albicans secreted aspartic proteinase in the development of candidoses.
J Mol Med 74: 135-42 (1996)
- Hoffmann JS; Pillaire MJ; Garcia-Estefania D; Lapalu S; Villani G
In vitro bypass replication of the cisplatin-d(GpG) lesion by calf thymus DNA polymerase beta and human immunodeficiency virus type I reverse transcriptase is highly mutagenic.
J Biol Chem 271: 15386-92 (1996)
- Hoggard P; Khoo S; Barry M; Back D
Intracellular metabolism of zidovudine and stavudine in combination [letter]
J Infect Dis 174: 671-2 (1996)
- Hoggard P; Khoo S; Barry M; Back D
Intracellular metabolism of zidovudine and stavudine in combination [letter]
J Infect Dis 174: 671-2 (1996)
- Honda A; Nishimura S
Suppression of translation frameshift by upstream termination codon.
Biochem Biophys Res Commun 221: 602-8 (1996)
- Hong L; Treharne A; Hartsuck JA; Foundling S; Tang J
Crystal structures of complexes of a peptidic inhibitor with wild-type and two mutant HIV-1 proteases.
Biochemistry 35: 10627-33 (1996)
- Hong L; Treharne A; Hartsuck JA; Foundling S; Tang J
Crystal structures of complexes of a peptidic inhibitor with wild-type and two mutant HIV-1 proteases.
Biochemistry 35: 10627-33 (1996)
- Hoog SS; Towler EM; Zhao B; Doyle ML; Debouck C; Abdel-Meguid SS
Human immunodeficiency virus protease ligand specificity conferred by residues outside of the active site cavity.
Biochemistry 35: 10279-86 (1996)
- Hoog SS; Towler EM; Zhao B; Doyle ML; Debouck C; Abdel-Meguid SS
Human immunodeficiency virus protease ligand specificity conferred by residues outside of the active site cavity.
Biochemistry 35: 10279-86 (1996)
- Hoog SS; Towler EM; Zhao B; Doyle ML; Debouck C; Abdel-Meguid SS
Human immunodeficiency virus protease ligand specificity conferred by residues outside of the active site cavity.
Biochemistry 35: 10279-86 (1996)
- Hoog SS; Towler EM; Zhao B; Doyle ML; Debouck C; Abdel-Meguid SS
Human immunodeficiency virus protease ligand specificity conferred by residues outside of the active site cavity.
Biochemistry 35: 10279-86 (1996)
- Hoover T; Mikovits J; Court D; Liu YL; Kung HF; Raziuddin
A nuclear matrix-specific factor that binds a specific segment of the negative regulatory element (NRE) of HIV-1 LTR and inhibits NF-kappa(B) activity.
Nucleic Acids Res 24: 1895-900 (1996)
- Hopkins AL; Ren J; Esnouf RM; Willcox BE; Jones EY; Ross C; Miyasaka T; Walker RT; Tanaka H; Stammers DK; Stuart DI
Complexes of HIV-1 reverse transcriptase with inhibitors of the HEPT series reveal conformational changes relevant to the design of potent non-nucleoside inhibitors.
J Med Chem 39: 1589-600 (1996)
- Hu DJ; Dondero TJ; Rayfield MA; George JR; Schochetman G; Jaffe HW; Luo CC; Kalish ML; Weniger BG; Pau CP; Schable CA; Curran JW
The emerging genetic diversity of HIV. The importance of global surveillance for diagnostics, research, and prevention.
JAMA 275: 210-6 (1996)
- Hu R; Oyaizu N; Than S; Kalyanaraman VS; Wang XP; Pahwa S
HIV-1 gp160 induces transforming growth factor-beta production in human PBMC.
Clin Immunol Immunopathol 80: 283-9 (1996)
- Hu R; Oyaizu N; Than S; Kalyanaraman VS; Wang XP; Pahwa S
HIV-1 gp160 induces transforming growth factor-beta production in human PBMC.
Clin Immunol Immunopathol 80: 283-9 (1996)
- Huang Y; Carmichael GC
Role of polyadenylation in nucleocytoplasmic transport of mRNA.
Mol Cell Biol 16: 1534-42 (1996)
- Huang Y; Shalom A; Li Z; Wang J; Mak J; Wainberg MA; Kleiman L
Effects of modifying the tRNA(3Lys) anticodon on the initiation of human immunodeficiency virus type 1 reverse transcription.
J Virol 70: 4700-6 (1996)
- Hughes SH; Hostomsky Z; Le Grice SF; Lentz K; Arnold E
What is the orientation of DNA polymerases on their templates?
J Virol 70: 2679-83 (1996)

Humphrey RW; O'Brien TR; Newcomb FM; Nishihara H; Wyvill KM; Ramos GA; Saville MW; Goedert JJ; Straus SE; Yarchoan R
Kaposi's sarcoma (KS)-associated herpesvirus-like DNA sequences in peripheral blood mononuclear cells: association with KS and persistence in patients receiving anti-herpesvirus drugs.
Blood 88: 297-301 (1996)

Huppi K; Siwarski D; Mock BA; Dosik J; Hamel PA
Molecular cloning, chromosomal mapping, and expression of the mouse p107 gene.
Mamm Genome 7: 353-5 (1996)

Huppi K; Siwarski D; Mock BA; Dosik J; Hamel PA
Molecular cloning, chromosomal mapping, and expression of the mouse p107 gene.
Mamm Genome 7: 353-5 (1996)

Hutto C; Zhou Y; He J; Geffin R; Hill M; Scott W; Wood C
Longitudinal studies of viral sequence, viral phenotype, and immunologic parameters of human immunodeficiency virus type 1 infection in perinatally infected twins with discordant disease courses.
J Virol 70: 3589-98 (1996)

Huynen MA; Neumann AU
Rate of killing of HIV-infected T cells and disease progression [letter]
Science 272: 1962 (1996)

Igarashi T; Kuwata T; Takehisa J; Ibuki K; Shibata R; Mukai R; Komatsu T; Adachi A; Ido E; Hayami M
Genomic and biological alteration of a human immunodeficiency virus type 1 (HIV-1)-simian immunodeficiency virus strain mac chimera, with HIV-1 Env, recovered from a long-term carrier monkey.
J Gen Virol 77 (Pt 8): 1649-58 (1996)

Igarashi T; Kuwata T; Takehisa J; Ibuki K; Shibata R; Mukai R; Komatsu T; Adachi A; Ido E; Hayami M
Genomic and biological alteration of a human immunodeficiency virus type 1 (HIV-1)-simian immunodeficiency virus strain mac chimera, with HIV-1 Env, recovered from a long-term carrier monkey.
J Gen Virol 77 (Pt 8): 1649-58 (1996)

Ilves H; Barske C; Junker U; Bohnlein E; Veres G
Retroviral vectors designed for targeted expression of RNA polymerase III-driven transcripts: a comparative study.
Gene 171: 203-8 (1996)

Ilyinskii PO; Desrosiers RC
Efficient transcription and replication of simian immunodeficiency virus in the absence of NF-kappaB and Sp1 binding elements.
J Virol 70: 3118-26 (1996)

Ilyinskii PO; Desrosiers RC
Efficient transcription and replication of simian immunodeficiency virus in the absence of NF-kappaB and Sp1 binding elements.
J Virol 70: 3118-26 (1996)

Imrie A; Carr A; Duncombe C; Finlayson R; Vizzard J; Law M; Kaldor J; Penny R; Cooper DA
Primary infection with zidovudine-resistant human immunodeficiency virus type 1 does not adversely affect outcome at 1 year. Sydney Primary HIV Infection Study Group.
J Infect Dis 174: 195-8 (1996)

Indraccolo S; Mion M; Biagiotti R; Romagnani S; Morfini M; Longo G; Zamarchi R; Chieco-Bianchi L; Amadori A
Genetic variability of the human CD4 V2 domain.
Immunogenetics 44: 70-2 (1996)

Ippolito G; The Studio Italiano Rischio O
Scalpel injury and HIV infection in a surgeon. The Studio Italiano Rischio Occupazionale da HIV (SIROH) [letter]
Lancet 347: 1042 (1996)

Isada CM
Protease inhibitors: promising new weapons against HIV.
Cleve Clin J Med 63: 204-8 (1996)

Isaguliants MG; Kadoshnikov IuP; Kalinina TI; Khuliakov IuE; Semiletov IuA; Smirnov VD; Wahren B
[Expression of HIV-1 epitopes included in particles formed by human hepatitis B virus nucleocapsid protein]
Biokhimiia 61: 532-45 (1996)

Isaguliants MG; Kadoshnikov IuP; Kalinina TI; Khuliakov IuE; Semiletov IuA; Smirnov VD; Wahren B
[Expression of HIV-1 epitopes included in particles formed by human hepatitis B virus nucleocapsid protein]
Biokhimiia 61: 532-45 (1996)

Isel C; Ehresmann C; Ehresmann B; Marquet R
Determining the conformation of RNAs in solution. Application to a retroviral system: structure of the HIV-1 primer binding site region and effect of tRNA(3Lys) binding.
Pharm Acta Helv 71: 11-9 (1996)

Isel C; Lanchy JM; Le Grice SF; Ehresmann C; Ehresmann B; Marquet R
Specific initiation and switch to elongation of human immunodeficiency virus type 1 reverse transcription require the post-transcriptional modifications of primer tRNA3Lys.
EMBO J 15: 917-24 (1996)

References (1996)

- Iversen AK; Shafer RW; Wehrly K; Winters MA; Mullins JI; Chesebro B; Merigan TC
Multidrug-resistant human immunodeficiency virus type 1 strains resulting from combination antiretroviral therapy.
J Virol 70: 1086-90 (1996)
- Jacobsen H; Haenggi M; Ott M; Duncan IB; Andreoni M; Vella S; Mous J
Reduced sensitivity to saquinavir: an update on genotyping from phase I/II trials.
Antiviral Res 29: 95-7 (1996)
- Jacobsen H; Haenggi M; Ott M; Duncan IB; Andreoni M; Vella S; Mous J
Reduced sensitivity to saquinavir: an update on genotyping from phase I/II trials.
Antiviral Res 29: 95-7 (1996)
- Jacobsen H; Hanggi M; Ott M; Duncan IB; Owen S; Andreoni M; Vella S; Mous J
In vivo resistance to a human immunodeficiency virus type 1 proteinase inhibitor: mutations, kinetics, and frequencies.
J Infect Dis 173: 1379-87 (1996)
- Jacque JM; Fernandez B; Arenzana-Seisdedos F; Thomas D; Baleux F; Virelizier JL; Bachelerie F
Permanent occupancy of the human immunodeficiency virus type 1 enhancer by NF-kappa B is needed for persistent viral replication in monocytes.
J Virol 70: 2930-8 (1996)
- Janvier B; Lasarte JJ; Sarobe P; Hoebeke J; Baillou-Beaufils A; Borrás-Cuesta F; Barin F
B cell epitopes of HIV type 1 p24 capsid protein: a reassessment.
AIDS Res Hum Retroviruses 12: 519-25 (1996)
- Jeffs SA; McKeating J; Lewis S; Craft H; Biram D; Stephens PE; Brady RL
Antigenicity of truncated forms of the human immunodeficiency virus type 1 envelope glycoprotein.
J Gen Virol 77 (Pt 7): 1403-10 (1996)
- Jenkins TM; Engelman A; Ghirlando R; Craigie R
A soluble active mutant of HIV-1 integrase: involvement of both the core and carboxyl-terminal domains in multimerization.
J Biol Chem 271: 7712-8 (1996)
- Jeyaseelan R; Kurabayashi M; Kedes L
Doxorubicin inhibits Tat-dependent transactivation of HIV type 1 LTR.
AIDS Res Hum Retroviruses 12: 569-76 (1996)
- Ji J; Clegg NJ; Peterson KR; Jackson AL; Laird CD; Loeb LA
In vitro expansion of GGC:GCC repeats: identification of the preferred strand of expansion.
Nucleic Acids Res 24: 2835-40 (1996)
- Ji X; Klarmann GJ; Preston BD
Effect of human immunodeficiency virus type 1 (HIV-1) nucleocapsid protein on HIV-1 reverse transcriptase activity in vitro.
Biochemistry 35: 132-43 (1996)
- Jiang MC; Lin JK; Chen SS
Inhibition of HIV-1 Tat-mediated transactivation by quinacrine and chloroquine.
Biochem Biophys Res Commun 226: 1-7 (1996)
- Jiang MC; Lin JK; Chen SS
Inhibition of HIV-1 Tat-mediated transactivation by quinacrine and chloroquine.
Biochem Biophys Res Commun 226: 1-7 (1996)
- Joag SV; Li Z; Foresman L; Stephens EB; Zhao LJ; Adany I; Pinson DM; McClure HM; Narayan O
Chimeric simian/human immunodeficiency virus that causes progressive loss of CD4+ T cells and AIDS in pig-tailed macaques.
J Virol 70: 3189-97 (1996)
- Joag SV; Li Z; Foresman L; Stephens EB; Zhao LJ; Adany I; Pinson DM; McClure HM; Narayan O
Chimeric simian/human immunodeficiency virus that causes progressive loss of CD4+ T cells and AIDS in pig-tailed macaques.
J Virol 70: 3189-97 (1996)
- John S; Marais R; Child R; Light Y; Leonard WJ
Importance of low affinity Elf-1 sites in the regulation of lymphoid-specific inducible gene expression.
J Exp Med 183: 743-50 (1996)
- Johnson HM; Torres BA; Soos JM
Superantigens: structure and relevance to human disease.
Proc Soc Exp Biol Med 212: 99-109 (1996)
- Johnson VA
Combination therapy for HIV-1 infection-overview: preclinical and clinical analysis of antiretroviral combinations.
Antiviral Res 29: 35-9 (1996)

References (1996)

Johnson VA

Combination therapy for HIV-1 infection-overview: preclinical and clinical analysis of antiretroviral combinations.
Antiviral Res 29: 35-9 (1996)

Jungheim LN; Shepherd TA; Baxter AJ; Burgess J; Hatch SD; Lubbehusen P; Wiskerchen M; Muesing MA
Potent human immunodeficiency virus type 1 protease inhibitors that utilize noncoded D-amino acids as P2/P3 ligands.
J Med Chem 39: 96-108 (1996)

Jurcevic S; Praud C; Coppin HL; Bertrand A; Ricard S; Thomsen M; Lakhdar-Ghazal F; De Preval C
Role of polymorphic residues of human leucocyte antigen-DR molecules on the binding of human immunodeficiency virus peptides.
Immunology 87: 414-20 (1996)

Just JJ; Casabona J; Bertran J; Montane C; Fortuny C; Rodrigo C; Mur A; Bosque M; Jovane L; King MC
MHC class II alleles associated with clinical and immunological manifestations of HIV-1 infection among children in Catalonia, Spain.
Tissue Antigens 47: 313-8 (1996)

Kakizawa J; Ushijima H; Morishita Y; Oka S; Ikeda Y; Muller WE
Diversity of HIV type 1 envelope V3 loop region in saliva.
AIDS Res Hum Retroviruses 12: 561-3 (1996)

Kalams SA; Johnson RP; Dynan MJ; Hartman KE; Harrer T; Harrer E; Trocha AK; Blattner WA; Buchbinder SP; Walker BD
T cell receptor usage and fine specificity of human immunodeficiency virus 1-specific cytotoxic T lymphocyte clones: analysis of quasispecies recognition reveals a dominant response directed against a minor in vivo variant.
J Exp Med 183: 1669-79 (1996)

Kamine J; Elangovan B; Subramanian T; Coleman D; Chinnadurai G
Identification of a cellular protein that specifically interacts with the essential cysteine region of the HIV-1 Tat transactivator.
Virology 216: 357-66 (1996)

Kang MS
Uptake and metabolism of BuCast: a glycoprotein processing inhibitor and a potential anti-HIV drug.
Glycobiology 6: 209-16 (1996)

Kaplan AH; Manchester M; Smith T; Yang YL; Swanstrom R
Conditional human immunodeficiency virus type 1 protease mutants show no role for the viral protease early in virus replication.
J Virol 70: 5840-4 (1996)

Karczewski MK; Strelbel K

Cytoskeleton association and virion incorporation of the human immunodeficiency virus type 1 Vif protein.
J Virol 70: 494-507 (1996)

Karlsson GB; Gao F; Robinson J; Hahn B; Sodroski J

Increased envelope spike density and stability are not required for the neutralization resistance of primary human immunodeficiency viruses.
J Virol 70: 6136-42 (1996)

Karsten V; Gordon S; Kirn A; Herbein G

HIV-1 envelope glycoprotein gp120 down-regulates CD4 expression in primary human macrophages through induction of endogenous tumour necrosis factor-alpha.
Immunology 88: 55-60 (1996)

Kashiwada Y; Hashimoto F; Cosentino LM; Chen CH; Garrett PE; Lee KH

Betulinic acid and dihydrobetulinic acid derivatives as potent anti-HIV agents.
J Med Chem 39: 1016-7 (1996)

Kaslow RA; Carrington M; Apple R; Park L; Munoz A; Saah AJ; Goedert JJ; Winkler C; O'Brien SJ; Rinaldo C; Detels R; Blattner W; Phair J; Erlich H; Mann DL

Influence of combinations of human major histocompatibility complex genes on the course of HIV-1 infection [see comments]
Nat Med 2: 405-11 (1996)

Katlama C; Ingrand D; Loveday C; Clumeck N; Mallolas J; Staszewski S; Johnson M; Hill AM; Pearce G; McDade H
Safety and efficacy of lamivudine-zidovudine combination therapy in antiretroviral-naive patients. A randomized controlled comparison with zidovudine monotherapy. Lamivudine European HIV Working Group.
JAMA 276: 118-25 (1996)

Katzenstein DA; Hammer SM; Hughes MD; Gundacker H; Jackson JB; Fiscus S; Rasheed S; Elbeik T; Reichman R; Japour A; Merigan TC; Hirsch MS

The relation of virologic and immunologic markers to clinical outcomes after nucleoside therapy in HIV-infected adults with 200 to 500 CD4 cells per cubic millimeter. AIDS Clinical Trials Group Study 175 Virology Study Team [see comments]
N Engl J Med 335: 1091-8 (1996)

References (1996)

- Katzenstein DA; Hammer SM; Hughes MD; Gundacker H; Jackson JB; Fiscus S; Rasheed S; Elbeik T; Reichman R; Japour A; Merigan TC; Hirsch MS
The relation of virologic and immunologic markers to clinical outcomes after nucleoside therapy in HIV-infected adults with 200 to 500 CD4 cells per cubic millimeter. AIDS Clinical Trials Group Study 175 Virology Study Team [see comments]
N Engl J Med 335: 1091-8 (1996)
- Katzman M; Sudol M
Nonspecific alcoholysis, a novel endonuclease activity of human immunodeficiency virus type 1 and other retroviral integrases.
J Virol 70: 2598-604 (1996)
- Kaufmann GR; Wenk M; Taeschner W; Peterli B; Gyr K; Meyer UA; Haefeli WE
N-acetyltransferase 2 polymorphism in patients infected with human immunodeficiency virus.
Clin Pharmacol Ther 60: 62-7 (1996)
- Kaushal S; La Russa VF; Gartner S; Kessler S; Perfetto S; Yu Z; Ritchey DW; Xu J; Perera P; Kim J; Reid T; Mayers DL; St. Louis D; Mosca JD
Exposure of human CD34+ cells to human immunodeficiency virus type 1 does not influence their expansion and proliferation of hematopoietic progenitors in vitro.
Blood 88: 130-7 (1996)
- Kaushik N; Rege N; Yadav PN; Sarafianos SG; Modak MJ; Pandey VN
Biochemical analysis of catalytically crucial aspartate mutants of human immunodeficiency virus type 1 reverse transcriptase.
Biochemistry 35: 11536-46 (1996)
- Kaushik N; Rege N; Yadav PN; Sarafianos SG; Modak MJ; Pandey VN
Biochemical analysis of catalytically crucial aspartate mutants of human immunodeficiency virus type 1 reverse transcriptase.
Biochemistry 35: 11536-46 (1996)
- Kaye JF; Lever AM
trans-acting proteins involved in RNA encapsidation and viral assembly in human immunodeficiency virus type 1.
J Virol 70: 880-6 (1996)
- Kazi S; Cohen PR; Williams F; Schempp R; Reveille JD
The diffuse infiltrative lymphocytosis syndrome. clinical and immunogenetic features in 35 patients.
AIDS 10: 385-91 (1996)
- Kazmierski WM; Hazen RJ; Aulabaugh A; StClair MH
Inhibitors of human immunodeficiency virus type 1 derived from gp41 transmembrane protein: structure-activity studies.
J Med Chem 39: 2681-9 (1996)
- Keck JL; Marqusee S
The putative substrate recognition loop of Escherichia coli ribonuclease H is not essential for activity.
J Biol Chem 271: 19883-7 (1996)
- Keck JL; Marqusee S
The putative substrate recognition loop of Escherichia coli ribonuclease H is not essential for activity.
J Biol Chem 271: 19883-7 (1996)
- Keefer MC; Graham BS; McElrath MJ; Matthews TJ; Stablein DM; Corey L; Wright PF; Lawrence D; Fast PE; Weinhold K; Hsieh RH; Chernoff D; Dekker C; Dolin R
Safety and immunogenicity of Env 2-3, a human immunodeficiency virus type 1 candidate vaccine, in combination with a novel adjuvant, MTP-PE/MF59. NIAID AIDS Vaccine Evaluation Group.
AIDS Res Hum Retroviruses 12: 683-93 (1996)
- Keefer MC; Graham BS; McElrath MJ; Matthews TJ; Stablein DM; Corey L; Wright PF; Lawrence D; Fast PE; Weinhold K; Hsieh RH; Chernoff D; Dekker C; Dolin R
Safety and immunogenicity of Env 2-3, a human immunodeficiency virus type 1 candidate vaccine, in combination with a novel adjuvant, MTP-PE/MF59. NIAID AIDS Vaccine Evaluation Group.
AIDS Res Hum Retroviruses 12: 683-93 (1996)
- Keen NJ; Gait MJ; Karn J
Human immunodeficiency virus type-1 Tat is an integral component of the activated transcription-elongation complex.
Proc Natl Acad Sci U S A 93: 2505-10 (1996)
- Kern F; Ode-Hakim S; Vogt K; Hoflich C; Reinke P; Volk HD
The enigma of CD57+CD28- T cell expansion-anergy or activation?
Clin Exp Immunol 104: 180-4 (1996)
- Kewalramani VN; Park CS; Gallombardo PA; Emerman M
Protein stability influences human immunodeficiency virus type 2 Vpr virion incorporation and cell cycle effect.
Virology 218: 326-34 (1996)
- Kim B; Hathaway TR; Loeb LA
Human immunodeficiency virus reverse transcriptase. Functional mutants obtained by random mutagenesis coupled with genetic selection in Escherichia coli.
J Biol Chem 271: 4872-8 (1996)

References (1996)

- Kim CU; McGee LR; Krawczyk SH; Harwood E; Harada Y; Swaminathan S; Bischofberger N; Chen MS; Cherrington JM; Xiong SF; Griffin L; Cundy KC; Lee A; Yu B; Gulnik S; Erickson JW
New series of potent, orally bioavailable, non-peptidic cyclic sulfones as HIV-1 protease inhibitors.
J Med Chem 39: 3431-4 (1996)
- Kim CU; McGee LR; Krawczyk SH; Harwood E; Harada Y; Swaminathan S; Bischofberger N; Chen MS; Cherrington JM; Xiong SF; Griffin L; Cundy KC; Lee A; Yu B; Gulnik S; Erickson JW
New series of potent, orally bioavailable, non-peptidic cyclic sulfones as HIV-1 protease inhibitors.
J Med Chem 39: 3431-4 (1996)
- King FJ; Beeche AA; Hunter JJ; Chin DJ; Hope TJ
Characterization of the nuclear export signal of human T-cell lymphotropic virus type 1 Rex reveals that nuclear export is mediated by position-variable hydrophobic interactions.
Mol Cell Biol 16: 5147-55 (1996)
- Kim JH; McLinden RJ; Mosca JD; Burke DS; Boswell RN; Birx DL; Redfield RR
Transcriptional effects of superinfection in HIV chronically infected T cells: studies in dually infected clones.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 329-42 (1996)
- Kim JH; McLinden RJ; Mosca JD; Vahey MT; Greene WC; Redfield RR
Inhibition of HIV replication by sense and antisense rev response elements in HIV-based retroviral vectors.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 343-51 (1996)
- Kim S; Yu SS; Kim VN
Essential role of NF-kappa B in transactivation of the human immunodeficiency virus long terminal repeat by the human cytomegalovirus 1E1 protein.
J Gen Virol 77 (Pt 1): 83-91 (1996)
- Kim SG; Nakashima H; Shoji Y; Inagawa T; Yamamoto N; Kinzuka Y; Takai K; Takaku H
5'-linked lipid-oligodeoxyridonucleotide derivatives as inhibitors of human immunodeficiency virus replication.
Bioorg Med Chem 4: 603-8 (1996)
- Kim SG; Nakashima H; Shoji Y; Inagawa T; Yamamoto N; Kinzuka Y; Takai K; Takaku H
5'-linked lipid-oligodeoxyridonucleotide derivatives as inhibitors of human immunodeficiency virus replication.
Bioorg Med Chem 4: 603-8 (1996)
- Kimura T; Nishikawa M; Fujisawa J
Uncleaved env gp160 of human immunodeficiency virus type I is degraded within the Golgi apparatus but not lysosomes in COS-1 cells.
FEBS Lett 390: 15-20 (1996)
- King BL; Vajda S; DeLisi C
Empirical free energy as a target function in docking and design: application to HIV-1 protease inhibitors.
FEBS Lett 384: 87-91 (1996)
- King BL; Vajda S; DeLisi C
Empirical free energy as a target function in docking and design: application to HIV-1 protease inhibitors.
FEBS Lett 384: 87-91 (1996)
- Kingma DW; Weiss WB; Jaffe ES; Kumar S; Frekko K; Raffeld M
Epstein-Barr virus latent membrane protein-1 oncogene deletions: correlations with malignancy in Epstein-Barr virus-associated lymphoproliferative disorders and malignant lymphomas.
Blood 88: 242-51 (1996)
- Kinsey NE; Anderson MG; Unangst TJ; Joag SV; Narayan O; Zink MC; Clements JE
Antigenic variation of SIV: mutations in V4 alter the neutralization profile.
Virology 221: 14-21 (1996)
- Kinsey NE; Anderson MG; Unangst TJ; Joag SV; Narayan O; Zink MC; Clements JE
Antigenic variation of SIV: mutations in V4 alter the neutralization profile.
Virology 221: 14-21 (1996)
- Kiso Y
Design and synthesis of substrate-based peptidomimetic human immunodeficiency virus protease inhibitors containing the hydroxymethylcarbonyl isostere.
Biopolymers 40: 235-44 (1996)
- Kleim JP; Rosner M; Winkler I; Paessens A; Kirsch R; Hsiou Y; Arnold E; Riess G
Selective pressure of a quinoxaline nonnucleoside inhibitor of human immunodeficiency virus type 1 (HIV-1) reverse transcriptase (RT) on HIV-1 replication results in the emergence of nucleoside RT-inhibitor-specific (RT Leu-74->Val or Ile and Val-75->Leu or Ile) HIV-1 mutants.
Proc Natl Acad Sci U S A 93: 34-8 (1996)
- Klotman PE; Notkins AL
Transgenic models of human immunodeficiency virus type-1.
Curr Top Microbiol Immunol 206: 197-222 (1996)

References (1996)

- Knecht H; Raphael M; McQuain C; Rothenberger S; Pihan G; Camilleri-Broet S; Bachmann E; Kershaw GR; Ryan S; Kitler EL; Quesenberry PJ; Schlaifer D; Woda BA; Brousset P
Deletion variants within the NF-kappa B activation domain of the LMP1 oncogene prevail in acquired immunodeficiency syndrome-related large cell lymphomas and human immunodeficiency virus-negative atypical lymphoproliferations.
Blood 87: 876-81 (1996)
- Kollmann TR;
Pettollo-Mantovani M; Katopodis NF; Hachamovitch M;
Rubinstein A; Kim A; Goldstein H
Inhibition of acute *in vivo* human immunodeficiency virus infection by human interleukin 10 treatment of SCID mice implanted with human fetal thymus and liver.
Proc Natl Acad Sci U S A 93: 3126-31 (1996)
- Kollmus H; Hentze MW; Hauser H
Regulated ribosomal frameshifting by an RNA-protein interaction.
RNA 2: 316-23 (1996)
- Kolocouris N; Kolocouris A; Foscolos GB; Fytas G; Neyts J; Padalko E; Balzarini J; Snoeck R; Andrei G; De Clercq E
Synthesis and antiviral activity evaluation of some new aminoacidamantane derivatives. 2.
J Med Chem 39: 3307-18 (1996)
- Komatsu H; Tsukahara T; Tozawa H
Viral RNA binding properties of human immunodeficiency virus type-2 (HIV-2) nucleocapsid protein-derived synthetic peptides.
Biochem Mol Biol Int 38: 1143-54 (1996)
- Komatsu H; Tsukahara T; Tozawa H
Viral RNA binding properties of human immunodeficiency virus type-2 (HIV-2) nucleocapsid protein-derived synthetic peptides.
Biochem Mol Biol Int 38: 1143-54 (1996)
- Kondo E; Gottlinger HG
A conserved LXXLF sequence is the major determinant in p6gag required for the incorporation of human immunodeficiency virus type 1 Vpr.
J Virol 70: 159-64 (1996)
- Koot M; van 't Wout AB; Kootstra NA; de Goede RE; Tersmette M; Schuitemaker H
Relation between changes in cellular load, evolution of viral phenotype, and the clonal composition of virus populations in the course of human immunodeficiency virus type 1 infection.
J Infect Dis 173: 349-54 (1996)
- Kozal MJ; Shah N; Shen N; Yang R; Fucini R; Merigan TC; Richman DD; Morris D; Hubbell E; Chee M; Gingeras TR
Extensive polymorphisms observed in HIV-1 clade B protease gene using high-density oligonucleotide arrays.
Nat Med 2: 753-9 (1996)
- Kubareva EA; Fedorova OA; Gottikh MB; Tanaka H; Malvy C; Shabarova ZA
NF-kappaB p50 subunit cross-linking to DNA duplexes, containing a monosubstituted pyrophosphate internucleotide bond.
FEBS Lett 381: 35-8 (1996)
- Kubota S; Duan L; Furuta RA; Hatanaka M; Pomerantz RJ
Nuclear preservation and cytoplasmic degradation of human immunodeficiency virus type 1 Rev protein.
J Virol 70: 1282-7 (1996)
- Kubota S; Hatanaka M; Pomerantz RJ
Nucleo-cytoplasmic redistribution of the HTLV-I Rex protein: alterations by coexpression of the HTLV-I p21x protein.
Virology 220: 502-7 (1996)
- Kuiken CL; Cornelissen MT; Zorgdrager F; Hartman S; Gibbs AJ; Goudsmits J
Consistent risk group-associated differences in human immunodeficiency virus type 1 vpr, vpu and V3 sequences despite independent evolution.
J Gen Virol 77 (Pt 4): 783-92 (1996)
- Kuipers ME; Huisman JG; Swart PJ; de Bethune MP; Pauwels R; Schuitemaker H; De Clercq E; Meijer DK
Mechanism of anti-HIV activity of negatively charged albumins: biomolecular interaction with the HIV-1 envelope protein gp120.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 419-29 (1996)
- Kupiec JJ; Hazebrouck S; Leste-Lasserre T; Sonigo P
Conversion of thymidylate synthase into an HIV protease substrate.
J Biol Chem 271: 18465-70 (1996)
- Kurata Si
Sensitization of the HIV-1-LTR upon long term low dose oxidative stress.
J Biol Chem 271: 21798-802 (1996)
- Kurata Si
Sensitization of the HIV-1-LTR upon long term low dose oxidative stress.
J Biol Chem 271: 21798-802 (1996)

Kuwabara T; Amontov SV; Warashina M; Ohkawa J; Taira K
Characterization of several kinds of dimer minizyme: simultaneous cleavage at two sites in HIV-1 tat mRNA by dimer minizymes.
Nucleic Acids Res 24: 2302-10 (1996)

Kux A; Bertram S; Hufert FT; Schmitz H; von Laer D
Antibodies to p24 antigen do not specifically detect HIV-infected lymphocytes in AIDS patients.
J Immunol Methods 191: 179-86 (1996)

Kuzmic P; Peranteau AG; Garcia-Echeverria G; Rich DH
Mechanical effects on the kinetics of the HIV proteinase deactivation.
Biochem Biophys Res Commun 221: 313-7 (1996)

Kyostio SR; Owens RA
Identification of mutant adeno-associated virus Rep proteins which are dominant-negative for DNA helicase activity.
Biochem Biophys Res Commun 220: 294-9 (1996)

LaCasse RA; Remington KM; North TW
The mutation frequency of feline immunodeficiency virus enhanced by 3'-azido-3'-deoxythymidine.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 26-32 (1996)

Lachgar A; Bernard J; Bizzini B; Astgen A; Le Coq H; Fouchard M; Chams V; Feldman M; Burny A; Zagury JF
Repair of the in vitro HIV-1-induced immunosuppression and blockade of the generation of functional suppressive CD8 cells by anti-alpha interferon and anti-Tat antibodies.
Biomed Pharmacother 50: 13-8 (1996)

Lafont V; Dornand J; Covassin L; Liautard JP; Favero J
The lectin jacalin triggers CD4-mediated lymphocyte signaling by binding CD4 through a protein-protein interaction.
J Leukoc Biol 59: 691-6 (1996)

Lafrenie RM; Wahl LM; Epstein JS; Hewlett IK; Yamada KM; Dhawan S
HIV-1-Tat modulates the function of monocytes and alters their interactions with microvessel endothelial cells. A mechanism of HIV pathogenesis.
J Immunol 156: 1638-45 (1996)

Laisney IL; Benjamin H; Gefter M; Strosberg AD
Permissive residues within the minimal epitopes of neutralizing monoclonal antibodies to the V3 loop of HIV-1.
Eur J Immunol 26: 1634-40 (1996)

Lal RB; Rudolph DL; Dezzuti CS; Linsley PS; Prince HE
Costimulatory effects of T cell proliferation during infection with human T lymphotropic virus types I and II are mediated through CD80 and CD86 ligands.
J Immunol 157: 1288-96 (1996)

Lam PY; Ru Y; Jadhav PK; Aldrich PE; DeLucca GV; Eyermann CJ; Chang CH; Emmett G; Holler ER; Daneker WF; Li L; Confalone PN; McHugh RJ; Han Q; Li R; Markwalder JA; Seitz SP; Sharpe TR; Bacheler LT; Rayner MM; Klabe RM; Shum L; Winslow DL; Kornhauser DM; Hodge CN; et al
Cyclic HIV protease inhibitors: synthesis, conformational analysis, P2/P2' structure-activity relationship, and molecular recognition of cyclic ureas.
J Med Chem 39: 3514-25 (1996)

Lam PY; Ru Y; Jadhav PK; Aldrich PE; DeLucca GV; Eyermann CJ; Chang CH; Emmett G; Holler ER; Daneker WF; Li L; Confalone PN; McHugh RJ; Han Q; Li R; Markwalder JA; Seitz SP; Sharpe TR; Bacheler LT; Rayner MM; Klabe RM; Shum L; Winslow DL; Kornhauser DM; Hodge CN; et al
Cyclic HIV protease inhibitors: synthesis, conformational analysis, P2/P2' structure-activity relationship, and molecular recognition of cyclic ureas.
J Med Chem 39: 3514-25 (1996)

Lambert DM; Barney S; Lambert AL; Guthrie K; Medinas R; Davis DE; Bucy T; Erickson J; Merutka G; Petteway SR Jr
Peptides from conserved regions of paramyxovirus fusion (F) proteins are potent inhibitors of viral fusion.
Proc Natl Acad Sci U S A 93: 2186-91 (1996)

Lamoril J; Molina JM; de Gouvello A; Garin YJ; Deybach JC; Modai J; Derouin F
Detection by PCR of Toxoplasma gondii in blood in the diagnosis of cerebral toxoplasmosis in patients with AIDS.
J Clin Pathol 49: 89-92 (1996)

Lapham C; Golding B; Inman J; Blackburn R; Manischewitz J; Hight P; Golding H
Brucella abortus conjugated with a peptide derived from the V3 loop of human immunodeficiency virus (HIV) type 1 induces HIV-specific cytotoxic T-cell responses in normal and in CD4+ cell-depleted BALB/c mice.
J Virol 70: 3084-92 (1996)

Larder BA; Kohli A; Bloor S; Kemp SD; Harrigan PR; Schooley RT; Lange JM; Pennington KN; St. Clair MH
Human immunodeficiency virus type 1 drug susceptibility during zidovudine (AZT) monotherapy compared with AZT plus 2',3'-dideoxyinosine or AZT plus 2',3'-dideoxycytidine combination therapy. The protocol 34,225-02 Collaborative Group.
J Virol 70: 5922-9 (1996)

Larsson S; Hotchkiss G; Su J; Kebede T; Andang M; Nyholm T; Johansson B; Sonnerborg A; Vahlne A; Britton S; Ahrlund-Richter L
A novel ribozyme target site located in the HIV-1 nef open reading frame.
Virology 219: 161-9 (1996)

References (1996)

- Laskowski RA; Thornton JM; Humblet C; Singh J
X-SITE: use of empirically derived atomic packing preferences to identify favourable interaction regions in the binding sites of proteins.
J Mol Biol 259: 175-201 (1996)
- Laughrea M; Jette L
HIV-1 genome dimerization: formation kinetics and thermal stability of dimeric HIV-1Lai RNAs are not improved by the 1-232 and 296-790 regions flanking the kissing-loop domain.
Biochemistry 35: 9366-74 (1996)
- Laughrea M; Jette L
Kissing-loop model of HIV-1 genome dimerization: HIV-1 RNAs can assume alternative dimeric forms, and all sequences upstream or downstream of hairpin 248-271 are dispensable for dimer formation.
Biochemistry 35: 1589-98 (1996)
- Laurence J; Mitra D; Steiner M; Staiano-Coico L; Jaffe E
Plasma from patients with idiopathic and human immunodeficiency virus-associated thrombotic thrombocytopenic purpura induces apoptosis in microvascular endothelial cells.
Blood 87: 3245-54 (1996)
- Lavrik OI; Prasad R; Beard WA; Safronov IV; Dobrikov MI; Srivastava DK; Shishkin GV; Wood TG; Wilson SH
dNTP binding to HIV-1 reverse transcriptase and mammalian DNA polymerase beta as revealed by affinity labeling with a photoreactive dNTP analog.
J Biol Chem 271: 21891-7 (1996)
- Lavrik OI; Prasad R; Beard WA; Safronov IV; Dobrikov MI; Srivastava DK; Shishkin GV; Wood TG; Wilson SH
dNTP binding to HIV-1 reverse transcriptase and mammalian DNA polymerase beta as revealed by affinity labeling with a photoreactive dNTP analog.
J Biol Chem 271: 21891-7 (1996)
- Law KF; Jagirdar J; Weiden MD; Bodkin M; Rom WN
Tuberculosis in HIV-positive patients: cellular response and immune activation in the lung.
Am J Respir Crit Care Med 153: 1377-84 (1996)
- Layton GT; Harris SJ; Myhan J; West D; Gotch F; Hill-Perkins M; Cole JS; Meyers N; Woodrow S; French TJ; Adams SE; Kingsman AJ
Induction of single and dual cytotoxic T-lymphocyte responses to viral proteins in mice using recombinant hybrid Ty-virus-like particles.
Immunology 87: 171-8 (1996)
- Leavitt AD; Robles G; Alesandro N; Varmus HE
Human immunodeficiency virus type 1 integrase mutants retain in vitro integrase activity yet fail to integrate viral DNA efficiently during infection.
J Virol 70: 721-8 (1996)
- Lech WJ; Wang G; Yang YL; Chee Y; Dorman K; McCrae D; Lazzeroni LC; Erickson JW; Sinsheimer JS; Kaplan AH
In vivo sequence diversity of the protease of human immunodeficiency virus type 1: presence of protease inhibitor-resistant variants in untreated subjects.
J Virol 70: 2038-43 (1996)
- Lee CH; Saksela K; Mirza UA; Chait BT; Kuriyan J
Crystal structure of the conserved core of HIV-1 Nef complexed with a Src family SH3 domain.
Cell 85: 931-42 (1996)
- Lee MO; Dawson MI; Picard N; Hobbs PD; Pfahl M
A novel class of retinoid antagonists and their mechanism of action.
J Biol Chem 271: 11897-903 (1996)
- Lee SP; Han MK
Zinc stimulates Mg²⁺-dependent 3'-processing activity of human immunodeficiency virus type 1 integrase in vitro.
Biochemistry 35: 3837-44 (1996)
- Lee SY; Lee SY; Kandala G; Liou ML; Liou HC; Choi Y
CD30/TNF receptor-associated factor interaction: NF-kappa B activation and binding specificity.
Proc Natl Acad Sci U S A 93: 9699-703 (1996)
- Lee SY; Lee SY; Kandala G; Liou ML; Liou HC; Choi Y
CD30/TNF receptor-associated factor interaction: NF-kappa B activation and binding specificity.
Proc Natl Acad Sci U S A 93: 9699-703 (1996)
- Lemasson I; Briant L; Hague B; Coudronniere N; Heron L; David C; Rebouissou C; Kindt T; Devaux C
An antibody that binds domain 1 of CD4 inhibits replication of HIV-1, but not HTLV-I, in a CD4-positive/p56lck-negative HTLV-I-transformed cell line.
J Immunol 156: 859-65 (1996)
- Levine BL; Mosca JD; Riley JL; Carroll RG; Vahey MT; Jagodzinski LL; Wagner KF; Mayers DL; Burke DS; Weislow OS; St Louis DC; June CH
Antiviral effect and ex vivo CD4+ T cell proliferation in HIV-positive patients as a result of CD28 costimulation.
Science 272: 1939-43 (1996)
- Lewis TL; Matsui SM
Astrovirus ribosomal frameshifting in an infection-transfection transient expression system.
J Virol 70: 2869-75 (1996)

Leydet A; El Hachemi H; Boyer B; Lamaty G; Roque JP; Schols D; Snoeck R; Andrei G; Ikeda S; Neyts J; Reymen D; Este J; Witvrouw M; De Clercq E
Polyanion inhibitors of human immunodeficiency virus and other viruses. Part 2. Polymerized anionic surfactants derived from amino acids and dipeptides.
J Med Chem 39: 1626-34 (1996)

Li MD; Lemke TD; Bronson DL; Faras AJ
Synthesis and analysis of a 640-bp pol region of novel human endogenous retroviral sequences and their evolutionary relationships.
Virology 217: 1-10 (1996)

Li MS; Garcia-Asua G; Bhattacharyya U; Mascagni P; Austen BM; Roberts MM
The Vpr protein of human immunodeficiency virus type 1 binds to nucleocapsid protein p7 in vitro.
Biochem Biophys Res Commun 218: 352-5 (1996)

Li YY; O'Donnell MA; Perez LG
Coexpression of a nonsyncytium inducer HIV-1 glycoprotein inhibits syncytium formation by another HIV-1 Env protein.
Virology 215: 197-202 (1996)

Lima MA; Silveira ER; Marques MS; Santos RH; Gambardela MT
Biologically active flavonoids and terpenoids from Egletes viscosa.
Phytochemistry 41: 217-23 (1996)

Lin L; Daugherty B; Schlom J; Pestka S
Construction of phosphorylatable monoclonal antibody to a tumor-associated antigen.
Cancer Res 56: 4250-4 (1996)

Lin L; Daugherty B; Schlom J; Pestka S
Construction of phosphorylatable monoclonal antibody to a tumor-associated antigen.
Cancer Res 56: 4250-4 (1996)

Lingham RB; Hsu AH; O'Brien JA; Sigmund JM; Sanchez M; Gagliardi MM; Heimbuch BK; Genilloud O; Martin I; Diez MT; Hirsch CF; Zink DL; Liesch JM; Koch GE; Gartner SE; Garrity GM; Tsou NN; Salituro GM
Quinoxapeptins: novel chromodepsipeptide inhibitors of HIV-1 and HIV-2 reverse transcriptase. I. The producing organism and biological activity.
J Antibiot (Tokyo) 49: 253-9 (1996)

Litwin V; Nagashima KA; Ryder AM; Chang CH; Carver JM; Olson WC; Alizon M; Hasel KW; Maddon PJ; Allaway GP
Human immunodeficiency virus type 1 membrane fusion mediated by a laboratory-adapted strain and a primary isolate analyzed by resonance energy transfer.
J Virol 70: 6437-41 (1996)

Liu R; Paxton WA; Choe S; Ceradini D; Martin SR; Horuk R; MacDonald ME; Stuhlmann H; Koup RA; Landau NR
Homozygous defect in HIV-1 coreceptor accounts for resistance of some multiply-exposed individuals to HIV-1 infection.
Cell 86: 367-77 (1996)

Liu SL; Rodrigo AG; Shankarappa R; Learn GH; Hsu L; Davidov O; Zhao LP; Mullins JI
HIV quasispecies and resampling [letter]
Science 273: 415-6 (1996)

Liu Y; Wang Z; Rana TM
Visualizing a specific contact in the HIV-1 Tat protein fragment and trans-activation responsive region RNA complex by photocross-linking.
J Biol Chem 271: 10391-6 (1996)

Livingstone WJ; Moore M; Innes D; Bell JE; Simmonds P
Frequent infection of peripheral blood CD8-positive T-lymphocytes with HIV-1. Edinburgh Heterosexual Transmission Study Group.
Lancet 348: 649-54 (1996)

Livingstone WJ; Moore M; Innes D; Bell JE; Simmonds P
Frequent infection of peripheral blood CD8-positive T-lymphocytes with HIV-1. Edinburgh Heterosexual Transmission Study Group.
Lancet 348: 649-54 (1996)

Loktev VB; Ilyichev AA; Eroshkin AM; Karpenko LI; Pokrovsky AG; Pereboev AV; Svyatchenko VA; Ignat'ev GM; Smolina MI; Melamed NV; Lebedeva CD; Sandakhchiev LS
Design of immunogens as components of a new generation of molecular vaccines.
J Biotechnol 44: 129-37 (1996)

Loktev VB; Ilyichev AA; Eroshkin AM; Karpenko LI; Pokrovsky AG; Pereboev AV; Svyatchenko VA; Ignat'ev GM; Smolina MI; Melamed NV; Lebedeva CD; Sandakhchiev LS
Design of immunogens as components of a new generation of molecular vaccines.
J Biotechnol 44: 129-37 (1996)

Lorenzo E; Herrera RJ; Lai S; Fischl MA; Hill MD
The Tat and C2-V3 envelope genes in the molecular epidemiology of human immunodeficiency virus-1.
Virology 221: 310-7 (1996)

Lower R; Lower J; Kurth R
The viruses in all of us: characteristics and biological significance of human endogenous retrovirus sequences.
Proc Natl Acad Sci U S A 93: 5177-84 (1996)

References (1996)

- Lu Y; Brosio P; Lafaille M; Li J; Collman RG; Sodroski J; Miller CJ
Vaginal transmission of chimeric simian/human immuno-deficiency viruses in rhesus macaques.
J Virol 70: 3045-50 (1996)
- Lu Y; Brosio P; Lafaille M; Li J; Collman RG; Sodroski J; Miller CJ
Vaginal transmission of chimeric simian/human immuno-deficiency viruses in rhesus macaques.
J Virol 70: 3045-50 (1996)
- Lu Y; Salvato MS; Pauza CD; Li J; Sodroski J; Manson K; Wyand M; Letvin N; Jenkins S; Touzjian N; Chutkowski C; Kushner N; LeFaile M; Payne LG; Roberts B
Utility of SHIV for testing HIV-1 vaccine candidates in macaques.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 99-106 (1996)
- Lu Y; Salvato MS; Pauza CD; Li J; Sodroski J; Manson K; Wyand M; Letvin N; Jenkins S; Touzjian N; Chutkowski C; Kushner N; LeFaile M; Payne LG; Roberts B
Utility of SHIV for testing HIV-1 vaccine candidates in macaques.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 99-106 (1996)
- Luck R; Steger G; Riesner D
Thermodynamic prediction of conserved secondary structure: application to the RRE element of HIV, the tRNA-like element of CMV and the mRNA of prion protein.
J Mol Biol 258: 813-26 (1996)
- Ludvigsen A; Werner T; Gimbel W; Erfle V; Brack-Werner R
Down-modulation of HIV-1 LTR activity by an extra-LTR nef gene fragment.
Virology 216: 245-51 (1996)
- Luo T; Anderson SJ; Garcia JV
Inhibition of Nef- and phorbol ester-induced CD4 degradation by macrolide antibiotics.
J Virol 70: 1527-34 (1996)
- Luo T; Anderson SJ; Garcia JV
Inhibition of Nef- and phorbol ester-induced CD4 degradation by macrolide antibiotics.
J Virol 70: 1527-34 (1996)
- Luo T; Garcia JV
The association of Nef with a cellular serine/threonine kinase and its enhancement of infectivity are viral isolate dependent.
J Virol 70: 6493-6 (1996)
- Luo T; Garcia JV
The association of Nef with a cellular serine/threonine kinase and its enhancement of infectivity are viral isolate dependent.
J Virol 70: 6493-6 (1996)
- Luppi M; Barozzi P; Maiorana A; Artusi T; Trovato R; Marasca R; Savarino M; Ceccherini-Nelli L; Torelli G
Human herpesvirus-8 DNA sequences in human immuno-deficiency virus-negative angioimmunoblastic lymphadenopathy and benign lymphadenopathy with giant germinal center hyperplasia and increased vascularity.
Blood 87: 3903-9 (1996)
- Lutfey M; Della-Latta P; Kapur V; Palumbo LA; Gurner D; Stotzky G; Brudney K; Dobkin J; Moss A; Musser JM; Kreiswirth BN
Independent origin of mono-rifampin-resistant *Mycobacterium tuberculosis* in patients with AIDS.
Am J Respir Crit Care Med 153: 837-40 (1996)
- Lutz MJ; Held HA; Hottiger M; Hubscher U; Benner SA
Differential discrimination of DNA polymerase for variants of the non-standard nucleobase pair between xanthosine and 2,4-diaminopyrimidine, two components of an expanded genetic alphabet.
Nucleic Acids Res 24: 1308-13 (1996)
- Macgrogan G; Vergier B; Dubus P; Beylot-Barry M; Belleannee G; Delaunay MM; Eghbali H; Beylot C; Rivel J; Trojani M; Vital C; De Mascarel A; Bloch B; Merlio JP
CD30-positive cutaneous large cell lymphomas. A comparative study of clinicopathologic and molecular features of 16 cases.
Am J Clin Pathol 105: 440-50 (1996)
- Macreadie IG; Arunagiri CK; Hewish DR; White JF; Azad AA
Extracellular addition of a domain of HIV-1 Vpr containing the amino acid sequence motif H(S/F)RIG causes cell membrane permeabilization and death.
Mol Microbiol 19: 1185-92 (1996)
- Magnani M; Casabianca A; Fraternale A; Brandi G; Gessani S; Williams R; Giovine M; Damonte G; De Flora A; Benatti U
Synthesis and targeted delivery of an azidothymidine homodinucleotide conferring protection to macrophages against retroviral infection.
Proc Natl Acad Sci U S A 93: 4403-8 (1996)
- Maier JA; Mariotti M; Albini A; Comi P; Prat M; Comogilio PM; Soria MR
Over-expression of hepatocyte growth factor in human Kaposi's sarcoma.
Int J Cancer 65: 168-72 (1996)

References (1996)

- Mallardo M; Dragonetti E; Baldassarre F; Ambrosino C; Scala G; Quinto I
An NF-kappaB site in the 5'-untranslated leader region of the human immunodeficiency virus type 1 enhances the viral expression in response to NF-kappaB-activating stimuli.
J Biol Chem 271: 20820-7 (1996)
- Mallardo M; Dragonetti E; Baldassarre F; Ambrosino C; Scala G; Quinto I
An NF-kappaB site in the 5'-untranslated leader region of the human immunodeficiency virus type 1 enhances the viral expression in response to NF-kappaB-activating stimuli.
J Biol Chem 271: 20820-7 (1996)
- Manfredini S; Bazzanini R; Baraldi PG; Bonora M; Marangoni M; Simoni D; Pani A; Scintu F; Pinna E; Pisano L; La Colla P
Pyrazole-related nucleosides. 4. Synthesis and antitumor activity of some 1-tetrahydropyranyl-4-substituted pyrazoles.
Anticancer Drug Des 11: 193-204 (1996)
- Manome Y; Yao XJ; Kufe DW; Cohen EA; Fine HA
Selective effects of DNA damaging agents on HIV long terminal repeat activation and virus replication in vitro.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 109-16 (1996)
- Margolis-Nunno H; Ben-Hur E; Gottlieb P; Robinson R; Oetjen J; Horowitz B
Inactivation by phthalocyanine photosensitization of multiple forms of human immunodeficiency virus in red cell concentrates.
Transfusion 36: 743-50 (1996)
- Margolis-Nunno H; Ben-Hur E; Gottlieb P; Robinson R; Oetjen J; Horowitz B
Inactivation by phthalocyanine photosensitization of multiple forms of human immunodeficiency virus in red cell concentrates.
Transfusion 36: 743-50 (1996)
- Markert RL; Ruppach H; Gehring S; Dietrich U; Mierke DF; Kock M; Rubsam-Waigmann H; Griesinger C
Secondary structural elements as a basis for antibody recognition in the immunodominant region of human immunodeficiency viruses 1 and 2.
Eur J Biochem 237: 188-204 (1996)
- Marsh M; Pelchen-Matthews A
Endocytic and exocytic regulation of CD4 expression and function.
Curr Top Microbiol Immunol 205: 107-35 (1996)
- Martin I; Schaal H; Scheid A; Ruysschaert JM
Lipid membrane fusion induced by the human immunodeficiency virus type 1 gp41 N-terminal extremity is determined by its orientation in the lipid bilayer.
J Virol 70: 298-304 (1996)
- Martin RA; Nayak DP
Mutational analysis of HIV-1 gp160-mediated receptor interference: intracellular complex formation.
Virology 220: 461-72 (1996)
- Martin RA; Nayak DP
Membrane anchorage of gp160 is necessary and sufficient to prevent CD4 transport to the cell surface.
Virology 220: 473-9 (1996)
- Matsui M; Warburton RJ; Cogswell PC; Baldwin AS Jr; Frelinger JA
Effects of HIV-1 Tat on expression of HLA class I molecules.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 233-40 (1996)
- Mavankal G; Ignatius Ou SH; Oliver H; Sigman D; Gaynor RB
Human immunodeficiency virus type 1 and 2 Tat proteins specifically interact with RNA polymerase II.
Proc Natl Acad Sci U S A 93: 2089-94 (1996)
- Mazumder A; Neamati N; Sommadossi JP; Gosselin G; Schinazi RF; Imbach JL; Pommier Y
Effects of nucleotide analogues on human immunodeficiency virus type 1 integrase.
Mol Pharmacol 49: 621-8 (1996)
- Mazumder A; Wang S; Neamati N; Nicklaus M; Sunder S; Chen J; Milne GW; Rice WG; Burke TR Jr; Pommier Y
Antiretroviral agents as inhibitors of both human immunodeficiency virus type 1 integrase and protease.
J Med Chem 39: 2472-81 (1996)
- McBride MS; Panganiban AT
The human immunodeficiency virus type 1 encapsidation site is a multipartite RNA element composed of functional hairpin structures.
J Virol 70: 2963-73 (1996)
- McClure HM; Novembre FJ
Simian immunodeficiency virus variants: threat of new lentiviruses.
Am J Med Sci 311: 30-3 (1996)
- McClure HM; Novembre FJ
Simian immunodeficiency virus variants: threat of new lentiviruses.
Am J Med Sci 311: 30-3 (1996)

References (1996)

- McCutchan FE; Artenstein AW; Sanders-Buell E; Salminen MO; Carr JK; Mascola JR; Yu XF; Nelson KE; Khamboonruang C; Schmitt D; Kiely MP; McNeil JG; Burke DS
Diversity of the envelope glycoprotein among human immunodeficiency virus type 1 isolates of clade E from Asia and Africa.
J Virol 70: 3331-8 (1996)
- McElhinny JA; Trushin SA; Bren GD; Chester N; Paya CV
Casein kinase II phosphorylates I kappa B alpha at S-283, S-289, S-293, and T-291 and is required for its degradation.
Mol Cell Biol 16: 899-906 (1996)
- McElrath MJ; Corey L; Greenberg PD; Matthews TJ; Montefiori DC; Rowen L; Hood L; Mullins JI
Human immunodeficiency virus type 1 infection despite prior immunization with a recombinant envelope vaccine regimen.
Proc Natl Acad Sci U S A 93: 3972-7 (1996)
- McGowan I; Tenant-Flowers M; Jewell DP
Identification of HIV-1 viral RNA in intestinal tissue from patients with early and late HIV infection [letter]
AIDS 10: 548-9 (1996)
- McGowan I; Tenant-Flowers M; Jewell DP
Identification of HIV-1 viral RNA in intestinal tissue from patients with early and late HIV infection [letter]
AIDS 10: 548-9 (1996)
- McGregor A; Rao MV; Duckworth G; Stockley PG; Connolly BA
Preparation of oligoribonucleotides containing 4-thiouridine using FpmP chemistry. Photo-crosslinking to RNA binding proteins using 350 nm irradiation.
Nucleic Acids Res 24: 3173-80 (1996)
- McGregor A; Rao MV; Duckworth G; Stockley PG; Connolly BA
Preparation of oligoribonucleotides containing 4-thiouridine using FpmP chemistry. Photo-crosslinking to RNA binding proteins using 350 nm irradiation.
Nucleic Acids Res 24: 3173-80 (1996)
- McGuigan C; Cahard D; Sheeka HM; De Clercq E; Balzarini J
Aryl phosphoramidate derivatives of d4T have improved anti-HIV efficacy in tissue culture and may act by the generation of a novel intracellular metabolite.
J Med Chem 39: 1748-53 (1996)
- McKeating JA; Zhang YJ; Arnold C; Frederiksson R; Fenyo EM; Balfe P
Chimeric viruses expressing primary envelope glycoproteins of human immunodeficiency virus type I show increased sensitivity to neutralization by human sera.
Virology 220: 450-60 (1996)
- McKnight A; Shotton C; Cordell J; Jones I; Simmons G; Clapham PR
Location, exposure, and conservation of neutralizing and nonneutralizing epitopes on human immunodeficiency virus type 2 SU glycoprotein.
J Virol 70: 4598-606 (1996)
- McMahon JB; Buckheit RW Jr; Gulakowski RJ; Currens MJ; Vistica DT; Shoemaker RH; Stinson SF; Russell JD; Bader JP; Narayanan VL; Schultz RJ; Brouwer WG; Felauer EE; Boyd MR
Biological and biochemical anti-human immunodeficiency virus activity of UC 38, a new non-nucleoside reverse transcriptase inhibitor.
J Pharmacol Exp Ther 276: 298-305 (1996)
- McNeil AJ; Yap PL; Gore SM; Brettle RP; McColl M; Wyld R; Davidson S; Weightman R; Richardson AM; Robertson JR
Association of HLA types A1-B8-DR3 and B27 with rapid and slow progression of HIV disease.
QJM 89: 177-85 (1996)
- McNeil AJ; Yap PL; Gore SM; Brettle RP; McColl M; Wyld R; Davidson S; Weightman R; Richardson AM; Robertson JR
Association of HLA types A1-B8-DR3 and B27 with rapid and slow progression of HIV disease.
QJM 89: 177-85 (1996)
- Meggio F; D'Agostino DM; Ciminale V; Chieco-Bianchi L; Pinna LA
Phosphorylation of HIV-1 Rev protein: implication of protein kinase CK2 and pro-directed kinases.
Biochem Biophys Res Commun 226: 547-54 (1996)
- Meggio F; D'Agostino DM; Ciminale V; Chieco-Bianchi L; Pinna LA
Phosphorylation of HIV-1 Rev protein: implication of protein kinase CK2 and pro-directed kinases.
Biochem Biophys Res Commun 226: 547-54 (1996)
- Melekhetovs YF; Joshi S
Fusion with an RNA binding domain to confer target RNA specificity to an RNase: design and engineering of Tat-RNase H that specifically recognizes and cleaves HIV-1 RNA in vitro.
Nucleic Acids Res 24: 1908-12 (1996)
- Mellors JW
Closing in on human immunodeficiency virus-1.
Nat Med 2: 274-5 (1996)

References (1996)

- Melnick M; Reich SH; Lewis KK; Mitchell LJ Jr; Nguyen D; Trippé AJ; Dawson H; Davies JF 2nd; Appelt K; Wu BW; Musick L; Gehlhaar DK; Webber S; Shetty B; Kosa M; Kahil D; Andrade D
Bis tertiary amide inhibitors of the HIV-1 protease generated via protein structure-based iterative design.
J Med Chem 39: 2795-811 (1996)
- Mely Y; De Rocquigny H; Morellet N; Roques BP; Gerad D
Zinc binding to the HIV-1 nucleocapsid protein: a thermodynamic investigation by fluorescence spectroscopy.
Biochemistry 35: 5175-82 (1996)
- Menu E; Truong TX; Lafon ME; Nguyen TH; Muller-Trutwin MC; Nguyen TT; Deslandres A; Chaouat G; Duong QT; Ha BK; Fleury HJ; Barre-Sinoussi F
HIV type 1 Thai subtype E is predominant in South Vietnam.
AIDS Res Hum Retroviruses 12: 629-33 (1996)
- Menu E; Truong TX; Lafon ME; Nguyen TH; Muller-Trutwin MC; Nguyen TT; Deslandres A; Chaouat G; Duong QT; Ha BK; Fleury HJ; Barre-Sinoussi F
HIV type 1 Thai subtype E is predominant in South Vietnam.
AIDS Res Hum Retroviruses 12: 629-33 (1996)
- Mesri EA; Cesarman E; Arvanitakis L; Rafi S; Moore MA; Posnett DN; Knowles DM; Asch AS
Human herpesvirus-8/Kaposi's sarcoma-associated herpesvirus is a new transmissible virus that infects B cells.
J Exp Med 183: 2385-90 (1996)
- Mestre B; Jakobs A; Pratiel G; Meunier B
Structure/nuclease activity relationships of DNA cleavers based on cationic metalloporphyrin-oligonucleotide conjugates.
Biochemistry 35: 9140-9 (1996)
- Metzger AU; Schindler T; Willbold D; Kraft M; Steegborn C; Volkmann A; Frank RW; Rosch P
Structural rearrangements on HIV-1 Tat (32-72) TAR complex formation.
FEBS Lett 384: 255-9 (1996)
- Meyer BE; Meinkoth JL; Malim MH
Nuclear transport of human immunodeficiency virus type 1, visna virus, and equine infectious anemia virus Rev proteins: identification of a family of transferable nuclear export signals.
J Virol 70: 2350-9 (1996)
- Meyer CF; Wang X; Chang C; Templeton D; Tan TH
Interaction between c-Rel and the mitogen-activated protein kinase kinase kinase 1 signaling cascade in mediating kappaB enhancer activation.
J Biol Chem 271: 8971-6 (1996)
- Michienzi A; Prisley S; Bozzoni I
U1 small nuclear RNA chimeric ribozymes with substrate specificity for the Rev pre-mRNA of human immunodeficiency virus.
Proc Natl Acad Sci U S A 93: 7219-24 (1996)
- Miedema F; Klein MR
AIDS pathogenesis: a finite immune response to blame? [comment]
Science 272: 505-6 (1996)
- Miele G; Lever AM
Expression of mutant and wild-type gag proteins for gene therapy in HIV-1 infection.
Gene Ther 3: 357-61 (1996)
- Miele G; Lever AM
Expression of mutant and wild-type gag proteins for gene therapy in HIV-1 infection.
Gene Ther 3: 357-61 (1996)
- Miele G; Mouland A; Harrison GP; Cohen E; Lever AM
The human immunodeficiency virus type 1 5' packaging signal structure affects translation but does not function as an internal ribosome entry site structure.
J Virol 70: 944-51 (1996)
- Mikaelian I; Krieg M; Gait MJ; Karn J
Interactions of INS (CRS) elements and the splicing machinery regulate the production of Rev-responsive mRNAs.
J Mol Biol 257: 246-64 (1996)
- Miller MD; Greene WC
Is the Nef protein of HIV-1 required for pathogenesis?
Trends Microbiol 4: 171-2; discussion 173 (1996)
- Miller MD; Greene WC
Is the Nef protein of HIV-1 required for pathogenesis?
Trends Microbiol 4: 171-2; discussion 173 (1996)
- Mindell DP
Positive selection and rates of evolution in immunodeficiency viruses from humans and chimpanzees.
Proc Natl Acad Sci U S A 93: 3284-8 (1996)
- Mindell DP
Positive selection and rates of evolution in immunodeficiency viruses from humans and chimpanzees.
Proc Natl Acad Sci U S A 93: 3284-8 (1996)
- Mitra D; Steiner M; Lynch DH; Staiano-Coico L; Laurence J
HIV-1 upregulates Fas ligand expression in CD4+ T cells in vitro and in vivo: association with Fas-mediated apoptosis and modulation by aurintricarboxylic acid.
Immunology 87: 581-5 (1996)

References (1996)

- Miura T; Shibata R; Adachi A; Kuwata T; Chen J; Jin M; Ido E; Hayami M
Genetic complementation between replication-defective mutants of HIV-1 and SIVagm.
Arch Virol 141: 31-41 (1996)
- Miura T; Shibata R; Adachi A; Kuwata T; Chen J; Jin M; Ido E; Hayami M
Genetic complementation between replication-defective mutants of HIV-1 and SIVagm.
Arch Virol 141: 31-41 (1996)
- Molla A; Korneyeva M; Gao Q; Vasavanonda S; Schipper PJ; Mo HM; Markowitz M; Chernyavskiy T; Niu P; Lyons N; Hsu A; Granneman GR; Ho DD; Boucher CA; Leonard JM; Norbeck DW; Kempf DJ
Ordered accumulation of mutations in HIV protease confers resistance to ritonavir.
Nat Med 2: 760-6 (1996)
- Momany C; Kovari LC; Prongay AJ; Keller W; Gitti RK; Lee BM; Gorbelenya AE; Tong L; McClure J; Ehrlich LS; Summers MF; Carter C; Rossmann MG
Crystal structure of dimeric HIV-1 capsid protein.
Nat Struct Biol 3: 763-70 (1996)
- Momany C; Kovari LC; Prongay AJ; Keller W; Gitti RK; Lee BM; Gorbelenya AE; Tong L; McClure J; Ehrlich LS; Summers MF; Carter C; Rossmann MG
Crystal structure of dimeric HIV-1 capsid protein.
Nat Struct Biol 3: 763-70 (1996)
- Monini P; Rotola A; de Lellis L; Corallini A; Secchiero P; Albini A; Benelli R; Parravicini C; Barbanti-Brodano G; Cassai E
Latent BK virus infection and Kaposi's sarcoma pathogenesis.
Int J Cancer 66: 717-22 (1996)
- Moore JP; Cao Y; Leu J; Qin L; Korber B; Ho DD
Inter- and intraclade neutralization of human immunodeficiency virus type 1: genetic clades do not correspond to neutralization serotypes but partially correspond to gp120 antigenic serotypes.
J Virol 70: 427-44 (1996)
- Moore JP; Koup RA
Chemoattractants attract HIV researchers [comment]
J Exp Med 184: 311-3 (1996)
- Moore PS; Gao SJ; Dominguez G; Cesarman E; Lungu O; Knowles DM; Garber R; Pellett PE; McGeoch DJ; Chang Y
Primary characterization of a herpesvirus agent associated with Kaposi's sarcoma.
J Virol 70: 549-58 (1996)
- Mori S; Murakami-Mori K; Jewett A; Nakamura S; Bonavida B
Resistance of AIDS-associated Kaposi's sarcoma cells to Fas-mediated apoptosis.
Cancer Res 56: 1874-9 (1996)
- Morimoto M; Otake T; Mori H; Kawahata T; Ueba N; Okubo S; Yasunaga K; Sano K; Nakano T; Nakai M
[Prognosis and evaluation of drug therapy by V3 and RT gene analysis of HIV-1]
Kansenshogaku Zasshi 70: 347-53 (1996)
- Morse JH; Barst RJ; Itescu S; Flaster ER; Sinha G; Zhang Y; Fotino M
Primary pulmonary hypertension in HIV infection: an outcome determined by particular HLA class II alleles.
Am J Respir Crit Care Med 153: 1299-301 (1996)
- Moses AV; Stenglein SG; Strussenberg JG; Wehrly K; Chesebro B; Nelson JA
Sequences regulating tropism of human immunodeficiency virus type 1 for brain capillary endothelial cells map to a unique region on the viral genome.
J Virol 70: 3401-6 (1996)
- Mossman SP; Bex F; Berglund P; Arthos J; O'Neil SP; Riley D; Maul DH; Bruck C; Momin P; Burny A; Fultz PN; Mullins JI; Liljestrom P; Hoover EA
Protection against lethal simian immunodeficiency virus SIVsmmPBj14 disease by a recombinant Semliki Forest virus gp160 vaccine and by a gp120 subunit vaccine.
J Virol 70: 1953-60 (1996)
- Mossman SP; Bex F; Berglund P; Arthos J; O'Neil SP; Riley D; Maul DH; Bruck C; Momin P; Burny A; Fultz PN; Mullins JI; Liljestrom P; Hoover EA
Protection against lethal simian immunodeficiency virus SIVsmmPBj14 disease by a recombinant Semliki Forest virus gp160 vaccine and by a gp120 subunit vaccine.
J Virol 70: 1953-60 (1996)
- Moutouh L; Corbeil J; Richman DD
Recombination leads to the rapid emergence of HIV-1 dually resistant mutants under selective drug pressure.
Proc Natl Acad Sci U S A 93: 6106-11 (1996)
- Mucke L; Abraham CR; Masliah E
Neurotrophic and neuroprotective effects of hAPP in transgenic mice.
Ann N Y Acad Sci 777: 82-8 (1996)
- Muriaux D; Fosse P; Paoletti J
A kissing complex together with a stable dimer is involved in the HIV-1Lai RNA dimerization process in vitro.
Biochemistry 35: 5075-82 (1996)

References (1996)

- Murphy R; Wente SR
An RNA-export mediator with an essential nuclear export signal.
Nature 383: 357-60 (1996)
- Murphy R; Wente SR
An RNA-export mediator with an essential nuclear export signal.
Nature 383: 357-60 (1996)
- Musso M; Ghiorzo P; Fiorentini P; Giuffrida R; Ciotti P; Garre C; Ravazzolo R; Bianchi-Scarra G
An upstream positive regulatory element in human GM-CSF promoter is recognized by NF-kappa B/Rel family members.
Biochem Biophys Res Commun 223: 64-72 (1996)
- Nador RG; Cesarman E; Chadburn A; Dawson DB; Ansari MQ; Sald J; Knowles DM
Primary effusion lymphoma: a distinct clinicopathologic entity associated with the Kaposi's sarcoma-associated herpes virus.
Blood 88: 645-56 (1996)
- Nakano H; Oshima H; Chung W; Williams-Abbott L; Ware CF; Yagita H; Okumura K
TRAF5, an activator of NF-kappaB and putative signal transducer for the lymphotoxin-beta receptor.
J Biol Chem 271: 14661-4 (1996)
- Naldini L; Blomer U; Gallay P; Ory D; Mulligan R; Gage FH; Verma IM; Trono D
In vivo gene delivery and stable transduction of nondividing cells by a lentiviral vector [see comments]
Science 272: 263-7 (1996)
- Narwa R; Roques P; Courpotin C; Parnet-Mathieu F; Boussin F; Roane A; Marce D; Lasfargues G; Dormont D
Characterization of human immunodeficiency virus type 1 p17 matrix protein motifs associated with mother-to-child transmission.
J Virol 70: 4474-83 (1996)
- Nashimoto M
Specific cleavage of target RNAs from HIV-1 with 5' half tRNA by mammalian tRNA 3' processing endoribonuclease.
RNA 2: 523-4 (1996)
- Nassiri MR; Emerson SG; Devivar RV; Townsend LB; Drach JC; Taichman RS
Comparison of benzimidazole nucleosides and ganciclovir on the in vitro proliferation and colony formation of human bone marrow progenitor cells.
Br J Haematol 93: 273-9 (1996)
- Navarro J; Punzon MC; Pizarro A; Fernandez-Cruz E; Fresno M; Munoz-Fernandez MA
Pentoxifylline inhibits acute HIV-1 replication in human T cells by a mechanism not involving inhibition of tumour necrosis factor synthesis or nuclear factor-kappa B activation.
AIDS 10: 469-75 (1996)
- Navarro J; Punzon MC; Pizarro A; Fernandez-Cruz E; Fresno M; Munoz-Fernandez MA
Pentoxifylline inhibits acute HIV-1 replication in human T cells by a mechanism not involving inhibition of tumour necrosis factor synthesis or nuclear factor-kappa B activation.
AIDS 10: 469-75 (1996)
- Nehete PN; Johnson PC; Schapiro SJ; Arlinghaus RB; Sastry KJ
Cross-reactive T-cell proliferative responses to V3 peptides corresponding to different geographical HIV-1 isolates in HIV-seropositive individuals.
J Clin Immunol 16: 115-24 (1996)
- Nelson JS; Giver L; Ellington AD; Letsinger RL
Incorporation of a non-nucleotide bridge into hairpin oligonucleotides capable of high-affinity binding to the Rev protein of HIV-1.
Biochemistry 35: 5339-44 (1996)
- Nelson NC; Cheikh AB; Matsuda E; Becker MM
Simultaneous detection of multiple nucleic acid targets in a homogeneous format.
Biochemistry 35: 8429-38 (1996)
- Nelson PJ; Ortiz BD; Pattison JM; Krensky AM
Identification of a novel regulatory region critical for expression of the RANTES chemokine in activated T lymphocytes.
J Immunol 157: 1139-48 (1996)
- Neurath AR; Jiang S; Strick N; Lin K; Li YY; Debnath AK
Bovine beta-lactoglobulin modified by 3-hydroxyphthalic anhydride blocks the CD4 cell receptor for HIV.
Nat Med 2: 230-4 (1996)
- Neurath AR; Jiang S; Strick N; Lin K; Li YY; Debnath AK
Bovine beta-lactoglobulin modified by 3-hydroxyphthalic anhydride blocks the CD4 cell receptor for HIV.
Nat Med 2: 230-4 (1996)
- Niikura M; Dornadula G; Zhang H; Mukhtar M; Lingxun D; Khalili K; Bagasra O; Pomerantz RJ
Mechanisms of transcriptional transactivation and restriction of human immunodeficiency virus type I replication in an astrocytic glial cell.
Oncogene 13: 313-22 (1996)

References (1996)

- Nikolaev LG
[Identification and isolation of proteins, recognizing the sequence of the human immunodeficiency virus (HIV-1) enhancer]
Mol Biol (Mosk) 30: 714-20 (1996)
- Nikolaev LG
[Identification and isolation of proteins, recognizing the sequence of the human immunodeficiency virus (HIV-1) enhancer]
Mol Biol (Mosk) 30: 714-20 (1996)
- Nikolakaki E; Simos G; Georgatos SD; Giannakouros T
A nuclear envelope-associated kinase phosphorylates arginine-serine motifs and modulates interactions between the lamin B receptor and other nuclear proteins.
J Biol Chem 271: 8365-72 (1996)
- Nilsen BM; Haugan IR; Berg K; Olsen L; Brown PO; Helland DE
Monoclonal antibodies against human immunodeficiency virus type 1 integrase: epitope mapping and differential effects on integrase activities in vitro.
J Virol 70: 1580-7 (1996)
- Nissley DV; Garfinkel DJ; Strathern JN
HIV reverse transcription in yeast [letter]
Nature 380: 30 (1996)
- Niwa Y; Yano M; Futaki S; Okumura Y; Kido H
T-cell membrane-associated serine protease, tryptase TL2, binds human immunodeficiency virus type 1 gp120 and cleaves the third-variable-domain loop of gp120. Neutralizing antibodies of human immunodeficiency virus type 1 inhibit cleavage of gp120.
Eur J Biochem 237: 64-70 (1996)
- Norgard MV; Arndt LL; Akins DR; Curety LL; Harrich DA; Radolf JD
Activation of human monocytic cells by *Treponema pallidum* and *Borrelia burgdorferi* lipoproteins and synthetic lipopeptides proceeds via a pathway distinct from that of lipopolysaccharide but involves the transcriptional activator NF-kappa B.
Infect Immun 64: 3845-52 (1996)
- Norgard MV; Arndt LL; Akins DR; Curety LL; Harrich DA; Radolf JD
Activation of human monocytic cells by *Treponema pallidum* and *Borrelia burgdorferi* lipoproteins and synthetic lipopeptides proceeds via a pathway distinct from that of lipopolysaccharide but involves the transcriptional activator NF-kappa B.
Infect Immun 64: 3845-52 (1996)
- Norley S; Beer B; Binninger-Schinzel D; Cosma C; Kurth R
Protection from pathogenic SIVmac challenge following short-term infection with a nef-deficient attenuated virus.
Virology 219: 195-205 (1996)
- Nottet HS; Persidsky Y; Saserville VG; Nukuna AN; Bock P; Zhai QH; Sharer LR; McComb RD; Swindells S; Soderland C; Gendelman HE
Mechanisms for the transendothelial migration of HIV-1-infected monocytes into brain.
J Immunol 156: 1284-95 (1996)
- Novembre FJ; Lewis MG; Saucier MM; Valley-Ogunro J; Brennan T; McKinnon K; Bellah S; McClure HM
Deletion of the nef gene abrogates the ability of SIV smmPBj to induce acutely lethal disease in pigtail macaques.
AIDS Res Hum Retroviruses 12: 727-36 (1996)
- Novembre FJ; Lewis MG; Saucier MM; Valley-Ogunro J; Brennan T; McKinnon K; Bellah S; McClure HM
Deletion of the nef gene abrogates the ability of SIV smmPBj to induce acutely lethal disease in pigtail macaques.
AIDS Res Hum Retroviruses 12: 727-36 (1996)
- Nowak MA; Bangham CR
Population dynamics of immune responses to persistent viruses.
Science 272: 74-9 (1996)
- Nugiel DA; Jacobs K; Kaltenbach RF; Worley T; Patel M; Meyer DT; Jadhav PK; De Lucca GV; Smyser TE; Klabe RM; Bacheler LT; Rayner MM; Seitz SP
Preparation and structure-activity relationship of novel P1/P1'-substituted cyclic urea-based human immunodeficiency virus type-1 protease inhibitors.
J Med Chem 39: 2156-69 (1996)
- Nunn MF; Marsh JW
Human immunodeficiency virus type 1 Nef associates with a member of the p21-activated kinase family.
J Virol 70: 6157-61 (1996)
- O'Brien WA; Sumner-Smith M; Mao SH; Sadeghi S; Zhao JQ; Chen IS
Anti-human immunodeficiency virus type 1 activity of an oligocationic compound mediated via gp120 V3 interactions.
J Virol 70: 2825-31 (1996)
- O'Neil LL; Burkhard MJ; Hoover EA
Frequent perinatal transmission of feline immunodeficiency virus by chronically infected cats.
J Virol 70: 2894-901 (1996)

Ochsenbauer C; Bosch V; Oelze I; Wieland U

Unimpaired function of a naturally occurring C terminally truncated vif gene product of human immunodeficiency virus type 1.

J Gen Virol 77 (Pt 7): 1389-95 (1996)

Olaleye DO; Sheng Z; Howard TM; Rasheed S

Isolation and characterization of a new subtype A variant of human immunodeficiency virus type I from Nigeria.

Trop Med Int Health 1: 97-106 (1996)

Olmsted RA; Slade DE; Kopta LA; Poppe SM; Poel TJ; Newport SW; Rank KB; Biles C; Morge RA; Dueweke TJ; Yagi Y; Romero DL; Thomas RC; Sharma SK; Tarpley WG

(Alkylamino) piperidine bis(heteroaryl)piperazine analogs are potent, broad-spectrum nonnucleoside reverse transcriptase inhibitors of drug-resistant isolates of human immunodeficiency virus type 1 (HIV-1) and select for drug-resistant variants of HIV-1IIIB with reduced replication phenotypes.

J Virol 70: 3698-705 (1996)

Oravecz T; Pall M; Norcross MA

Beta-chemokine inhibition of monocytotropic HIV-1 infection. Interference with a postbinding fusion step.

J Immunol 157: 1329-32 (1996)

Orlando P; Strazzullo G; Carretta F; De Falco M; Grippo P

Inhibition mechanisms of HIV-1, Mo-MuLV and AMV reverse transcriptases by Kelletinin A from Buccinulum corneum.

Experientia 52: 812-7 (1996)

Orlando P; Strazzullo G; Carretta F; De Falco M; Grippo P

Inhibition mechanisms of HIV-1, Mo-MuLV and AMV reverse transcriptases by Kelletinin A from Buccinulum corneum.

Experientia 52: 812-7 (1996)

Orsini MJ; Debouck CM; Webb CL; Lysko PG

Extracellular human immunodeficiency virus type 1 Tat protein promotes aggregation and adhesion of cerebellar neurons.

J Neurosci 16: 2546-52 (1996)

Otsuki T; Kumar S; Ensoli B; Kingma DW; Yano T; Stetler-Stevenson M; Jaffe ES; Raffeld M

Detection of HHV-8/KSHV DNA sequences in AIDS-associated extranodal lymphoid malignancies.

Leukemia 10: 1358-62 (1996)

Otsyula MG; Miller CJ; Marthas ML; Van Rompay KK; Collins JR; Pedersen NC; McChesney MB

Virus-induced immunosuppression is linked to rapidly fatal disease in infant rhesus macaques infected with simian immunodeficiency virus.

Pediatr Res 39: 630-5 (1996)

Otsyula MG; Miller CJ; Marthas ML; Van Rompay KK; Collins JR; Pedersen NC; McChesney MB

Virus-induced immunosuppression is linked to rapidly fatal disease in infant rhesus macaques infected with simian immunodeficiency virus.

Pediatr Res 39: 630-5 (1996)

Otsyula MG; Miller CJ; Marthas ML; Van Rompay KK; Collins JR; Pedersen NC; McChesney MB

Virus-induced immunosuppression is linked to rapidly fatal disease in infant rhesus macaques infected with simian immunodeficiency virus.

Pediatr Res 39: 630-5 (1996)

Otsyula MG; Miller CJ; Marthas ML; Van Rompay KK; Collins JR; Pedersen NC; McChesney MB

Virus-induced immunosuppression is linked to rapidly fatal disease in infant rhesus macaques infected with simian immunodeficiency virus.

Pediatr Res 39: 630-5 (1996)

Otteken A; Moss B

Calreticulin interacts with newly synthesized human immunodeficiency virus type 1 envelope glycoprotein, suggesting a chaperone function similar to that of calnexin.

J Biol Chem 271: 97-103 (1996)

Ouali M; Bouziane M; Ketterle C; Gabarro-Arpa J; Auclair C; Le Bret M

A molecular mechanics and dynamics study of alternate triple-helices involving the integrase-binding site of the HIV-1 virus and oligonucleotides having a 3'-3' internucleotide junction.

J Biomol Struct Dyn 13: 835-53 (1996)

Oyaizu N; McCloskey TW; Than S; Pahwa S

Inhibition of CD4 cross-linking-induced lymphocytes apoptosis by vesnarinone as a novel immunomodulating agent: vesnarinone inhibits Fas expression and apoptosis by blocking cytokine secretion.

Blood 87: 2361-8 (1996)

Paillart JC; Skripkin E; Ehresmann B; Ehresmann C; Marquet R

A loop-loop "kissing" complex is the essential part of the dimer linkage of genomic HIV-1 RNA.

Proc Natl Acad Sci U S A 93: 5572-7 (1996)

Paillart JC; Skripkin E; Ehresmann B; Ehresmann C; Marquet R

The use of chemical modification interference and inverse PCR mutagenesis to identify the dimerization initiation site of HIV-1 genomic RNA.

Pharm Acta Helv 71: 21-8 (1996)

References (1996)

- Palaniappan C; Fuentes GM; Rodriguez-Rodriguez L; Fay PJ; Bambara RA
Helix structure and ends of RNA/DNA hybrids direct the cleavage specificity of HIV-1 reverse transcriptase RNase H.
J Biol Chem 271: 2063-70 (1996)
- Palmer C; Balfe P; Fox D; May JC; Frederiksson R; Fenyo EM; McKeating JA
Functional characterization of the V1V2 region of human immunodeficiency virus type 1.
Virology 220: 436-49 (1996)
- Pampuro SE; Calarota SA; Marquina SA; Rabinovich RD; Libonatti OV
Reactivity of Argentine serum samples against synthetic V3-based HIV-1 peptides [letter]
J Acquir Immune Defic Syndr Hum Retrovirol 12: 527-8 (1996)
- Pan Z; Radding W; Zhou T; Hunter E; Mountz J; McDonald JM
Role of calmodulin in HIV-potentiated Fas-mediated apoptosis.
Am J Pathol 149: 903-10 (1996)
- Pan Z; Radding W; Zhou T; Hunter E; Mountz J; McDonald JM
Role of calmodulin in HIV-potentiated Fas-mediated apoptosis.
Am J Pathol 149: 903-10 (1996)
- Pandey VN; Kaushik N; Rege N; Sarafianos SG; Yadav PN; Modak MJ
Role of methionine 184 of human immunodeficiency virus type-1 reverse transcriptase in the polymerase function and fidelity of DNA synthesis.
Biochemistry 35: 2168-79 (1996)
- Pandori MW; Fitch NJ; Craig HM; Richman DD; Spina CA; Guatelli JC
Producer-cell modification of human immunodeficiency virus type 1: Nef is a virion protein.
J Virol 70: 4283-90 (1996)
- Panzo J; Akan E; Griffiths TD; Woloschak GE
The effects of 5-fluorouracil and doxorubicin on expression of human immunodeficiency virus type 1 long terminal repeat.
Cancer Lett 105: 217-23 (1996)
- Panzo J; Panizzo J; Akan E; Libertin C; Woloschak GE
The effects of cisplatin and methotrexate on the expression of human immunodeficiency virus type 1 long terminal repeat.
Leuk Res 20: 309-17 (1996)
- Papandreou MJ; Idziorek T; Miquelis R; Fenouillet E
Glycosylation and stability of mature HIV envelope glycoprotein conformation under various conditions.
FEBS Lett 379: 171-6 (1996)
- Parent LJ; Wilson CB; Resh MD; Wills JW
Evidence for a second function of the MA sequence in the Rous sarcoma virus Gag protein.
J Virol 70: 1016-26 (1996)
- Park IW; Kondo E; Bergeron L; Park J; Sodroski J
Effects of human immunodeficiency virus type 1 infection on programmed cell death in the presence or absence of Bcl-2.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 321-8 (1996)
- Park IW; Sodroski J
Targeting a foreign protein into virion particles by fusion with the Vpx protein of simian immunodeficiency virus.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 341-50 (1996)
- Parker CE; Papac DI; Trojak SK; Tomer KB
Epitope mapping by mass spectrometry: determination of an epitope on HIV-1 IIIB p26 recognized by a monoclonal antibody.
J Immunol 157: 198-206 (1996)
- Patki AH; Lederman MM
HIV-1 Tat protein and its inhibitor Ro 24-7429 inhibit lymphocyte proliferation and induce apoptosis in peripheral blood mononuclear cells from healthy donors.
Cell Immunol 169: 40-6 (1996)
- Pau CP; Hu DJ; Spruill C; Schable C; Lackritz E; Kai M; George JR; Rayfield MA; Dondero TJ; Williams AE; Busch MP; Brown AE; McCutchan FE; Schonetman G
Surveillance for human immunodeficiency virus type 1 group O infections in the United States.
Transfusion 36: 398-400 (1996)
- Pazhanisamy S; Stuver CM; Cullinan AB; Margolin N; Rao BG; Livingston DJ
Kinetic characterization of human immunodeficiency virus type-1 protease-resistant variants.
J Biol Chem 271: 17979-85 (1996)
- Pazin MJ; Sheridan PL; Cannon K; Cao Z; Keck JG; Kadonaga JT; Jones KA
NF-kappa B-mediated chromatin reconfiguration and transcriptional activation of the HIV-1 enhancer in vitro.
Genes Dev 10: 37-49 (1996)

References (1996)

Pellegrin I; Legrand E; Neau D; Bonot P; Masquelier B; Pellegrin JL; Ragnaud JM; Bernard N; Fleury HJ
Kinetics of appearance of neutralizing antibodies in 12 patients with primary or recent HIV-1 infection and relationship with plasma and cellular viral loads.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 438-47 (1996)

Pemberton IK; Buckle M; Buc H
The metal ion-induced cooperative binding of HIV-1 integrase to DNA exhibits a marked preference for Mn(II) rather than Mg(II).
J Biol Chem 271: 1498-506 (1996)

Peng H; Callison D; Li P; Burrell C
Long-term protection against HIV-1 infection conferred by tat or rev antisense RNA was affected by the design of the retroviral vector.
Virology 220: 377-89 (1996)

Pengue G; Lania L
Kruppel-associated box-mediated repression of RNA polymerase II promoters is influenced by the arrangement of basal promoter elements.
Proc Natl Acad Sci U S A 93: 1015-20 (1996)

Penny MA; Thomas SJ; Douglas NW; Ranjbar S; Holmes H; Daniels RS
env gene sequences of primary HIV type 1 isolates of subtypes B, C, D, E, and F obtained from the World Health Organization Network for HIV Isolation and Characterization.
AIDS Res Hum Retroviruses 12: 741-7 (1996)

Penny MA; Thomas SJ; Douglas NW; Ranjbar S; Holmes H; Daniels RS
env gene sequences of primary HIV type 1 isolates of subtypes B, C, D, E, and F obtained from the World Health Organization Network for HIV Isolation and Characterization.
AIDS Res Hum Retroviruses 12: 741-7 (1996)

Pezo V; Martinez MA; Wain-Hobson S
Fate of direct and inverted repeats in the RNA hypermutation reaction.
Nucleic Acids Res 24: 253-6 (1996)

Pham-Kanter GB; Steinberg MH; Ballard RC
Sexually transmitted diseases in South Africa.
Genitourin Med 72: 160-71 (1996)

Pilkington GR; Duan L; Zhu M; Keil W; Pomerantz RJ
Recombinant human Fab antibody fragments to HIV-1 Rev and Tat regulatory proteins: direct selection from a combinatorial phage display library.
Mol Immunol 33: 439-50 (1996)

Pillay D; Geddes AM
Antiviral drug resistance [editorial]
BMJ 313: 503-4 (1996)

Pillay D; Geddes AM
Antiviral drug resistance [editorial]
BMJ 313: 503-4 (1996)

Piller SC; Ewart GD; Premkumar A; Cox GB; Gage PW
Vpr protein of human immunodeficiency virus type 1 forms cation-selective channels in planar lipid bilayers.
Proc Natl Acad Sci U S A 93: 111-5 (1996)

Planelles V; Jowett JB; Li QX; Xie Y; Hahn B; Chen IS
Vpr-induced cell cycle arrest is conserved among primate lentiviruses.
J Virol 70: 2516-24 (1996)

Planelles V; Jowett JB; Li QX; Xie Y; Hahn B; Chen IS
Vpr-induced cell cycle arrest is conserved among primate lentiviruses.
J Virol 70: 2516-24 (1996)

Poccia F; Boullier S; Lecoeur H; Cochet M; Poquet Y; Colizzi V; Fournie JJ; Gougeon ML
Peripheral V gamma 9/V delta 2 T cell deletion and anergy to nonpeptidic mycobacterial antigens in asymptomatic HIV-1-infected persons.
J Immunol 157: 449-61 (1996)

Poignard P; Fouts T; Naniche D; Moore JP; Sattentau QJ
Neutralizing antibodies to human immunodeficiency virus type-1 gp120 induce envelope glycoprotein subunit dissociation.
J Exp Med 183: 473-84 (1996)

Pokholok DK; Gudima SO; Memelova LV; Esipov DS; Rechinskii VO; Kochetkov SN
[Stability of human immunodeficiency virus to azidothymidine. II. Kinetic characteristics of "AZT-resistant" mutant forms of reverse transcriptase]
Biokhimiia 61: 142-51 (1996)

Pop MP
In vitro analysis of the HIV-1 second strand-transfer reaction.
Biochim Biophys Acta 1307: 193-204 (1996)

Pop MP; Biebricher CK
Kinetic analysis of pausing and fidelity of human immunodeficiency virus type 1 reverse transcription.
Biochemistry 35: 5054-62 (1996)

References (1996)

- Porter DC; Melsen LR; Compans RW; Morrow CD
Release of virus-like particles from cells infected with po-
liovirus replicons which express human immunodeficiency
virus type 1 Gag.
J Virol 70: 2643-9 (1996)
- Powell PD
Can evolutionary principles help resolve the acquired im-
mune deficiency syndrome crisis?
Med Hypotheses 46: 130-4 (1996)
- Pratt RD; Nichols S; McKinney N; Kwok S; Dankner WM; Spec-
tor SA
Virologic markers of human immunodeficiency virus type 1
in cerebrospinal fluid of infected children.
J Infect Dis 174: 288-93 (1996)
- Prochaska HJ; Fernandes CL; Pantoja RM; Chavan SJ
Inhibition of human immunodeficiency virus type 1 long ter-
minal repeat-driven transcription by an in vivo metabolite of
oltipraz: implications for antiretroviral therapy.
Biochem Biophys Res Commun 221: 548-53 (1996)
- Puttaraju M; Been MD
Circularizing ribozymes and decoy-competitors by autocat-
alytic splicing in vitro and in vivo.
SAAS Bull Biochem Biotechnol 9: 77-82 (1996)
- Qavi HB; Xu B; Green MT; Lusso P; Pearson G; Ablashi DV
Morphological and ultrastructural changes induced in corneal
epithelial cells by HIV-1 and HHV-6 in vitro.
Curr Eye Res 15: 597-604 (1996)
- Qavi HB; Xu B; Green MT; Lusso P; Pearson G; Ablashi DV
Morphological and ultrastructural changes induced in corneal
epithelial cells by HIV-1 and HHV-6 in vitro.
Curr Eye Res 15: 597-604 (1996)
- Quereda C; Polanco AM; Giner C; Sanchez-Sousa A; Pereira E;
Navas E; Fortun J; Guerrero A; Baquero F
Correlation between in vitro resistance to fluconazole and
clinical outcome of oropharyngeal candidiasis in HIV-
infected patients.
Eur J Clin Microbiol Infect Dis 15: 30-7 (1996)
- Quillent C; Borman AM; Paulous S; Dauguet C; Clavel F
Extensive regions of pol are required for efficient human
immunodeficiency virus polyprotein processing and particle
maturation.
Virology 219: 29-36 (1996)
- Radding W; Pan ZQ; Hunter E; Johnston P; Williams JP; McDonald JM
Expression of HIV-1 envelope glycoprotein alters cellular
calmodulin.
Biochem Biophys Res Commun 218: 192-7 (1996)
- Radiuk SN; Matsevich GR; Ryzhov KA; Lariukova TA
[Nonisotopic variant of quantitative analysis using poly-
merase chain reaction for diagnosing HIV infection]
Vopr Virusol 41: 44-5 (1996)
- Ragni MV; Koch WC; Jordan JA
Parvovirus B19 infection in patients with hemophilia.
Transfusion 36: 238-41 (1996)
- Raillard SA; Joyce GF
Targeting sites within HIV-1 cDNA with a DNA-cleaving
ribozyme.
Biochemistry 35: 11693-701 (1996)
- Raillard SA; Joyce GF
Targeting sites within HIV-1 cDNA with a DNA-cleaving
ribozyme.
Biochemistry 35: 11693-701 (1996)
- Raja NU; Jabbar MA
The human immunodeficiency virus type 1 Vpu protein teth-
ered to the CD4 extracellular domain is localized to the
plasma membrane and is biologically active in the secretory
pathway of mammalian cells: implications for the mecha-
nisms of Vpu function.
Virology 220: 141-51 (1996)
- Ramazzotti E; Vignoli M; Re MC; Furlini G; La Placa M
Enhanced nuclear factor-kappa B activation induced by tu-
mour necrosis factor-alpha in stably tat-transfected cells is
associated with the presence of cell-surface-bound Tat pro-
tein.
AIDS 10: 455-61 (1996)
- Ramazzotti E; Vignoli M; Re MC; Furlini G; La Placa M
Enhanced nuclear factor-kappa B activation induced by tu-
mour necrosis factor-alpha in stably tat-transfected cells is
associated with the presence of cell-surface-bound Tat pro-
tein.
AIDS 10: 455-61 (1996)
- Rasty S; Thatikunta P; Gordon J; Khalili K; Amini S; Glorioso
JC
Human immunodeficiency virus tat gene transfer to the
murine central nervous system using a replication-defective
herpes simplex virus vector stimulates transforming growth
factor beta 1 gene expression.
Proc Natl Acad Sci U S A 93: 6073-8 (1996)
- Ratto S; Sitz KV; Scherer AM; Loomis LD; Cox JH; Redfield RR;
Birx DL
CD4+ T-lymphocyte
lines developed from HIV-1-seropositive patients recognize
different epitopes within the V3 loop.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 128-36
(1996)

References (1996)

- Reddy DV; Jagannadh B; Kunwar AC
NMR study of dideoxynucleotides with anti-human immunodeficiency virus (HIV) activity.
J Biochem Biophys Methods 31: 113-21 (1996)
- Reddy RT; Achim CL; Sirko DA; Tehranchi S; Kraus FG; Wong-Staal F; Wiley CA
Sequence analysis of the V3 loop in brain and spleen of patients with HIV encephalitis.
AIDS Res Hum Retroviruses 12: 477-82 (1996)
- Reich SH; Melnick M; Pino MJ; Fuhr MA; Trippe AJ; Appelt K; Davies JF 2nd; Wu BW; Musick L
Structure-based design and synthesis of substituted 2-butanol as nonpeptidic inhibitors of HIV protease: secondary amide series.
J Med Chem 39: 2781-94 (1996)
- Reifsnyder C; Lowell J; Clarke A; Pillus L
Yeast SAS silencing genes and human genes associated with AML and HIV-1 Tat interactions are homologous with acetyltransferases [see comments]
Nat Genet 14: 42-9 (1996)
- Reifsnyder C; Lowell J; Clarke A; Pillus L
Yeast SAS silencing genes and human genes associated with AML and HIV-1 Tat interactions are homologous with acetyltransferases [see comments]
Nat Genet 14: 42-9 (1996)
- Reimann KA; Li JT; Voss G; Lekutis C; Tenner-Racz K; Racz P; Lin W; Montefiori DC; Lee-Parritz DE; Lu Y; Collman RG; Sodroski J; Letvin NL
An env gene derived from a primary human immunodeficiency virus type 1 isolate confers high in vivo replicative capacity to a chimeric simian/human immunodeficiency virus in rhesus monkeys.
J Virol 70: 3198-206 (1996)
- Reimann KA; Li JT; Voss G; Lekutis C; Tenner-Racz K; Racz P; Lin W; Montefiori DC; Lee-Parritz DE; Lu Y; Collman RG; Sodroski J; Letvin NL
An env gene derived from a primary human immunodeficiency virus type 1 isolate confers high in vivo replicative capacity to a chimeric simian/human immunodeficiency virus in rhesus monkeys.
J Virol 70: 3198-206 (1996)
- Renne R; Zhong W; Herndier B; McGrath M; Abbey N; Kedes D; Ganem D
Lytic growth of Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) in culture.
Nat Med 2: 342-6 (1996)
- Rey O; Canon J; Krogstad P
HIV-1 Gag protein associates with F-actin present in microfilaments.
Virology 220: 530-4 (1996)
- Rice P; Craigie R; Davies DR
Retroviral integrases and their cousins.
Curr Opin Struct Biol 6: 76-83 (1996)
- Richman DD
Antiretroviral drug resistance: mechanisms, pathogenesis, clinical significance.
Adv Exp Med Biol 394: 383-95 (1996)
- Richman DD
The implications of drug resistance for strategies of combination antiviral chemotherapy.
Antiviral Res 29: 31-3 (1996)
- Richman DD
Antiretroviral drug resistance: mechanisms, pathogenesis, clinical significance.
Adv Exp Med Biol 394: 383-95 (1996)
- Richman DD
The implications of drug resistance for strategies of combination antiviral chemotherapy.
Antiviral Res 29: 31-3 (1996)
- Riddell SR; Elliott M; Lewinsohn DA; Gilbert MJ; Wilson L; Manley SA; Lupton SD; Overell RW; Reynolds TC; Corey L; Greenberg PD
T-cell mediated rejection of gene-modified HIV-specific cytotoxic T lymphocytes in HIV-infected patients [see comments]
Nat Med 2: 216-23 (1996)
- Ridky TW; Bizub-Bender D; Cameron CE; Weber IT; Wlodawer A; Copeland T; Skalka AM; Leis J
Programming the Rous sarcoma virus protease to cleave new substrate sequences.
J Biol Chem 271: 10538-44 (1996)
- Ridky TW; Cameron CE; Cameron J; Leis J; Copeland T; Wlodawer A; Weber IT; Harrison RW
Human immunodeficiency virus, type 1 protease substrate specificity is limited by interactions between substrate amino acids bound in adjacent enzyme subsites.
J Biol Chem 271: 4709-17 (1996)
- Riggs NL; Guatelli JC
Production and characterization of high-titer stocks of rev-defective HIV-1.
Virology 217: 602-6 (1996)

References (1996)

- Rill RL; Hecker KH
Sequence-specific actinomycin D binding to single-stranded DNA inhibits HIV reverse transcriptase and other polymerases.
Biochemistry 35: 3525-33 (1996)
- Ritter GD Jr; Yamshchikov G; Cohen SJ; Mulligan MJ
Human immunodeficiency virus type 2 glycoprotein enhancement of particle budding: role of the cytoplasmic domain.
J Virol 70: 2669-73 (1996)
- Roberts CG; Meister GE; Jesdale BM; Lieberman J; Berzofsky JA; De Groot AS
Prediction of HIV peptide epitopes by a novel algorithm.
AIDS Res Hum Retroviruses 12: 593-610 (1996)
- Roberts CG; Meister GE; Jesdale BM; Lieberman J; Berzofsky JA; De Groot AS
Prediction of HIV peptide epitopes by a novel algorithm.
AIDS Res Hum Retroviruses 12: 593-610 (1996)
- Robey FA; Harris-Kelson T; Robert-Guroff M; Batinic D; Ivanov B; Lewis MS; Roller PP
A synthetic conformational epitope from the C4 domain of HIV Gp120 that binds CD4.
J Biol Chem 271: 17990-5 (1996)
- Robinson CA; Rose NC
Tuberculosis: current implications and management in obstetrics.
Obstet Gynecol Surv 51: 115-24 (1996)
- Robinson WE Jr; Reinecke MG; Abdel-Malek S; Jia Q; Chow SA
Inhibitors of HIV-1 receptor that inhibit HIV integrase.
Proc Natl Acad Sci U S A 93: 6326-31 (1996)
- Rodriguez-Barradas MC; Groover JE; Lacke CE; Gump DW; Ladhart CJ; Pandey JP; Musher DM
IgG antibody to pneumococcal capsular polysaccharide in human immunodeficiency virus-infected subjects: persistence of antibody in responders, revaccination in nonresponders, and relationship of immunoglobulin allotype to response.
J Infect Dis 173: 1347-53 (1996)
- Romano MF; Lamberti A; Petrella A; Bisogni R; Tassone PF; Formisano S; Venuta S; Turco MC
IL-10 inhibits nuclear factor-kappa B/Rel nuclear activity in CD3-stimulated human peripheral T lymphocytes.
J Immunol 156: 2119-23 (1996)
- Rose RE; Gong YF; Greytok JA; Bechtold CM; Terry BJ; Robinson BS; Alam M; Colonna RJ; Lin PF
Human immunodeficiency virus type 1 viral background plays a major role in development of resistance to protease inhibitors.
Proc Natl Acad Sci U S A 93: 1648-53 (1996)
- Rosenzweig M; Marks DF; Zhu H; Hempel D; Mansfield KG; Sehgal PK; Kalams S; Scadden DT; Johnson RP
In vitro T lymphopoiesis of human and rhesus CD34+ progenitor cells.
Blood 87: 4040-8 (1996)
- Rossi F; Gallina A; Milanesi G
Nef-CD4 physical interaction sensed with the yeast two-hybrid system.
Virology 217: 397-403 (1996)
- Rounseville MP; Lin HC; Agbottah E; Shukla RR; Rabson AB; Kumar A
Inhibition of HIV-1 replication in viral mutants with altered TAR RNA stem structures.
Virology 216: 411-7 (1996)
- Rozera C; Carattoli A; De Marco A; Amici C; Giorgi C; Santoro MG
Inhibition of HIV-1 replication by cyclopentenone prostaglandins in acutely infected human cells. Evidence for a transcriptional block.
J Clin Invest 97: 1795-803 (1996)
- Ruprecht RM; Baba TW; Liska V
Attenuated HIV vaccine: caveats [letter]
Science 271: 1790-2 (1996)
- Ruprecht RM; Baba TW; Liska V
Attenuated HIV vaccine: caveats [letter]
Science 271: 1790-2 (1996)
- Said W; Chien K; Takeuchi S; Tasaka T; Asou H; Cho SK; de Vos S; Cesarman E; Knowles DM; Koeffler HP
Kaposi's sarcoma-associated herpesvirus (KSHV or HHV8) in primary effusion lymphoma: ultrastructural demonstration of herpesvirus in lymphoma cells.
Blood 87: 4937-43 (1996)
- Samson M; Libert F; Doranz BJ; Rucker J; Liesnard C; Farber CM; Saragosti S; Lapoumeroulle C; Cognaux J; Forceille C; Muyldermans G; Verhofstede C; Burtonboy G; Georges M; Imai T; Rana S; Yi Y; Smyth RJ; Collman RG; Doms RW; Vassart G; Parmentier M
Resistance to HIV-1 infection in caucasian individuals bearing mutant alleles of the CCR-5 chemokine receptor gene [see comments]
Nature 382: 722-5 (1996)

References (1996)

- Sandstrom PA; Folks TM
New strategies for treating AIDS.
Bioessays 18: 343-6 (1996)
- Sandstrom PA; Pardi D; Goldsmith CS; Chengying D; Diamond AM; Folks TM
bc1-2 expression facilitates human immunodeficiency virus type-1 mediated cytopathic effects during acute spreading infections.
J Virol 70: 4617-22 (1996)
- Santamaria-Fries M; Fajardo LF; Sogin ML; Olson PD; Relman DA
Lethal infection by a previously unrecognised metazoan parasite.
Lancet 347: 1797-801 (1996)
- Sasseville VG; Du Z; Chalifoux LV; Pauley DR; Young HL; Sehgal PK; Desrosiers RC; Lackner AA
Induction of lymphocyte proliferation and severe gastrointestinal disease in macaques by a nef gene variant SIV-mac239.
Am J Pathol 149: 163-76 (1996)
- Sastry KJ; Marin MC; Nehete PN; McConnell K; el-Naggar AK; McDonnell TJ
Expression of human immunodeficiency virus type I tat results in down-regulation of bcl-2 and induction of apoptosis in hematopoietic cells.
Oncogene 13: 487-93 (1996)
- Sato A; Yoshimoto J; Isaka Y; Miki S; Suyama A; Adachi A; Hayami M; Fujiwara T; Yoshie O
Evidence for direct association of Vpr and matrix protein p17 within the HIV-1 virion.
Virology 220: 208-12 (1996)
- Sauter MM; Pelchen-Matthews A; Bron R; Marsh M; LaBranche CC; Vance PJ; Romano J; Haggarty BS; Hart TK; Lee WM; Hoxie JA
An internalization signal in the simian immunodeficiency virus transmembrane protein cytoplasmic domain modulates expression of envelope glycoproteins on the cell surface.
J Cell Biol 132: 795-811 (1996)
- Saxena SK; Gravell M; Wu YN; Mikulski SM; Shogen K; Ardel W; Youle RJ
Inhibition of HIV-1 production and selective degradation of viral RNA by an amphibian ribonuclease.
J Biol Chem 271: 20783-8 (1996)
- Saxena SK; Gravell M; Wu YN; Mikulski SM; Shogen K; Ardel W; Youle RJ
Inhibition of HIV-1 production and selective degradation of viral RNA by an amphibian ribonuclease.
J Biol Chem 271: 20783-8 (1996)
- Sayre KR; Dodd RY; Tegtmeier G; Layug L; Alexander SS; Busch MP
False-positive human immunodeficiency virus type 1 western blot tests in noninfected blood donors.
Transfusion 36: 45-52 (1996)
- Schaeffer F; Rimsky S; Spassky A
DNA-stacking interactions determine the sequence specificity of the deoxyribonuclease activity of 1,10-phenanthroline-copper ion.
J Mol Biol 260: 523-39 (1996)
- Schapiro JM; Winters MA; Stewart F; Efron B; Norris J; Kozal MJ; Merigan TC
The effect of high-dose saquinavir on viral load and CD4+ T-cell counts in HIV-infected patients [see comments]
Ann Intern Med 124: 1039-50 (1996)
- Schmalzbauer E; Strack B; Dannull J; Guehmann S; Moelling K
Mutations of basic amino acids of NCp7 of human immunodeficiency virus type 1 affect RNA binding in vitro.
J Virol 70: 771-7 (1996)
- Schmidt Mayerova H; Nottet HS; Nuovo G; Raabe T; Flanagan CR; Dubrovsky L; Gendelman HE; Cerami A; Bukrinsky M; Sherry B
Human immunodeficiency virus type 1 infection alters chemokine beta peptide expression in human monocytes: implications for recruitment of leukocytes into brain and lymph nodes.
Proc Natl Acad Sci U S A 93: 700-4 (1996)
- Schmoeckel C
[Kaposi sarcoma in Caucasian women. Clinical, chemical laboratory and endocrinologic examination of 8 women with HIV associated or classical Kaposi sarcoma (letter)]
Hautarzt 47: 394 (1996)
- Schonning K; Jansson B; Olofsson S; Hansen JE
Rapid selection for an N-linked oligosaccharide by monoclonal antibodies directed against the V3 loop of human immunodeficiency virus type 1.
J Gen Virol 77 (Pt 4): 753-8 (1996)
- Schonning K; Jansson B; Olofsson S; Nielsen JO; Hansen JS
Resistance to V3-directed neutralization caused by an N-linked oligosaccharide depends on the quaternary structure of the HIV-1 envelope oligomer.
Virology 218: 134-40 (1996)
- Schooley RT; Campbell TB; Kuritzkes DR; Blaschke T; Stein DS; Rosandich ME; Phair J; Pottage JC; Messari F; Collier A; Kahn J
Phase 1 study of combination therapy with L-697,661 and zidovudine. The ACTG 184 Protocol Team.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 363-70 (1996)

References (1996)

- Schooley RT; Ramirez-Ronda C; Lange JM; Cooper DA; Lavelle J; Lefkowitz L; Moore M; Larder BA; St. Clair M; Mulder JW; McKinnis R; Pennington KN; Harrigan PR; Kinghorn I; Steel H; Rooney JF
Virologic and immunologic benefits of initial combination therapy with zidovudine and zalcitabine or didanosine compared with zidovudine monotherapy. Wellcome Resistance Study Collaborative Group.
J Infect Dis 173: 1354-66 (1996)
- Schubert U; Bour S; Ferrer-Montiel AV; Montal M; Maldarell F; Strebel K
The two biological activities of human immunodeficiency virus type 1 Vpu protein involve two separable structural domains.
J Virol 70: 809-19 (1996)
- Schwartz O; Marechal V; Le Gall S; Lemonnier F; Heard JM
Endocytosis of major histocompatibility complex class I molecules is induced by the HIV-1 Nef protein.
Nat Med 2: 338-42 (1996)
- Schwille P; Oehlenschlager F; Walter NG
Quantitative hybridization kinetics of DNA probes to RNA in solution followed by diffusional fluorescence correlation analysis.
Biochemistry 35: 10182-93 (1996)
- Segall H; Lubin I; Marcus H; Canaan A; Reisner Y
Generation of primary antigen-specific human cytotoxic T lymphocytes in human/mouse radiation chimera.
Blood 88: 721-30 (1996)
- Sehgal S; Pasricha N; Jamil S
Serotype analysis of Indian patients with HIV infection.
Trop Med Int Health 1: 199-204 (1996)
- Sei S; Akiyoshi H; Bernard J; Venzon DJ; Fox CH; Schwartzentruber DJ; Anderson BD; Kopp JB; Mueller BU; Pizzo PA
Dynamics of virus versus host interaction in children with human immunodeficiency virus type 1 infection.
J Infect Dis 173: 1485-90 (1996)
- SenGupta DJ; Zhang B; Kraemer B; Pochart P; Fields S; Wickens M
A three-hybrid system to detect RNA-protein interactions in vivo.
Proc Natl Acad Sci U S A 93: 8496-501 (1996)
- Setterquist RA; Smith GK
Ready to use agarose encapsulated PCR reagents.
Nucleic Acids Res 24: 1580-1 (1996)
- Shafer RW; Edlin BR
Tuberculosis in patients infected with human immunodeficiency virus: perspective on the past decade.
Clin Infect Dis 22: 683-704 (1996)
- Shafer RW; Edlin BR
Tuberculosis in patients infected with human immunodeficiency virus: perspective on the past decade.
Clin Infect Dis 22: 683-704 (1996)
- Shafer RW; Winters MA; Jellinger RM; Merigan TC
Zidovudine resistance reverse transcriptase mutations during didanosine monotherapy [letter]
J Infect Dis 174: 448-9 (1996)
- Shah K; Davis C; Wilson J; Parekh B
Chimeric synthetic peptides as antigens for detection of antibodies to HIV-1 and HIV-2.
East Afr Med J 73: 63-6 (1996)
- Shah K; Neenhold H; Wang Z; Rana TM
Incorporation of an artificial protease and nuclease at the HIV-1 Tat binding site of trans-activation responsive RNA.
Bioconjug Chem 7: 283-9 (1996)
- Shah K; Neenhold H; Wang Z; Rana TM
Incorporation of an artificial protease and nuclease at the HIV-1 Tat binding site of trans-activation responsive RNA.
Bioconjug Chem 7: 283-9 (1996)
- Shah SM; Shapshak P; Rivers JE; Stewart RV; Weatherby NL; Xin KQ; Page JB; Chitwood DD; Mash DC; Vlahov D; McCoy CB
Detection of HIV-1 DNA in needle/syringes, paraphernalia, and washes from shooting galleries in Miami: a preliminary laboratory report.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 301-6 (1996)
- Shaheen F; Duan L; Zhu M; Bagasra O; Pomerantz RJ
Targeting human immunodeficiency virus type 1 reverse transcriptase by intracellular expression of single-chain variable fragments to inhibit early stages of the viral life cycle.
J Virol 70: 3392-400 (1996)
- Sham HL; Zhao C; Marsh KC; Betebenner DA; Lin S; Rosenbrook W Jr; Herrin T; Li L; Madigan D; Vasavanonda S; Molla A; Saldivar A; McDonald E; Wideburg NE; Kempf D; Norbeck DW; Plattner JJ
Novel azacyclic ureas that are potent inhibitors of HIV-1 protease.
Biochem Biophys Res Commun 225: 436-40 (1996)

References (1996)

- Sham HL; Zhao C; Marsh KC; Betebenner DA; Lin S; Rosenbrook W Jr; Herrin T; Li L; Madigan D; Vasavanonda S; Molla A; Saldivar A; McDonald E; Wideburg NE; Kempf D; Norbeck DW; Plattner JJ
Novel azacyclic ureas that are potent inhibitors of HIV-1 protease.
Biochem Biophys Res Commun 225: 436-40 (1996)
- Sham HL; Zhao C; Stewart KD; Betebenner DA; Lin S; Park CH; Kong XP; Rosenbrook W Jr; Herrin T; Madigan D; Vasavanonda S; Lyons N; Molla A; Saldivar A; Marsh KC; McDonald E; Wideburg NE; Denissen JF; Robins T; Kempf DJ; Plattner JJ; Norbeck DW
A novel, picomolar inhibitor of human immunodeficiency virus type 1 protease.
J Med Chem 39: 392-7 (1996)
- Sharer LR; Saito Y; Da Cunha A; Ung PC; Gelbard HA; Epstein LG; Blumberg BM
In situ amplification and detection of HIV-1 DNA in fixed pediatric AIDS brain tissue.
Hum Pathol 27: 614-7 (1996)
- Sharma V; Xu M; Ritter LM; Wilkie NM
HIV-1 tat induces the expression of a new hematopoietic cell-specific transcription factor and downregulates MIP-1 alpha gene expression in activated T-cells.
Biochem Biophys Res Commun 223: 526-33 (1996)
- Sheehy N; Desselberger U; Whitwell H; Ball JK
Concurrent evolution of regions of the envelope and polymerase genes of human immunodeficiency virus type 1 during zidovudine (AZT) therapy.
J Gen Virol 77 (Pt 5): 1071-81 (1996)
- Sherman KE; Andreatta C; O'Brien J; Gutierrez A; Harris R
Hepatitis C in human immunodeficiency virus-coinfected patients: increased variability in the hypervariable envelope coding domain.
Hepatology 23: 688-94 (1996)
- Shi XP; Yin KC; Zimolo ZA; Stern AM; Waxman L
The subcellular distribution of eukaryotic translation initiation factor, eIF-5A, in cultured cells.
Exp Cell Res 225: 348-56 (1996)
- Shibata R; Seimon C; Cho MW; Arthur LO; Nigida SM Jr; Matthews T; Sawyer LA; Schultz A; Murthy KK; Israel Z; Javadian A; Frost P; Kennedy RC; Lane HC; Martin MA
Resistance of previously infected chimpanzees to successive challenges with a heterologous intracelad B strain of human immunodeficiency virus type 1.
J Virol 70: 4361-9 (1996)
- Shirai M; Chen M; Arichi T; Masaki T; Nishioka M; Newman M; Nakazawa T; Feinstone SM; Berzofsky JA
Use of intrinsic and extrinsic helper epitopes for in vivo induction of anti-hepatitis C virus cytotoxic T lymphocytes (CTL) with CTL epitope peptide vaccines.
J Infect Dis 173: 24-31 (1996)
- Shugars DC; Wild CT; Greenwell TK; Matthews TJ
Biophysical characterization of recombinant proteins expressing the leucine zipper-like domain of the human immunodeficiency virus type 1 transmembrane protein gp41.
J Virol 70: 2982-91 (1996)
- Silva AM; Cachau RE; Sham HL; Erickson JW
Inhibition and catalytic mechanism of HIV-1 aspartic protease.
J Mol Biol 255: 321-46 (1996)
- Silvestri R; Artico M; Pagnozzi E; Stefancich G; Massa S; La Colla P; Loi AG; Spiga MG; Corrias S; Lichino D
Synthesis and anti-HIV activity of 10,11-dihydrodipyrrolo[1,2-b][1,2,5]benzothiadiazepine-11-acetic acid 5,5-dioxide derivatives and related compounds.
Farmaco 51: 425-30 (1996)
- Silvestri R; Artico M; Pagnozzi E; Stefancich G; Massa S; La Colla P; Loi AG; Spiga MG; Corrias S; Lichino D
Synthesis and anti-HIV activity of 10,11-dihydrodipyrrolo[1,2-b][1,2,5]benzothiadiazepine-11-acetic acid 5,5-dioxide derivatives and related compounds.
Farmaco 51: 425-30 (1996)
- Simon HU; Yousefi S; Dommann-Scherrer CC; Zimmermann DR; Bauer S; Barandun J; Blaser K
Expansion of cytokine-producing CD4-CD8- T cells associated with abnormal Fas expression and hypereosinophilia [see comments].
J Exp Med 183: 1071-82 (1996)
- Simons FH; Rutjes SA; van Venrooij WJ; Pruijn GJ
The interactions with Ro60 and La differentially affect nuclear export of hY1 RNA.
RNA 2: 264-73 (1996)
- Sirk DA; Ehrlich GD
Genotypic and phenotypic characterization of a neutralization-resistant breakthrough population of HIV-1.
Virology 218: 238-42 (1996)
- Sjolander S; Bolmstedt A; Akerblom L; Horal P; Olofsson S; Morein B; Sjolander A
N-linked glycans in the CD4-binding domain of human immunodeficiency virus type 1 envelope glycoprotein gp160 are essential for the in vivo priming of T cells recognizing an epitope located in their vicinity.
Virology 215: 124-33 (1996)

References (1996)

- Sjolander S; Hansen JE; Lovgren-Bengtsson K; Akerblom L; Mor-ein B
Induction of homologous virus neutralizing antibodies in guinea-pigs immunized with two human immunodeficiency virus type 1 glycoprotein gp120-iscom preparations. A comparison with other adjuvant systems.
Vaccine 14: 344-52 (1996)
- Sjolander S; Hansen JE; Lovgren-Bengtsson K; Akerblom L; Mor-ein B
Induction of homologous virus neutralizing antibodies in guinea-pigs immunized with two human immunodeficiency virus type 1 glycoprotein gp120-iscom preparations. A comparison with other adjuvant systems.
Vaccine 14: 344-52 (1996)
- Skripkin E; Isel C; Marquet R; Ehresmann B; Ehresmann C
Psoralen crosslinking between human immunodeficiency virus type 1 RNA and primer tRNA3(Lys).
Nucleic Acids Res 24: 509-14 (1996)
- Smith BL; Krushelnicky BW; Mochly-Rosen D; Berg P
The HIV nef protein associates with protein kinase C theta.
J Biol Chem 271: 16753-7 (1996)
- Smith KJ; Skelton HG; Hilyard EJ; Hadfield T; Moeller RS; Tuur S; Decker C; Wagner KF; Angritt P
Bacillus piliformis infection (Tyzzer's disease) in a patient infected with HIV-1: confirmation with 16S ribosomal RNA sequence analysis.
J Am Acad Dermatol 34: 343-8 (1996)
- Smithgall MD; Wong JG; Critchett KE; Haffar OK
IL-7 up-regulates HIV-1 replication in naturally infected peripheral blood mononuclear cells.
J Immunol 156: 2324-30 (1996)
- Sohn MJ; Lee ME; Park HS; Nham SU; Lee YI
Overexpression and purification of human immunodeficiency virus type 1 env derived epitopes in Escherichia coli.
J Biotechnol 45: 211-6 (1996)
- Sohn MJ; Lee ME; Park HS; Nham SU; Lee YI
Overexpression and purification of human immunodeficiency virus type 1 env derived epitopes in Escherichia coli.
J Biotechnol 45: 211-6 (1996)
- Soler F; Poujade C; Evers M; Carry JC; Henin Y; Bousseau A; Huet T; Pauwels R; De Clercq E; Mayaux JF; Le Pecq JB; Dereu N
Betulinic acid derivatives: a new class of specific inhibitors of human immunodeficiency virus type 1 entry.
J Med Chem 39: 1069-83 (1996)
- Songok EM; Tupei PM; Mulaa FJ
Serological investigation of HIV-1 variant subtype strains in transmission in Nairobi.
East Afr Med J 73: 88-90 (1996)
- Sonza S; Maerz A; Deacon N; Meanger J; Mills J; Crowe S
Human immunodeficiency virus type 1 replication is blocked prior to reverse transcription and integration in freshly isolated peripheral blood monocytes.
J Virol 70: 3863-9 (1996)
- Spira AI; Marx PA; Patterson BK; Mahoney J; Koup RA; Wolinsky SM; Ho DD
Cellular targets of infection and route of viral dissemination after an intravaginal inoculation of simian immunodeficiency virus into rhesus macaques.
J Exp Med 183: 215-25 (1996)
- Spira AI; Marx PA; Patterson BK; Mahoney J; Koup RA; Wolinsky SM; Ho DD
Cellular targets of infection and route of viral dissemination after an intravaginal inoculation of simian immunodeficiency virus into rhesus macaques.
J Exp Med 183: 215-25 (1996)
- St. Clair MH; Millard J; Rooney J; Tisdale M; Parry N; Sadler BM; Blum MR; Painter G
In vitro antiviral activity of 141W94 (VX-478) in combination with other antiretroviral agents.
Antiviral Res 29: 53-6 (1996)
- St. Clair MH; Millard J; Rooney J; Tisdale M; Parry N; Sadler BM; Blum MR; Painter G
In vitro antiviral activity of 141W94 (VX-478) in combination with other antiretroviral agents.
Antiviral Res 29: 53-6 (1996)
- Staats HF; Nichols WG; Parker TJ
Mucosal immunity to HIV-1: systemic and vaginal antibody responses after intranasal immunization with the HIV-1 C4/V3 peptide T1SP10 MN(A).
J Immunol 157: 462-72 (1996)
- Stanfield-Oakley SA; Griffith JD
Nucleosomal arrangement of HIV-1 DNA: maps generated from an integrated genome and an EBV-based episomal model.
J Mol Biol 256: 503-16 (1996)
- Stark JH; Smit JA; Lyons SF; Nel M; Burke J; Mokoena T
Interprimate stem cell transplantation.
Transplant Proc 28: 845-6 (1996)

References (1996)

Staszewski S; Loveday C; Picazo JJ; Dellarnonica P; Skinhoj P; Johnson MA; Danner SA; Harrigan PR; Hill AM; Verity L; McDade H
Safety and efficacy of lamivudine-zidovudine combination therapy in zidovudine-experienced patients. A randomized controlled comparison with zidovudine monotherapy.
Lamivudine European HIV Working Group.
JAMA 276: 111-7 (1996)

Staszewski S; Miller V; Rehmet S; Stark T; De Cree J; De Brabander M; Peeters M; Andries K; Moeremans M; De Raeymaeker M; Pearce G; Van den Broeck R; Verbiest W; Stoffels P
Virological and immunological analysis of a triple combination pilot study with loviride, lamivudine and zidovudine in HIV-1-infected patients.
AIDS 10: F1-7 (1996)

Staszewski S; Miller V; Rehmet S; Stark T; De Cree J; De Brabander M; Peeters M; Andries K; Moeremans M; De Raeymaeker M; Pearce G; Van den Broeck R; Verbiest W; Stoffels P
Virological and immunological analysis of a triple combination pilot study with loviride, lamivudine and zidovudine in HIV-1-infected patients.
AIDS 10: F1-7 (1996)

Stephenson J
New anti-HIV drugs and treatment strategies buoy AIDS researchers [news]
JAMA 275: 579-80 (1996)

Stevens SW; Griffith JD
Sequence analysis of the human DNA flanking sites of human immunodeficiency virus type 1 integration.
J Virol 70: 6459-62 (1996)

Stoeckle MY; Douglas RG Jr
Infectious diseases.
JAMA 275: 1816-7 (1996)

Strack PR; Frey MW; Rizzo CJ; Cordova B; George HJ; Meade R; Ho SP; Corman J; Tritch R; Korant BD
Apoptosis mediated by HIV protease is preceded by cleavage of Bcl-2.
Proc Natl Acad Sci U S A 93: 9571-6 (1996)

Strack PR; Frey MW; Rizzo CJ; Cordova B; George HJ; Meade R; Ho SP; Corman J; Tritch R; Korant BD
Apoptosis mediated by HIV protease is preceded by cleavage of Bcl-2.
Proc Natl Acad Sci U S A 93: 9571-6 (1996)

Strathdee SA; Hogg RS; O'Shaughnessy MV; Montaner JS; Schechter MT
A decade of research on the natural history of HIV infection: Part 2. Cofactors.
Clin Invest Med 19: 121-30 (1996)

Sullivan DJ; Henman MC; Moran GP; O'Neill LC; Bennett DE; Shanley DB; Coleman DC
Molecular genetic approaches to identification, epidemiology and taxonomy of non-albicans Candida species.
J Med Microbiol 44: 399-408 (1996)

Susal C; Kirschfink M; Kropelin M; Daniel V; Opelz G
Identification of complement activation sites in human immunodeficiency virus type-1 glycoprotein gp120.
Blood 87: 2329-36 (1996)

Suthent R; Foongladda S; Likanonskul S; Tunsupasawas-deekul S; Roongpisuthipong A; Chearskul S; Raktham S; Louisirirochanakul S; Wasi C
Detection of HIV-1 proviral DNA by polymerase chain reaction: a preliminary study in Bangkok.
J Med Assoc Thai 79: 142-8 (1996)

Suzue K; Young RA
Adjuvant-free hsp70 fusion protein system elicits humoral and cellular immune responses to HIV-1 p24.
J Immunol 156: 873-9 (1996)

Swindells S; Baldwin T; Kelly C; Baca-Regen L; Loomis L; Post D; Brichacek B; Stevenson M; Dominguez EA; Reddy R; Klein R; Liao MJ; Testa D; McDonald T; Bellanti J; Skurkovich S; Gendelman HE
Regulation and characterization of the interferon-alpha present in patients with advanced human immunodeficiency virus type 1 disease.
J Interferon Cytokine Res 16: 127-37 (1996)

Swindells S; Baldwin T; Kelly C; Baca-Regen L; Loomis L; Post D; Brichacek B; Stevenson M; Dominguez EA; Reddy R; Klein R; Liao MJ; Testa D; McDonald T; Bellanti J; Skurkovich S; Gendelman HE
Regulation and characterization of the interferon-alpha present in patients with advanced human immunodeficiency virus type 1 disease.
J Interferon Cytokine Res 16: 127-37 (1996)

Symmensma TL; Giver L; Zapp M; Takle GB; Ellington AD
RNA aptamers selected to bind human immunodeficiency virus type 1 Rev in vitro are Rev responsive in vivo.
J Virol 70: 179-87 (1996)

Szeltner Z; Polgar L
Conformational stability and catalytic activity of HIV-1 protease are both enhanced at high salt concentration.
J Biol Chem 271: 5458-63 (1996)

Tabernero C; Zolotukhin AS; Valentin A; Pavlakis GN; Felber BK
The posttranscriptional control element of the simian retrovirus type 1 forms an extensive RNA secondary structure necessary for its function.
J Virol 70: 5998-6011 (1996)

References (1996)

- Takahashi H; Nakagawa Y; Leggatt GR; Ishida Y; Saito T; Yokomuro K; Berzofsky JA
Inactivation of human immunodeficiency virus (HIV)-1 envelope-specific CD8+ cytotoxic T lymphocytes by free antigenic peptide: a self-veto mechanism?
J Exp Med 183: 879-89 (1996)
- Takahashi K; Wesselingh SL; Griffin DE; McArthur JC; Johnson RT; Glass JD
Localization of HIV-1 in human brain using polymerase chain reaction/in situ hybridization and immunocytochemistry.
Ann Neurol 39: 705-11 (1996)
- Takatsuki K; Obaru K; Yoshimura K; Matsushita S
[Gene therapy for AIDS: current trends]
Nippon Rinsho 54: 233-41 (1996)
- Tamamura H; Otaka A; Murakami T; Ishihara T; Ibuka T; Waki M; Matsumoto A; Yamamoto N; Fujii N
Interaction of an anti-HIV peptide, T22, with gp120 and CD4.
Biochem Biophys Res Commun 219: 555-9 (1996)
- Tamma SL; Sundaram SK; Lev M; Coico RF
Inhibition of sphingolipid synthesis down-modulates CD4 expression by peripheral blood T lymphocytes and T lymphoma cells.
Biochem Biophys Res Commun 220: 916-21 (1996)
- Tange TO; Jensen TH; Kjems J
In vitro interaction between human immunodeficiency virus type 1 Rev protein and splicing factor ASF/SF2-associated protein, p32.
J Biol Chem 271: 10066-72 (1996)
- Tao J; Frankel AD
Arginine-binding RNAs resembling TAR identified by in vitro selection.
Biochemistry 35: 2229-38 (1996)
- Taveira NC; Ferreira MO; Pereira JM
Amplification of full-length HIV-2 envelope genes.
Mol Cell Probes 10: 91-8 (1996)
- Thaisrivongs S; Janakiraman MN; Chong KT; Tomich PK; Dolak LA; Turner SR; Strohbach JW; Lynn JC; Horng MM; Hinsaw RR; Waterpauw KD
Structure-based design of novel HIV protease inhibitors: sulfonamide-containing 4-hydroxycoumarins and 4-hydroxy-2-pyrone as potent non-peptidic inhibitors.
J Med Chem 39: 2400-10 (1996)
- Thiel G; Petersohn D; Schoch S
pHIV-TATA-CAT, a versatile vector to study transcriptional regulatory elements in mammalian cells.
Gene 168: 173-6 (1996)
- Thiesen HJ
From repression domains to designer zinc finger proteins: a novel strategy of intracellular immunization against HIV.
Gene Expr 5: 229-43 (1996)
- Thiesen HJ
From repression domains to designer zinc finger proteins: a novel strategy of intracellular immunization against HIV.
Gene Expr 5: 229-43 (1996)
- Thompson J; Pope T; Tung JS; Chan C; Hollis G; Mark G; Johnson KS
Affinity maturation of a high-affinity human monoclonal antibody against the third hypervariable loop of human immunodeficiency virus: use of phage display to improve affinity and broaden strain reactivity.
J Mol Biol 256: 77-88 (1996)
- Thornton AM; Buller RM; DeVico AL; Wang IM; Ozato K
Inhibition of human immunodeficiency virus type 1 and vaccinia virus infection by a dominant negative factor of the interferon regulatory factor family expressed in monocytic cells.
Proc Natl Acad Sci U S A 93: 383-7 (1996)
- Thrall SH; Reinstein J; Wohrl BM; Goody RS
Evaluation of human immunodeficiency virus type 1 reverse transcriptase primer tRNA binding by fluorescence spectroscopy: specificity and comparison to primer/template binding.
Biochemistry 35: 4609-18 (1996)
- Toggas SM; Mucke L
Transgenic models in the study of AIDS dementia complex.
Curr Top Microbiol Immunol 206: 223-41 (1996)
- Torres BA; Tanabe T; Johnson HM
Characterization of Nef-induced CD4 T cell proliferation.
Biochem Biophys Res Commun 225: 54-61 (1996)
- Torres BA; Tanabe T; Yamamoto JK; Johnson HM
HIV encodes for its own CD4 T-cell superantigen mitogen.
Biochem Biophys Res Commun 225: 672-8 (1996)
- Torres BA; Tanabe T; Yamamoto JK; Johnson HM
HIV encodes for its own CD4 T-cell superantigen mitogen.
Biochem Biophys Res Commun 225: 672-8 (1996)
- Tozser J; Bagossi P; Weber IT; Copeland TD; Oroszlan S
Comparative studies on the substrate specificity of avian myeloblastosis virus proteinase and lentiviral proteinases.
J Biol Chem 271: 6781-8 (1996)

References (1996)

- Trkola A; Purtscher M; Muster T; Ballaun C; Buchacher A; Sullivan N; Srinivasan K; Sodroski J; Moore JP; Katinger H
Human monoclonal antibody 2G12 defines a distinctive neutralization epitope on the gp120 glycoprotein of human immunodeficiency virus type 1.
J Virol 70: 1100-8 (1996)
- Trujillo JR; Wang WK; Lee TH; Essex M
Identification of the envelope V3 loop as a determinant of a CD4-negative neuronal cell tropism for HIV-1.
Virology 217: 613-7 (1996)
- Tsang SX; Morris GF; Lu M; Morris CB
TATA-dependent repression of human immunodeficiency virus type-1 transcription by the adenovirus E1A 243R oncoprotein.
Oncogene 12: 819-26 (1996)
- Tsolaki AG; Miller RF; Underwood AP; Banerji S; Wakefield AE
Genetic diversity at the internal transcribed spacer regions of the rRNA operon among isolates of *Pneumocystis carinii* from AIDS patients with recurrent pneumonia.
J Infect Dis 174: 141-56 (1996)
- Tsotinis A; Calogeropoulou T; Koufaki M; Souli C; Balzarini J; De Clercq E; Makriyannis A
Synthesis and antiretroviral evaluation of new alkoxy and aryloxy phosphate derivatives of 3'-azido-3'-deoxythymidine.
J Med Chem 39: 3418-22 (1996)
- Tsuchiya H; Iseda T; Hino O
Identification of a novel protein (VBP-1) binding to the von Hippel-Lindau (VHL) tumor suppressor gene product.
Cancer Res 56: 2881-5 (1996)
- Tumminia SJ; Jonak GJ; Focht RJ; Cheng YS; Russell P
Cataractogenesis in transgenic mice containing the HIV-1 protease linked to the lens alpha A-crystallin promoter.
J Biol Chem 271: 425-31 (1996)
- Tummino PJ; Scholten JD; Harvey PJ; Holler TP; Maloney L; Gagliotti R; Domagala J; Hupe D
The in vitro ejection of zinc from human immunodeficiency virus (HIV) type 1 nucleocapsid protein by disulfide benzamides with cellular anti-HIV activity.
Proc Natl Acad Sci U S A 93: 969-73 (1996)
- Tung FY; Tung MH
Characterization of antisense RNA-mediated inhibition of SIV replication.
J Med Virol 48: 321-5 (1996)
- Tung FY; Tung MH
Characterization of antisense RNA-mediated inhibition of SIV replication.
J Med Virol 48: 321-5 (1996)
- Turpin JA; Terpening SJ; Schaeffer CA; Yu G; Glover CJ; Felsted RL; Sausville EA; Rice WG
Inhibitors of human immunodeficiency virus type 1 zinc fingers prevent normal processing of gag precursors and result in the release of noninfectious virus particles.
J Virol 70: 6180-9 (1996)
- Tyagi S; Landegren U; Tazi M; Lizardi PM; Kramer FR
Extremely sensitive, background-free gene detection using binary probes and beta replicase.
Proc Natl Acad Sci U S A 93: 5395-400 (1996)
- Uchiumi F; Maruta H; Inoue J; Yamamoto T; Tanuma S
Inhibitory effect of tannic acid on human immunodeficiency virus promoter activity induced by 12-O-tetra decanoylphorbol-13-acetate in Jurkat T-cells.
Biochem Biophys Res Commun 220: 411-7 (1996)
- Ueland PM; Mansoor MA; Guttormsen AB; Muller F; Aukrust P; Refsum H; Svardal AM
Reduced, oxidized and protein-bound forms of homocysteine and other aminothiols in plasma comprise the redox thiol status—a possible element of the extracellular antioxidant defense system.
J Nutr 126: 1281S-4S (1996)
- Uhlikova T; Konvalinka J; Pichova I; Soucek M; Krausslich HG; Vondrasek J
A modular approach to HIV-1 proteinase inhibitor design.
Biochem Biophys Res Commun 222: 38-43 (1996)
- Ulich C; Harrich D; Estes P; Gaynor RB
Inhibition of human immunodeficiency virus type 1 replication is enhanced by a combination of transdominant Tat and Rev proteins.
J Virol 70: 4871-6 (1996)
- Urban J; Qabar M; Sia C; Klein M; Kahn M
Sculpted immunogens; B-cell epitope optimization using constrained secondary structure libraries.
Bioorg Med Chem 4: 673-6 (1996)
- Urban J; Qabar M; Sia C; Klein M; Kahn M
Sculpted immunogens; B-cell epitope optimization using constrained secondary structure libraries.
Bioorg Med Chem 4: 673-6 (1996)
- Urnovitz HB; Murphy WH
Human endogenous retroviruses: nature, occurrence, and clinical implications in human disease.
Clin Microbiol Rev 9: 72-99 (1996)

References (1996)

- Vago L; Cinque P; Sala E; Nebuloni M; Caldarelli R; Racca S; Ferrante P; Trabottoni G; Costanzi G
JCV-DNA and BKV-DNA in the CNS tissue and CSF of AIDS patients and normal subjects. Study of 41 cases and review of the literature.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 139-46 (1996)
- Valerie K; Lester WS; Cheng L; Kirkham JC; Reavey P; Kuemmere NB
Signal transduction and HIV transcriptional activation after exposure to ultraviolet light and other DNA-damaging agents.
Photochem Photobiol 64: 280-5 (1996)
- Valerie K; Lester WS; Cheng L; Kirkham JC; Reavey P; Kuemmere NB
Signal transduction and HIV transcriptional activation after exposure to ultraviolet light and other DNA-damaging agents.
Photochem Photobiol 64: 280-5 (1996)
- Valvatne H; Szilvay AM; Helland DE
A monoclonal antibody defines a novel HIV type 1 Tat domain involved in trans-cellular trans-activation.
AIDS Res Hum Retroviruses 12: 611-9 (1996)
- Valvatne H; Szilvay AM; Helland DE
A monoclonal antibody defines a novel HIV type 1 Tat domain involved in trans-cellular trans-activation.
AIDS Res Hum Retroviruses 12: 611-9 (1996)
- Van Lint C; Emiliani S; Ott M; Verdin E
Transcriptional activation and chromatin remodeling of the HIV-1 promoter in response to histone acetylation.
EMBO J 15: 1112-20 (1996)
- Van Lint C; Emiliani S; Verdin E
The expression of a small fraction of cellular genes is changed in response to histone hyperacetylation.
Gene Expr 5: 245-53 (1996)
- Van Lint C; Emiliani S; Verdin E
The expression of a small fraction of cellular genes is changed in response to histone hyperacetylation.
Gene Expr 5: 245-53 (1996)
- Vandamme AM; Liu HF; Van Brussel M; De Meurichy W; Desmyter J; Goubau P
The presence of a divergent T-lymphotropic virus in a wild-caught pygmy chimpanzee (*Pan paniscus*) supports an African origin for the human T-lymphotropic/simian T-lymphotropic group of viruses.
J Gen Virol 77 (Pt 5): 1089-99 (1996)
- Vanden Haesevelde MM; Peeters M; Jannes G; Janssens W; van der Groen G; Sharp PM; Saman E
Sequence analysis of a highly divergent HIV-1-related lentivirus isolated from a wild captured chimpanzee.
Virology 221: 346-50 (1996)
- Vanden Haesevelde MM; Peeters M; Jannes G; Janssens W; van der Groen G; Sharp PM; Saman E
Sequence analysis of a highly divergent HIV-1-related lentivirus isolated from a wild captured chimpanzee.
Virology 221: 346-50 (1996)
- Vella S; Galluzzo C; Giannini G; Pirillo MF; Duncan I; Jacobsen H; Andreoni M; Sarmati L; Ercoli L
Saquinavir/zidovudine combination in patients with advanced HIV infection and no prior antiretroviral therapy: CD4+ lymphocyte/plasma RNA changes, and emergence of HIV strains with reduced phenotypic sensitivity.
Antiviral Res 29: 91-3 (1996)
- Vella S; Galluzzo C; Giannini G; Pirillo MF; Duncan I; Jacobsen H; Andreoni M; Sarmati L; Ercoli L
Saquinavir/zidovudine combination in patients with advanced HIV infection and no prior antiretroviral therapy: CD4+ lymphocyte/plasma RNA changes, and emergence of HIV strains with reduced phenotypic sensitivity.
Antiviral Res 29: 91-3 (1996)
- Verkhivker GM; Rejto PA
A mean field model of ligand-protein interactions: implications for the structural assessment of human immunodeficiency virus type 1 protease complexes and receptor-specific binding.
Proc Natl Acad Sci U S A 93: 60-4 (1996)
- Vessey SJ; Bell JI; Jakobsen BK
A functionally significant allelic polymorphism in a T cell receptor V beta gene segment.
Eur J Immunol 26: 1660-3 (1996)
- Viswanadhan VN; Reddy MR; Wlodawer A; Varney MD; Weinstein JN
An approach to rapid estimation of relative binding affinities of enzyme inhibitors: application to peptidomimetic inhibitors of the human immunodeficiency virus type 1 protease.
J Med Chem 39: 705-12 (1996)

References (1996)

- Voelker R
Gene therapy for HIV [news]
JAMA 275: 1533 (1996)
- Voevodin A; Crandall KA; Seth P; al Mufti S
HIV type 1 subtypes B and C from new regions of India and Indian and Ethiopian expatriates in Kuwait.
AIDS Res Hum Retroviruses 12: 641-3 (1996)
- Voevodin A; Crandall KA; Seth P; al Mufti S
HIV type 1 subtypes B and C from new regions of India and Indian and Ethiopian expatriates in Kuwait.
AIDS Res Hum Retroviruses 12: 641-3 (1996)
- Volberding PA
HIV quantification: clinical applications.
Lancet 347: 71-3 (1996)
- Vollenweider F; Benjannet S; Decroly E; Savaria D; Lazure C; Thomas G; Chretien M; Seidah NG
Comparative cellular processing of the human immunodeficiency virus (HIV-1) envelope glycoprotein gp160 by the mammalian subtilisin/kexin-like convertases.
Biochem J 314 (Pt 2): 521-32 (1996)
- Volsky DJ; Simm M; Shahabuddin M; Li G; Chao W; Potash MJ
Interference to human immunodeficiency virus type 1 infection in the absence of downmodulation of the principal virus receptor, CD4.
J Virol 70: 3823-33 (1996)
- Volter C; He Y; Delius H; Roy-Burman A; Greenspan JS; Greenspan D; de Villiers EM
Novel HPV types present in oral papillomatous lesions from patients with HIV infection.
Int J Cancer 66: 453-6 (1996)
- Vranken WF; Budesinsky M; Martins JC; Fant F; Boulez K; Gras-Masse H; Borremans FA
Conformational features of a synthetic cyclic peptide corresponding to the complete V3 loop of the RF HIV-1 strain in water and water/trifluoroethanol solutions.
Eur J Biochem 236: 100-8 (1996)
- Vu HM; de Lorimier R; Moody MA; Haynes BF; Spicer LD
Conformational preferences of a chimeric peptide HIV-1 immunogen from the C4-V3 domains of gp120 envelope protein of HIV-1 CAN0A based on solution NMR: comparison to a related immunogenic peptide from HIV-1 RF.
Biochemistry 35: 5158-65 (1996)
- Vzorov AN; Compans RW
Assembly and release of SIV env proteins with full-length or truncated cytoplasmic domains.
Virology 221: 22-33 (1996)
- Wada N; Ohara N; Kameoka M; Nishino Y; Matsumoto S; Nishiyama T; Naito M; Yukitake H; Okada Y; Ikuta K; Yamada T
Long-lasting immune response induced by recombinant bacillus Calmette-Guerin (BCG) secretion system.
Scand J Immunol 43: 202-9 (1996)
- Wagener S; Norley S; zur Megede J; Kurth R; Cichutek K
Induction of antibodies against SIV antigens after intramuscular nucleic acid inoculation using complex expression constructs.
J Biotechnol 44: 59-65 (1996)
- Wagener S; Norley S; zur Megede J; Kurth R; Cichutek K
Induction of antibodies against SIV antigens after intramuscular nucleic acid inoculation using complex expression constructs.
J Biotechnol 44: 59-65 (1996)
- Wagner R; Deml L; Schirmbeck R; Niedrig M; Reimann J; Wolf H
Construction, expression, and immunogenicity of chimeric HIV-1 virus-like particles.
Virology 220: 128-40 (1996)
- Wain-Hobson S
Running the gamut of retroviral variation.
Trends Microbiol 4: 135-41 (1996)
- Wain-Hobson S
Running the gamut of retroviral variation.
Trends Microbiol 4: 135-41 (1996)
- Wain-Hobson S
Running the gamut of retroviral variation.
Trends Microbiol 4: 135-41 (1996)
- Wainberg MA; Drosopoulos WC; Salomon H; Hsu M; Borkow G; Parniak M; Gu Z; Song Q; Manne J; Islam S; Castriota G; Prasad VR
Enhanced fidelity of 3TC-selected mutant HIV-1 reverse transcriptase.
Science 271: 1282-5 (1996)
- Wakefield JK; Kang SM; Morrow CD
Construction of a type 1 human immunodeficiency virus that maintains a primer binding site complementary to tRNA(His).
J Virol 70: 966-75 (1996)
- Wakefield JK; Morrow CD
Mutations within the primer binding site of the human immunodeficiency virus type 1 define sequence requirements essential for reverse transcription.
Virology 220: 290-8 (1996)

References (1996)

- Wakrim L; Le Grand R; Vaslin B; Cheret A; Matheux F; Theodoro F; Roques P; Nicol-Jourdain I; Dormont D
Superinfection of HIV-2-preinfected macaques after rectal exposure to a primary isolate of SIVmac251.
Virology 221: 260-70 (1996)
- Wakrim L; Le Grand R; Vaslin B; Cheret A; Matheux F; Theodoro F; Roques P; Nicol-Jourdain I; Dormont D
Superinfection of HIV-2-preinfected macaques after rectal exposure to a primary isolate of SIVmac251.
Virology 221: 260-70 (1996)
- Wallace RJ Jr; Brown BA; Griffith DE; Girard WM; Murphy DT
Clarithromycin regimens for pulmonary Mycobacterium avium complex. The first 50 patients [see comments]
Am J Respir Crit Care Med 153: 1766-72 (1996)
- Wan M; Takagi M; Loh BN; Xu XZ; Imanaka T
Autoprocessing: an essential step for the activation of HIV-1 protease.
Biochem J 316 (Pt 2): 569-73 (1996)
- Wang H; Ben-Naim A
A possible involvement of solvent-induced interactions in drug design.
J Med Chem 39: 1531-9 (1996)
- Wang HK; Bastow KF; Cosentino LM; Lee KH
Antitumor agents. 166. Synthesis and biological evaluation of 5,6,7,8-substituted-2-phenylthiochromen-4-ones.
J Med Chem 39: 1975-80 (1996)
- Wang J; Cai X; Rivas G; Shiraishi H; Farias PA; Dontha N
DNA electrochemical biosensor for the detection of short DNA sequences related to the human immunodeficiency virus.
Anal Chem 68: 2629-34 (1996)
- Wang S; Milne GW; Yan X; Posey IJ; Nicklaus MC; Graham L; Rice WG
Discovery of novel, non-peptide HIV-1 protease inhibitors by pharmacophore searching.
J Med Chem 39: 2047-54 (1996)
- Wang WK; Essex M; Lee TH
Single amino acid substitution in constant region 1 or 4 of gp120 causes the phenotype of a human immunodeficiency virus type 1 variant with mutations in hypervariable regions 1 and 2 to revert.
J Virol 70: 607-11 (1996)
- Wang WK; Essex M; McLane MF; Mayer KH; Hsieh CC; Brumblay HG; Seage G; Lee TH
Pattern of gp120 sequence divergence linked to a lack of clinical progression in human immunodeficiency virus type 1 infection.
Proc Natl Acad Sci U S A 93: 6693-7 (1996)
- Wang YX; Freedberg DI; Yamazaki T; Wingfield PT; Stahl SJ; Kaufman JD; Kiso Y; Torchia DA
Solution NMR evidence that the HIV-1 protease catalytic aspartyl groups have different ionization states in the complex formed with the asymmetric drug KNI-272.
Biochemistry 35: 9945-50 (1996)
- Wang Z; Morris GF; Rice AP; Xiong W; Morris CB
Wild-type and transactivation-defective mutants of human immunodeficiency virus type 1 Tat protein bind human TATA-binding protein in vitro.
J Acquir Immune Defic Syndr Hum Retrovirol 12: 128-38 (1996)
- Wang Z; Rana TM
RNA conformation in the Tat-TAR complex determined by site-specific photo-cross-linking.
Biochemistry 35: 6491-9 (1996)
- Wang Z; Wang X; Rana TM
Protein orientation in the Tat-TAR complex determined by psoralen photocross-linking.
J Biol Chem 271: 16995-8 (1996)
- Watkins BA; Davis AE; Fiorentini S; di Marzo Veronese F; Reitz MS Jr
Evidence for distinct contributions of heavy and light chains to restriction of antibody recognition of the HIV-1 principal neutralization determinant.
J Immunol 156: 1676-83 (1996)
- Weiss RA
HIV receptors and the pathogenesis of AIDS.
Science 272: 1885-6 (1996)
- Weissenhorn W; Wharton SA; Calder LJ; Earl PL; Moss B; Aliprandis E; Skehel JJ; Wiley DC
The ectodomain of HIV-1 env subunit gp41 forms a soluble, alpha-helical, rod-like oligomer in the absence of gp120 and the N-terminal fusion peptide.
EMBO J 15: 1507-14 (1996)
- Welker R; Kottler H; Kalbitzer HR; Krausslich HG
Human immunodeficiency virus type 1 Nef protein is incorporated into virus particles and specifically cleaved by the viral proteinase.
Virology 219: 228-36 (1996)

References (1996)

- Wieland U; Suhr H; Salzberger B; Eggers HJ; Braun RW; Kuhn JE
Quantification of HIV-1 proviral DNA and analysis of genomic diversity by polymerase chain reaction and temperature gradient gel electrophoresis.
J Virol Methods 57: 127-39 (1996)
- Wieland U; Suhr H; Salzberger B; Eggers HJ; Braun RW; Kuhn JE
Quantification of HIV-1 proviral DNA and analysis of genomic diversity by polymerase chain reaction and temperature gradient gel electrophoresis.
J Virol Methods 57: 127-39 (1996)
- Wilk T; Pfeiffer T; Bukovsky A; Moldenhauer G; Bosch V
Glycoprotein incorporation and HIV-1 infectivity despite exchange of the gp160 membrane-spanning domain.
Virology 218: 269-74 (1996)
- Willard-Gallo KE; Delmelle-Wibaut C; Segura-Zapata I; Janssens M; Willems L; Kettmann R
Modulation of CD3-gamma gene expression after HIV type 1 infection of the WE17/10 T cell line is progressive and occurs in concert with decreased production of viral p24 antigen.
AIDS Res Hum Retroviruses 12: 715-25 (1996)
- Willard-Gallo KE; Delmelle-Wibaut C; Segura-Zapata I; Janssens M; Willems L; Kettmann R
Modulation of CD3-gamma gene expression after HIV type 1 infection of the WE17/10 T cell line is progressive and occurs in concert with decreased production of viral p24 antigen.
AIDS Res Hum Retroviruses 12: 715-25 (1996)
- Williams RD; Lee BA; Jackson SP; Proudfoot NJ
Activation domains of transcription factors mediate replication dependent transcription from a minimal HIV-1 promoter.
Nucleic Acids Res 24: 549-57 (1996)
- Williams SJ; Schwer C; Krishnarao AS; Heid C; Karger BL; Williams PM
Quantitative competitive polymerase chain reaction: analysis of amplified products of the HIV-1 gag gene by capillary electrophoresis with laser-induced fluorescence detection.
Anal Biochem 236: 146-52 (1996)
- Wilson JE; Aulabaugh A; Caligan B; McPherson S; Wakefield JK; Jablonski S; Morrow CD; Reardon JE; Furman PA
Human immunodeficiency virus type-1 reverse transcriptase. Contribution of Met-184 to binding of nucleoside 5'-triphosphate.
J Biol Chem 271: 13656-62 (1996)
- Winter H; Maeda Y; Mitsuya H; Zemlicka J
Phosphodiester amidates of allenic nucleoside analogues: anti-HIV activity and possible mechanism of action.
J Med Chem 39: 3300-6 (1996)
- Wlassoff WA; Dymshits GM; Lavrik OI
A model for DNA polymerase translocation: worm-like movement of DNA within the binding cleft.
FEBS Lett 390: 6-9 (1996)
- Woffendin C; Ranga U; Yang Z; Xu L; Nabel GJ
Expression of a protective gene-prolongs survival of T cells in human immunodeficiency virus-infected patients.
Proc Natl Acad Sci U S A 93: 2889-94 (1996)
- Wolfe AL; Felock PJ; Hastings JC; Blau CU; Hazuda DJ
The role of manganese in promoting multimerization and assembly of human immunodeficiency virus type 1 integrase as a catalytically active complex on immobilized long terminal repeat substrates.
J Virol 70: 1424-32 (1996)
- Wolinsky SM; Korber BT; Neumann AU; Daniels M; Kunstman KJ; Whetsell AJ; Furtado MR; Cao Y; Ho DD; Safrit JT; Koup RA
Adaptive evolution of human immunodeficiency virus-type 1 during the natural course of infection [see comments]
Science 272: 537-42 (1996)
- Wolthers KC; Otto SA; Lens SM; Kolbach DN; van Lier RA; Miedema F; Meygaardt L
Increased expression of CD80, CD86 and CD70 on T cells from HIV-infected individuals upon activation in vitro: regulation by CD4+ T cells.
Eur J Immunol 26: 1700-6 (1996)
- Wolthers KC; Otto SA; Lens SM; Kolbach DN; van Lier RA; Miedema F; Meygaardt L
Increased expression of CD80, CD86 and CD70 on T cells from HIV-infected individuals upon activation in vitro: regulation by CD4+ T cells.
Eur J Immunol 26: 1700-6 (1996)
- Wondrak EM; Nashed NT; Haber MT; Jerina DM; Louis JM
A transient precursor of the HIV-1 protease. Isolation, characterization, and kinetics of maturation.
J Biol Chem 271: 4477-81 (1996)
- Wong MT; Dolan MJ; Kozlow E; Doe R; Melcher GP; Burke DS; Boswell RN; Vahey M
Patterns of virus burden and T cell phenotype are established early and are correlated with the rate of disease progression in human immunodeficiency virus type 1-infected persons.
J Infect Dis 173: 877-87 (1996)
- Wu W; Palaniappan C; Bambara RA; Fay PJ
Differences in mutagenesis during minus strand, plus strand and strand transfer (recombination) synthesis of the HIV-1 gene in vitro.
Nucleic Acids Res 24: 1710-8 (1996)

References (1996)

- Wu X; Liu H; Xiao H; Conway JA; Kappes JC
Inhibition of human and simian immunodeficiency virus protease function by targeting Vpx-protease-mutant fusion protein into viral particles.
J Virol 70: 3378-84 (1996)
- Wu X; Liu H; Xiao H; Conway JA; Kappes JC
Inhibition of human and simian immunodeficiency virus protease function by targeting Vpx-protease-mutant fusion protein into viral particles.
J Virol 70: 3378-84 (1996)
- Wu X; Liu H; Xiao H; Kappes JC
Proteolytic activity of human immunodeficiency virus Vpr- and Vpx-protease fusion proteins.
Virology 219: 307-13 (1996)
- Wu Y; Duan L; Zhu M; Hu B; Kubota S; Bagasra O; Pomerantz RJ
Binding of intracellular anti-Rev single chain variable fragments to different epitopes of human immunodeficiency virus type 1 rev: variations in viral inhibition.
J Virol 70: 3290-7 (1996)
- Wu-Baer F; Lane WS; Gaynor RB
Identification of a group of cellular cofactors that stimulate the binding of RNA polymerase II and TRP-185 to human immunodeficiency virus 1 TAR RNA.
J Biol Chem 271: 4201-8 (1996)
- Wyatt JR; Davis PW; Freier SM
Kinetics of G-quartet-mediated tetramer formation.
Biochemistry 35: 8002-8 (1996)
- Wyss-Coray T; Masliah E; Toggas SM; Rockenstein EM; Brooker MJ; Lee HS; Mucke L
Dysregulation of signal transduction pathways as a potential mechanism of nervous system alterations in HIV-1 gp120 transgenic mice and humans with HIV-1 encephalitis.
J Clin Invest 97: 789-98 (1996)
- Xu M; Sharma V; Bryans M; Wilkie NM
Identification of a new member of the MNP transcription factor family in differentiated HL60 cells.
Biochem Biophys Res Commun 226: 488-94 (1996)
- Xu M; Sharma V; Bryans M; Wilkie NM
Identification of a new member of the MNP transcription factor family in differentiated HL60 cells.
Biochem Biophys Res Commun 226: 488-94 (1996)
- Yamada O; Kraus G; Luznik L; Yu M; Wong-Staal F
A chimeric human immunodeficiency virus type 1 (HIV-1) minimal Rev response element-ribozyme molecule exhibits dual antiviral function and inhibits cell-cell transmission of HIV-1.
J Virol 70: 1596-601 (1996)
- Yamada O; Kraus G; Sargueil B; Yu Q; Burke JM; Wong-Staal F
Conservation of a hairpin ribozyme sequence in HIV-1 is required for efficient viral replication.
Virology 220: 361-6 (1996)
- Yan ZX; Meyer TF
Mixed population approach for vaccination with live recombinant *Salmonella* strains.
J Biotechnol 44: 197-201 (1996)
- Yan ZX; Meyer TF
Mixed population approach for vaccination with live recombinant *Salmonella* strains.
J Biotechnol 44: 197-201 (1996)
- Yang C; Compans RW
Analysis of the cell fusion activities of chimeric simian immunodeficiency virus-murine leukemia virus envelope proteins: inhibitory effects of the R peptide.
J Virol 70: 248-54 (1996)
- Yang G; Song Q; Charles M; Drosopoulos WC; Arnold E; Prasad VR
Use of chimeric human immunodeficiency virus types 1 and 2 reverse transcriptases for structure-function analysis and for mapping susceptibility to nonnucleoside inhibitors.
J Acquir Immune Defic Syndr Hum Retrovirol 11: 326-33 (1996)
- Yang OO; Kalams SA; Rosenzweig M; Trocha A; Jones N; Koziel M; Walker BD; Johnson RP
Efficient lysis of human immunodeficiency virus type 1-infected cells by cytotoxic T lymphocytes.
J Virol 70: 5799-806 (1996)
- Yang X; Goncalves J; Gabuzda D
Phosphorylation of Vif and its role in HIV-1 replication.
J Biol Chem 271: 10121-9 (1996)
- Yankulov KY; Pandes M; McCracken S; Bouchard D; Bentley DL
TFIIE functions in regulating transcriptional elongation by RNA polymerase II in Xenopus oocytes.
Mol Cell Biol 16: 3291-9 (1996)

References (1996)

- Yano K; Toki S; Nakanishi S; Ochiai K; Ando K; Yoshida M; Matsuda Y; Yamasaki M
MS-271, a novel inhibitor of calmodulin-activated myosin light chain kinase from Streptomyces sp.-I. Isolation, structural determination and biological properties of MS-271.
Bioorg Med Chem 4: 115-20 (1996)
- Yoo J; Chen H; Kraus T; Hirsch D; Polyak S; George I; Sperber K
Altered cytokine production and accessory cell function after HIV-1 infection.
J Immunol 157: 1313-20 (1996)
- Yoshimura K; Matsushita S; Hayashi A; Takatsuki K
Relationship of HIV-1 envelope V2 and V3 sequences of the primary isolates to the viral phenotype.
Microbiol Immunol 40: 277-87 (1996)
- Yu H; Rabson AB; Kaul M; Ron Y; Dougherty JP
Inducible human immunodeficiency virus type 1 packaging cell lines.
J Virol 70: 4530-7 (1996)
- Yusupova G; Lanchy JM; Yusupov M; Keith G; Le Grice SF; Ehresmann C; Ehresmann B; Marquet R
Primer selection by HIV-1 reverse transcriptase on RNA-tRNA(3Lys) and DNA-tRNA(3Lys) hybrids.
J Mol Biol 261: 315-21 (1996)
- Yusupova G; Lanchy JM; Yusupov M; Keith G; Le Grice SF; Ehresmann C; Ehresmann B; Marquet R
Primer selection by HIV-1 reverse transcriptase on RNA-tRNA(3Lys) and DNA-tRNA(3Lys) hybrids.
J Mol Biol 261: 315-21 (1996)
- Zakharova OD; Suturina OA; Gudima SO; Pokholok DK; Iamkovo VI; Kochetkov SN; Nevinskii GA
[Interaction of primers with mutant forms of human immunodeficiency virus reverse transcriptase]
Mol Biol (Mosk) 30: 231-40 (1996)
- Zakharova OD; Suturina OA; Gudima SO; Pokholok DK; Iamkovo VI; Kochetkov SN; Nevinskii GA
[Interaction of primers with mutant forms of human immunodeficiency virus reverse transcriptase]
Mol Biol (Mosk) 30: 231-40 (1996)
- Zauli G; Vitale M; Gibellini D; Capitani S
Inhibition of purified CD34+ hematopoietic progenitor cells by human immunodeficiency virus 1 or gp120 mediated by endogenous transforming growth factor beta 1.
J Exp Med 183: 99-108 (1996)
- Zemmel RW; Kelley AC; Karn J; Butler PJ
Flexible regions of RNA structure facilitate co-operative Rev assembly on the Rev-response element.
J Mol Biol 258: 763-77 (1996)
- Zhang H; Dornadula G; Pomerantz RJ
Endogenous reverse transcription of human immunodeficiency virus type 1 in physiological microenvironments: an important stage for viral infection of nondividing cells.
J Virol 70: 2809-24 (1996)
- Zhang H; Dornadula G; Wu Y; Havlir D; Richman DD; Pomerantz RJ
Kinetic analysis of intravirion reverse transcription in the blood plasma of human immunodeficiency virus type 1-infected individuals: direct assessment of resistance to reverse transcriptase inhibitors in vivo.
J Virol 70: 628-34 (1996)
- Zhang WH; Hockley DJ; Nermut MV; Morikawa Y; Jones IM
Gag-Gag interactions in the C-terminal domain of human immunodeficiency virus type 1 p24 capsid antigen are essential for Gag particle assembly.
J Gen Virol 77 (Pt 4): 743-51 (1996)
- Zhao S; Ooi SL; Yang FC; Pardee AB
Three methods for identification of true positive cloned cDNA fragment in differential display.
Biotechniques 20: 400-4 (1996)
- Zhao Y; Cao J; O'Gorman MR; Yu M; Yoge R
Effect of human immunodeficiency virus type 1 protein R (vpr) gene expression on basic cellular function of fission yeast *Schizosaccharomyces pombe*.
J Virol 70: 5821-6 (1996)
- Zheng NN; McQueen PW; Hurren L; Evans LA; Law MG; Forde S; Barker S; Cooper DA; Delaney SF
Changes in biologic phenotype of human immunodeficiency virus during treatment of patients with didanosine.
J Infect Dis 173: 1092-6 (1996)
- Zhong W; Wang H; Herndier B; Ganem D
Restricted expression of Kaposi sarcoma-associated herpesvirus (human herpesvirus 8) genes in Kaposi sarcoma.
Proc Natl Acad Sci U S A 93: 6641-6 (1996)
- Zhu GW; Mukherjee S; Sahni M; Narayan O; Stephens EB
Prolonged infection in rhesus macaques with simian immunodeficiency virus (SIVmac239) results in animal-specific and rarely tissue-specific selection of nef variants.
Virology 220: 522-9 (1996)

References (1996)

- Zhu QY; Scarborough A; Polsky B; Chou TC
Drug combinations and effect parameters of zidovudine, stavudine, and nevirapine in standardized drug-sensitive and resistant HIV type 1 strains.
AIDS Res Hum Retroviruses 12: 507-17 (1996)
- Zhu T; Wang N; Carr A; Nam DS; Moor-Jankowski R; Cooper DA; Ho DD
Genetic characterization of human immunodeficiency virus type 1 in blood and genital secretions: evidence for viral compartmentalization and selection during sexual transmission.
J Virol 70: 3098-107 (1996)
- Zola H
Analysis of receptors for cytokines and growth factors in human disease.
Dis Markers 12: 225-40 (1996)
- Zola H
Analysis of receptors for cytokines and growth factors in human disease.
Dis Markers 12: 225-40 (1996)
- Zou JX; Luciw PA
The requirement for Vif of SIVmac is cell-type dependent.
J Gen Virol 77 (Pt 3): 427-34 (1996)
- Zou JX; Luciw PA
The requirement for Vif of SIVmac is cell-type dependent.
J Gen Virol 77 (Pt 3): 427-34 (1996)
- al-Ghusein H; Ball H; Igloi GL; Gbewonyo A; Coates AR; Mascagni P; Roberts MM
Chemically synthesised human immunodeficiency virus P7 nucleocapsid protein can self-assemble into particles and binds to a specific site on the tRNA(Lys,3) primer.
Biochem Biophys Res Commun 224: 191-8 (1996)
- de Clercq E
Non-nucleoside reverse transcriptase inhibitors (NNRTIs) for the treatment of human immunodeficiency virus type 1 (HIV-1) infections: strategies to overcome drug resistance development.
Med Res Rev 16: 125-57 (1996)
- de Jong AL; Green DM; Trial JA; Birdsall HH
Focal effects of mononuclear leukocyte transendothelial migration: TNF-alpha production by migrating monocytes promotes subsequent migration of lymphocytes.
J Leukoc Biol 60: 129-36 (1996)
- de Jong MD; Veenstra J; Stilianakis NI; Schuurman R; Lange JM; de Boer RJ; Boucher CA
Host-parasite dynamics and outgrowth of virus containing a single K70R amino acid change in reverse transcriptase are responsible for the loss of human immunodeficiency virus type 1 RNA load suppression by zidovudine.
Proc Natl Acad Sci U S A 93: 5501-6 (1996)
- de Ronde A; de Rooij ER; Coutinho RA; Goudsmit J
[Zidovudine-resistant HIV strains in intravenous drug users and homosexual men in Amsterdam]
Ned Tijdschr Geneeskd 140: 932-4 (1996)
- de Vreese K; Kofler-Mongold V; Leutgeb C; Weber V; Vermeire K; Schacht S; Anne J; de Clercq E; Datema R; Werner G
The molecular target of bicyclams, potent inhibitors of human immunodeficiency virus replication.
J Virol 70: 689-96 (1996)
- di Marzo Veronese F; Arnott D; Barnaba V; Loftus DJ; Sakaguchi K; Thompson CB; Salemi S; Mastroianni C; Sette A; Shabanowitz J; Hunt DF; Appella E
Autoreactive cytotoxic T lymphocytes in human immunodeficiency virus type 1-infected subjects.
J Exp Med 183: 2509-16 (1996)
- el Kharroubi A; Martin MA
cis-acting sequences located downstream of the human immunodeficiency virus type 1 promoter affect its chromatin structure and transcriptional activity.
Mol Cell Biol 16: 2958-66 (1996)
- van Baalen CA; Klein MR; Huisman RC; Dings ME; Kerkhof Garde SR; Geretti AM; Gruters R; van Els CA; Miedema F; Osterhaus AD
Fine-specificity of cytotoxic T lymphocytes which recognize conserved epitopes of the Gag protein of human immunodeficiency virus type 1.
J Gen Virol 77 (Pt 8): 1659-65 (1996)
- van Gent DC; Mizuuchi K; Gellert M
Similarities between initiation of V(D)J recombination and retroviral integration [see comments]
Science 271: 1592-4 (1996)
- van der Burg SH; Visseren MJ; Brandt RM; Kast WM; Melief CJ
Immunogenicity of peptides bound to MHC class I molecules depends on the MHC-peptide complex stability.
J Immunol 156: 3308-14 (1996)
- van der Hoek W; van Oosterhout JJ; Ngoma M
An outbreak of dysentery in Zambia [letter]
S Afr Med J 86: 93-4 (1996)